

NAME

Locale::RecodeData::EBCDIC_FI_SE_A – Conversion routines for EBCDIC_FI_SE_A

SYNOPSIS

This module is internal to libintl. Do not use directly!

DESCRIPTION

This module is generated and contains the conversion tables and routines for EBCDIC-FI-SE-A.

COMMENTS

The following comments have been extracted from the original charmap:

version: 1.0

source: IBM 3270 Char Set Ref Ch 10, GA27-2837-9, April 1987

Please note that aliases listed above are not necessarily valid!

CHARACTER TABLE

The following table is sorted in the same order as the original charmap. All character codes are in hexadecimal. Please read 'ISO-10646' as 'ISO-10646-UCS4'.

| Local | ISO-10646 | Description |
|-------|-----------|--------------------------------|
| 00 | 00000000 | NULL (NUL) |
| 01 | 00000001 | START OF HEADING (SOH) |
| 02 | 00000002 | START OF TEXT (STX) |
| 03 | 00000003 | END OF TEXT (ETX) |
| 04 | 0000009C | STRING TERMINATOR (ST) |
| 05 | 00000009 | CHARACTER TABULATION (HT) |
| 06 | 00000086 | START OF SELECTED AREA (SSA) |
| 07 | 0000007F | DELETE (DEL) |
| 08 | 00000097 | END OF GUARDED AREA (EPA) |
| 09 | 0000008D | REVERSE LINE FEED (RI) |
| 0A | 0000008E | SINGLE-SHIFT TWO (SS2) |
| 0B | 0000000B | LINE TABULATION (VT) |
| 0C | 0000000C | FORM FEED (FF) |
| 0D | 0000000D | CARRIAGE RETURN (CR) |
| 0E | 0000000E | SHIFT OUT (SO) |
| 0F | 0000000F | SHIFT IN (SI) |
| 10 | 00000010 | DATALINK ESCAPE (DLE) |
| 11 | 00000011 | DEVICE CONTROL ONE (DC1) |
| 12 | 00000012 | DEVICE CONTROL TWO (DC2) |
| 13 | 00000013 | DEVICE CONTROL THREE (DC3) |
| 14 | 0000009D | OPERATING SYSTEM COMMAND (OSC) |
| 15 | 00000085 | NEXT LINE (NEL) |
| 16 | 00000008 | BACKSPACE (BS) |
| 17 | 00000087 | END OF SELECTED AREA (ESA) |
| 18 | 00000018 | CANCEL (CAN) |
| 19 | 00000019 | END OF MEDIUM (EM) |
| 1A | 00000092 | PRIVATE USE TWO (PU2) |
| 1B | 0000008F | SINGLE-SHIFT THREE (SS3) |
| 1C | 0000001C | FILE SEPARATOR (IS4) |
| 1D | 0000001D | GROUP SEPARATOR (IS3) |
| 1E | 0000001E | RECORD SEPARATOR (IS2) |
| 1F | 0000001F | UNIT SEPARATOR (IS1) |
| 20 | 00000080 | PADDING CHARACTER (PAD) |
| 21 | 00000081 | HIGH OCTET PRESET (HOP) |
| 22 | 00000082 | BREAK PERMITTED HERE (BPH) |
| 23 | 00000083 | NO BREAK HERE (NBH) |

| | | |
|----|----------|---|
| 24 | 00000084 | INDEX (IND) |
| 25 | 0000000A | LINE FEED (LF) |
| 26 | 00000017 | END OF TRANSMISSION BLOCK (ETB) |
| 27 | 0000001B | ESCAPE (ESC) |
| 28 | 00000088 | CHARACTER TABULATION SET (HTS) |
| 29 | 00000089 | CHARACTER TABULATION WITH JUSTIFICATION (HTJ) |
| 2A | 0000008A | LINE TABULATION SET (VTS) |
| 2B | 0000008B | PARTIAL LINE FORWARD (PLD) |
| 2C | 0000008C | PARTIAL LINE BACKWARD (PLU) |
| 2D | 00000005 | ENQUIRY (ENQ) |
| 2E | 00000006 | ACKNOWLEDGE (ACK) |
| 2F | 00000007 | BELL (BEL) |
| 30 | 00000090 | DEVICE CONTROL STRING (DCS) |
| 31 | 00000091 | PRIVATE USE ONE (PU1) |
| 32 | 00000016 | SYNCHRONOUS IDLE (SYN) |
| 33 | 00000093 | SET TRANSMIT STATE (STS) |
| 34 | 00000094 | CANCEL CHARACTER (CCH) |
| 35 | 00000095 | MESSAGE WAITING (MW) |
| 36 | 00000096 | START OF GUARDED AREA (SPA) |
| 37 | 00000004 | END OF TRANSMISSION (EOT) |
| 38 | 00000098 | START OF STRING (SOS) |
| 39 | 00000099 | SINGLE GRAPHIC CHARACTER INTRODUCER (SGCI) |
| 3A | 0000009A | SINGLE CHARACTER INTRODUCER (SCI) |
| 3B | 0000009B | CONTROL SEQUENCE INTRODUCER (CSI) |
| 3C | 00000014 | DEVICE CONTROL FOUR (DC4) |
| 3D | 00000015 | NEGATIVE ACKNOWLEDGE (NAK) |
| 3E | 0000009E | PRIVACY MESSAGE (PM) |
| 3F | 0000001A | SUBSTITUTE (SUB) |
| 40 | 00000020 | SPACE |
| 4A | 000000F6 | LATIN SMALL LETTER O WITH DIAERESIS |
| 4B | 0000002E | FULL STOP |
| 4C | 0000003C | LESS-THAN SIGN |
| 4D | 00000028 | LEFT PARENTHESIS |
| 4E | 0000002B | PLUS SIGN |
| 4F | 0000007C | VERTICAL LINE |
| 50 | 00000026 | AMPERSAND |
| 5A | 000000E5 | LATIN SMALL LETTER A WITH RING ABOVE |
| 5B | 000000C5 | LATIN CAPITAL LETTER A WITH RING ABOVE |
| 5C | 0000002A | ASTERISK |
| 5D | 00000029 | RIGHT PARENTHESIS |
| 5E | 0000003B | SEMICOLON |
| 5F | 000000AC | NOT SIGN |
| 60 | 0000002D | HYPHEN-MINUS |
| 61 | 0000002F | SOLIDUS |
| 6A | 000000A6 | BROKEN BAR |
| 6B | 0000002C | COMMA |
| 6C | 00000025 | PERCENT SIGN |
| 6D | 0000005F | LOW LINE |
| 6E | 0000003E | GREATER-THAN SIGN |
| 6F | 0000003F | QUESTION MARK |
| 7A | 0000003A | COLON |
| 7B | 000000C4 | LATIN CAPITAL LETTER A WITH DIAERESIS |
| 7C | 000000D6 | LATIN CAPITAL LETTER O WITH DIAERESIS |
| 7D | 00000027 | APOSTROPHE |

| | | |
|----|----------|-------------------------------------|
| 7E | 0000003D | EQUALS SIGN |
| 7F | 000000E4 | LATIN SMALL LETTER A WITH DIAERESIS |
| 81 | 00000061 | LATIN SMALL LETTER A |
| 82 | 00000062 | LATIN SMALL LETTER B |
| 83 | 00000063 | LATIN SMALL LETTER C |
| 84 | 00000064 | LATIN SMALL LETTER D |
| 85 | 00000065 | LATIN SMALL LETTER E |
| 86 | 00000066 | LATIN SMALL LETTER F |
| 87 | 00000067 | LATIN SMALL LETTER G |
| 88 | 00000068 | LATIN SMALL LETTER H |
| 89 | 00000069 | LATIN SMALL LETTER I |
| 91 | 0000006A | LATIN SMALL LETTER J |
| 92 | 0000006B | LATIN SMALL LETTER K |
| 93 | 0000006C | LATIN SMALL LETTER L |
| 94 | 0000006D | LATIN SMALL LETTER M |
| 95 | 0000006E | LATIN SMALL LETTER N |
| 96 | 0000006F | LATIN SMALL LETTER O |
| 97 | 00000070 | LATIN SMALL LETTER P |
| 98 | 00000071 | LATIN SMALL LETTER Q |
| 99 | 00000072 | LATIN SMALL LETTER R |
| A2 | 00000073 | LATIN SMALL LETTER S |
| A3 | 00000074 | LATIN SMALL LETTER T |
| A4 | 00000075 | LATIN SMALL LETTER U |
| A5 | 00000076 | LATIN SMALL LETTER V |
| A6 | 00000077 | LATIN SMALL LETTER W |
| A7 | 00000078 | LATIN SMALL LETTER X |
| A8 | 00000079 | LATIN SMALL LETTER Y |
| A9 | 0000007A | LATIN SMALL LETTER Z |
| C1 | 00000041 | LATIN CAPITAL LETTER A |
| C2 | 00000042 | LATIN CAPITAL LETTER B |
| C3 | 00000043 | LATIN CAPITAL LETTER C |
| C4 | 00000044 | LATIN CAPITAL LETTER D |
| C5 | 00000045 | LATIN CAPITAL LETTER E |
| C6 | 00000046 | LATIN CAPITAL LETTER F |
| C7 | 00000047 | LATIN CAPITAL LETTER G |
| C8 | 00000048 | LATIN CAPITAL LETTER H |
| C9 | 00000049 | LATIN CAPITAL LETTER I |
| D1 | 0000004A | LATIN CAPITAL LETTER J |
| D2 | 0000004B | LATIN CAPITAL LETTER K |
| D3 | 0000004C | LATIN CAPITAL LETTER L |
| D4 | 0000004D | LATIN CAPITAL LETTER M |
| D5 | 0000004E | LATIN CAPITAL LETTER N |
| D6 | 0000004F | LATIN CAPITAL LETTER O |
| D7 | 00000050 | LATIN CAPITAL LETTER P |
| D8 | 00000051 | LATIN CAPITAL LETTER Q |
| D9 | 00000052 | LATIN CAPITAL LETTER R |
| E2 | 00000053 | LATIN CAPITAL LETTER S |
| E3 | 00000054 | LATIN CAPITAL LETTER T |
| E4 | 00000055 | LATIN CAPITAL LETTER U |
| E5 | 00000056 | LATIN CAPITAL LETTER V |
| E6 | 00000057 | LATIN CAPITAL LETTER W |
| E7 | 00000058 | LATIN CAPITAL LETTER X |
| E8 | 00000059 | LATIN CAPITAL LETTER Y |
| E9 | 0000005A | LATIN CAPITAL LETTER Z |

| | | | | |
|----|--|----------|--|-----------------------------------|
| F0 | | 00000030 | | DIGIT ZERO |
| F1 | | 00000031 | | DIGIT ONE |
| F2 | | 00000032 | | DIGIT TWO |
| F3 | | 00000033 | | DIGIT THREE |
| F4 | | 00000034 | | DIGIT FOUR |
| F5 | | 00000035 | | DIGIT FIVE |
| F6 | | 00000036 | | DIGIT SIX |
| F7 | | 00000037 | | DIGIT SEVEN |
| F8 | | 00000038 | | DIGIT EIGHT |
| F9 | | 00000039 | | DIGIT NINE |
| FF | | 0000009F | | APPLICATION PROGRAM COMMAND (APC) |

AUTHOR

Copyright (C) 2002–2016 Guido Flohr <<http://www.guido-flohr.net/>>
 (<<mailto:guido.flohr@cantanea.com>>), all rights reserved. See the source code for details!

SEE ALSO

Locale::RecodeData (3), **Locale::Recode** (3), **perl** (1)