The syntax of C in Backus-Naur Form

```
<translation-unit> ::= {<external-declaration>}*
<external-declaration> ::= <function-definition>
                         | <declaration>
<function-definition> ::= {<declaration-specifier>}* <declarator> {<declaration>}* <compound-statement>
<declaration-specifier> ::= <storage-class-specifier>
                          | <type-specifier>
                          | <type-qualifier>
<storage-class-specifier> ::= auto
                              static
                              extern
                            | typedef
<type-specifier> ::= void
                     int
                     long
                     float
                     double
                     signed
                     unsigned
                     <struct-or-union-specifier>
                     <enum-specifier>
                    <typedef-name>
<struct-or-union-specifier> ::= <struct-or-union> <identifier> { {<struct-declaration>}+ }
                              <struct-or-union> { {<struct-declaration>}+ }
                               <struct-or-union> <identifier>
<struct-or-union> ::= struct
                    union
<struct-declaration> ::= {<specifier-qualifier>}* <struct-declarator-list>
<specifier-qualifier> ::= <type-specifier>
                        | <type-qualifier>
<struct-declarator-list> ::= <struct-declarator>
                           <struct-declarator-list> , <struct-declarator>
<struct-declarator> ::= <declarator>
                      | : <constant-expression>
<declarator> ::= {<pointer>}? <direct-declarator>
<pointer> ::= * {<type-qualifier>}* {<pointer>}?
<type-qualifier> ::= const
                   | volatile
<direct-declarator> ::= <identifier>
                      ( <declarator> )
                       <direct-declarator> [ {<constant-expression>}? ]
                      | <direct-declarator> ( <parameter-type-list> )
| <direct-declarator> ( {<identifier>}* )
<constant-expression> ::= <conditional-expression>
<conditional-expression> ::= <logical-or-expression>
                           <logical-or-expression> ? <expression> : <conditional-expression>
```

```
<logical-or-expression> ::= <logical-and-expression>
                        <logical-and-expression> ::= <inclusive-or-expression>
                         <inclusive-or-expression> ::= <exclusive-or-expression>
                          <inclusive-or-expression> | <exclusive-or-expression>
<exclusive-or-expression> ::= <and-expression>
                          <exclusive-or-expression> ^ <and-expression>
<and-expression> ::= <equality-expression>
                 <and-expression> & <equality-expression>
<equality-expression> ::= <relational-expression>
                        <equality-expression> == <relational-expression>
                      <equality-expression> != <relational-expression>
<relational-expression> ::= <shift-expression>
                        <relational-expression> < <shift-expression>
                        <relational-expression> <= <shift-expression>
                        <shift-expression> ::= <additive-expression>
                    <shift-expression> << <additive-expression>
                    <shift-expression> >> <additive-expression>
<additive-expression> ::= <multiplicative-expression>
                       <additive-expression> + <multiplicative-expression>
                      <additive-expression> - <multiplicative-expression>
<multiplicative-expression> ::= <cast-expression>
                             <multiplicative-expression> * <cast-expression>
<multiplicative-expression> / <cast-expression>
                            | <multiplicative-expression> % <cast-expression>
<cast-expression> ::= <unary-expression>
                  ( <type-name> ) <cast-expression>
<unary-expression> ::= <postfix-expression>
                    ++ <unary-expression>
                    -- <unary-expression>
                    <unary-operator> <cast-expression>
                    | sizeof <unary-expression>
                    | sizeof <type-name>
<postfix-expression> ::= <primary-expression>
                       <postfix-expression> [ <expression> ]
<postfix-expression> ( {<assignment-expression>}* )
                      <postfix-expression> . <identifier>
                      <postfix-expression> -> <identifier>
                       <postfix-expression> ++
                     | <postfix-expression> --
<primary-expression> ::= <identifier>
                     <constant>
                      <string>
                     ( <expression> )
<constant> ::= <integer-constant>
            <character-constant>
              <floating-constant>
             <enumeration-constant>
<expression> ::= <assignment-expression>
              <expression> , <assignment-expression>
<assignment-expression> ::= <conditional-expression>
                        <unary-expression> <assignment-operator> <assignment-expression>
```

```
<assignment-operator> ::= =
                         >>=
<unary-operator> ::= &
<type-name> ::= {<specifier-qualifier>}+ {<abstract-declarator>}?
<parameter-type-list> ::= <parameter-list>
                       | <parameter-list> , ...
<parameter-list> ::= <parameter-declaration>
                  | <parameter-list> , <parameter-declaration>
<parameter-declaration> ::= {<declaration-specifier>}+ <declarator>
                         {<declaration-specifier>}+ <abstract-declarator>
                         {<declaration-specifier>}+
<abstract-declarator> ::= <pointer>
                         <pointer> <direct-abstract-declarator>
                         <direct-abstract-declarator>
<direct-abstract-declarator> ::= ( <abstract-declarator> )
                              | {<direct-abstract-declarator>}? [ {<constant-expression>}? ]
                              {<direct-abstract-declarator>}? ( {<parameter-type-list>|? )
<enum-specifier> ::= enum <identifier> { <enumerator-list> }
                  | enum { <enumerator-list> }
                   | enum <identifier>
<enumerator-list> ::= <enumerator>
                   | <enumerator-list> , <enumerator>
<enumerator> ::= <identifier>
              <identifier> = <constant-expression>
<typedef-name> ::= <identifier>
<declaration> ::= {<declaration-specifier>}+ {<init-declarator>}*
<init-declarator> ::= <declarator>
                   <initializer> ::= <assignment-expression>
               { <initializer-list> }
                { <initializer-list> , }
<initializer-list> ::= <initializer>
                    | <initializer-list> , <initializer>
<compound-statement> ::= { {<declaration>}* {<statement>}* }
<statement> ::= <labeled-statement>
               <expression-statement>
               <compound-statement>
               <selection-statement>
               <iteration-statement>
              <jump-statement>
```

This grammar was adapted from Section A13 of *The C programming language*, 2nd edition, by Brian W. Kernighan and Dennis M. Ritchie, Prentice Hall, 1988.