### On Schemes for Exponential Decay

### Hans Petter Langtangen<sup>1,2</sup>

Center for Biomedical Computing, Simula Research Laboratory  $^1$  Department of Informatics, University of  $\mathrm{Oslo}^2$ 

May 5, 2013



#### Goal

The primary goal of this demo talk is to demonstrate how to write talks with doconce and get them rendered in numerous HTML formats.

#### Layout

This version utilizes beamer slides with the theme umbc1.

## Mathematical problem

$$u'(t) = -au(t), \qquad (1)$$

$$u(0) = I, (2)$$

- $t \in (0, T]$
- ▶ a, I, and T are prescribed parameters
- $\triangleright$  u(t) is the unknown function



### Numerical solution method

- ▶ Mesh in time:  $0 = t_0 < t_1 \cdots < t_N = T$
- Assume constant  $\Delta t = t_n t_{n-1}$
- $\triangleright$   $u^n$ : numerical approx to the exact solution at  $t_n$

#### Numerical scheme:

$$u^{n+1} = \frac{1 - (1 - \theta)a\Delta t}{1 + \theta a\Delta t}u^n, \quad n = 0, 1, \dots, N - 1$$

### Numerical solution method

- ▶ Mesh in time:  $0 = t_0 < t_1 \cdots < t_N = T$
- Assume constant  $\Delta t = t_n t_{n-1}$
- $\triangleright$   $u^n$ : numerical approx to the exact solution at  $t_n$

#### Numerical scheme:

$$u^{n+1} = rac{1 - (1 - heta)a\Delta t}{1 + heta a\Delta t}u^n, \quad n = 0, 1, \dots, N-1$$

### Numerical solution method

- ▶ Mesh in time:  $0 = t_0 < t_1 \cdots < t_N = T$
- Assume constant  $\Delta t = t_n t_{n-1}$
- $\triangleright$   $u^n$ : numerical approx to the exact solution at  $t_n$


#### Numerical scheme:

$$u^{n+1} = \frac{1 - (1 - \theta)a\Delta t}{1 + \theta a\Delta t}u^n, \quad n = 0, 1, \dots, N - 1$$

### **Implementation**

The numerical method is implemented in a Python function:

### The Crank-Nicolson method



Exact solution of the scheme

$$u^n = A^n$$
,  $A = \frac{1 - (1 - \theta)a\Delta t}{1 + \theta a\Delta t}$ 

- ▶ Stability: |A| < 1</p>
- No oscillations: A > 0
- ▶ Always for Backward Euler ( $\theta = 1$ )
- $ightharpoonup \Delta t < 1/a$  for Forward Euler (heta = 0)
- $\Delta t < 2/a$  for Crank-Nicolson ( $\theta = 1/2$ )

Exact solution of the scheme:

$$u^n = A^n$$
,  $A = \frac{1 - (1 - \theta)a\Delta t}{1 + \theta a\Delta t}$ .

- ▶ Stability: |A| < 1
- ▶ No oscillations: A > 0
- ▶ Always for Backward Euler ( $\theta = 1$ )
- $ightharpoonup \Delta t < 1/a$  for Forward Euler ( $\theta = 0$ )
- $ightharpoonup \Delta t < 2/a$  for Crank-Nicolson (heta = 1/2)

Exact solution of the scheme:

$$u^n = A^n$$
,  $A = \frac{1 - (1 - \theta)a\Delta t}{1 + \theta a\Delta t}$ .

- ▶ Stability: |A| < 1</p>
- ► No oscillations: *A* > 0
- ▶ Always for Backward Euler ( $\theta = 1$ )
- $\Delta t < 1/a$  for Forward Euler ( $\theta = 0$ )
- $\Delta t < 2/a$  for Crank-Nicolson ( $\theta = 1/2$ )

Exact solution of the scheme:

$$u^n = A^n$$
,  $A = \frac{1 - (1 - \theta)a\Delta t}{1 + \theta a\Delta t}$ .

- ▶ Stability: |A| < 1</p>
- ► No oscillations: *A* > 0
- ▶ Always for Backward Euler ( $\theta = 1$ )
- $\Delta t < 1/a$  for Forward Euler ( $\theta = 0$ )
- $\Delta t < 2/a$  for Crank-Nicolson ( $\theta = 1/2$ )