Library Imports

In [ ]:
```
import numpy as np
import matplotlib.pyplot as plt
```

Logistic Growth Differential Equation: $\frac{dP}{dt} = rP\left(1 - \frac{P}{K}\right)$

Where:

$P(t)$ is the population at time t.
r is the growth rate.
K is the carrying capacity of the environment.

Exact Solution for Logistic Growth: $P(t) = \frac{KP_0e^{rt}}{K+P_0(e^{rt}-1)}$

Where:

P_0 is the initial population.
Alt text

In [ ]:
```
def logistic_growth(t, P, r, K):
    return r * P * (1 - P / K)

def exact_solution(t, P0, r, K):
    return (K * P0 * np.exp(r * t)) / (K + P0 * (np.exp(r * t) - 1))

def predictor_corrector(y0, t0, h, N, r, K):
    t = [t0]
    P = [y0]

    # Bootstrap using 4th order Runge-Kutta
    for i in range(1):
        k1 = h * logistic_growth(t[-1], P[-1], r, K)
        k2 = h * logistic_growth(t[-1] + 0.5 * h, P[-1] + 0.5 * k1, r, K)
        k3 = h * logistic_growth(t[-1] + 0.5 * h, P[-1] + 0.5 * k2, r, K)
        k4 = h * logistic_growth(t[-1] + h, P[-1] + k3, r, K)

        P.append(P[-1] + (k1 + 2 * k2 + 2 * k3 + k4) / 6)
        t.append(t[-1] + h)

    for i in range(1, N):
        # Predictor
        P_predict = P[-1] + h * (1.5 * logistic_growth(t[-1], P[-1], r, K) - 0.5 *
        t_predict = t[-1] + h

        # Corrector
        P_correct = P[-1] + h/2 * (logistic_growth(t[-1], P[-1], r, K) + logistic_g
```

```
        P.append(P_correct)
        t.append(t_predict)

    return t, P

# Parameters
t0 = 0.0
P0 = 10.0
h = 0.1
N = 100
r = 0.1
K = 1000

t_vals, P_vals = predictor_corrector(P0, t0, h, N, r, K)
```

In [ ]:

```
# Visualization
plt.plot(t_vals, P_vals, label="Predictor-Corrector")
plt.plot(t_vals, [exact_solution(t, P0, r, K) for t in t_vals], '--', label="Exact
plt.xlabel('Time (t)')
plt.ylabel('Population (P)')
plt.legend()
plt.title("Logistic Growth")
plt.grid(True)
plt.show()
```