

# Firewall Status

IPv4 Firewall

IPv6 Firewall

Show empty chains

Reset Counters

Restart Firewall

## Table: Filter

Chain **INPUT** (Policy: *ACCEPT*, 0 Packets, 0 B Traffic)

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment
0	0 B	ACCEPT	all	lo	*	::/0	::/0	-	-
14	872 B	<a href="#">input rule</a>	all	*	*	::/0	::/0	-	Custom input rule chain
0	0 B	ACCEPT	all	*	*	::/0	::/0	ctstate RELATED,ESTABLISHED	-
0	0 B	<a href="#">syn flood</a>	tcp	*	*	::/0	::/0	tcp flags:0x17/0x02	-
5	368 B	<a href="#">zone lan input</a>	all	br-lan	*	::/0	::/0	-	-
9	504 B	<a href="#">zone wan input</a>	all	eth0.2	*	::/0	::/0	-	-

Chain **FORWARD** (Policy: *DROP*, 0 Packets, 0 B Traffic)

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment
0	0 B	<a href="#">forwarding_rule</a>	all	*	*	::/0	::/0	-	Custom forwarding rule chain
0	0 B	ACCEPT	all	*	*	::/0	::/0	ctstate RELATED,ESTABLISHED	-
0	0 B	<a href="#">zone lan forward</a>	all	br-lan	*	::/0	::/0	-	-
0	0 B	<a href="#">zone wan forward</a>	all	eth0.2	*	::/0	::/0	-	-
0	0 B	<a href="#">reject</a>	all	*	*	::/0	::/0	-	-

Chain **OUTPUT** (Policy: *ACCEPT*, 0 Packets, 0 B Traffic)

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment
0	0 B	ACCEPT	all	*	lo	::/0	::/0	-	-
5	368 B	<a href="#">output rule</a>	all	*	*	::/0	::/0	-	Custom output rule

OpenWrt	Status	System	Network	Logout		REFRESHING				
1	96 B	ACCEPT	all	*	*	::/0	::/0	ctstate RELATED,ESTABLISHED	-	
4	272 B	<a href="#">zone_lan_output</a>	all	*	<div>br-lan</div>	::/0	::/0	-	-	
0	0 B	<a href="#">zone_wan_output</a>	all	*	<div>eth0.2</div>	::/0	::/0	-	-	

Chain [reject](#) (3 References)

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment
0	0 B	REJECT	tcp	*	*	::/0	::/0	reject-with tcp-reset	-
0	0 B	REJECT	all	*	*	::/0	::/0	reject-with icmp6-port-unreachable	-

Chain [syn\\_flood](#) (1 References)

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment
0	0 B	RETURN	tcp	*	*	::/0	::/0	tcp flags:0x17/0x02 limit: avg 25/sec burst 50	-
0	0 B	DROP	all	*	*	::/0	::/0	-	-

Chain [zone\\_lan\\_dest\\_ACCEPT](#) (4 References)

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment
4	272 B	ACCEPT	all	*	<div>br-lan</div>	::/0	::/0	-	-

Chain [zone\\_lan\\_forward](#) (1 References)

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment
0	0 B	<a href="#">forwarding_lan_rule</a>	all	*	*	::/0	::/0	-	Custom lan forwarding rule chain
0	0 B	<a href="#">zone_wan_dest_ACCEPT</a>	all	*	*	::/0	::/0	-	Zone lan to wan forwarding policy
0	0 B	<a href="#">zone_lan_dest_ACCEPT</a>	all	*	*	::/0	::/0	-	-

Chain [zone\\_lan\\_input](#) (1 References)

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment
5	368 B	<a href="#">input_lan_rule</a>	all	*	*	::/0	::/0	-	Custom lan input rule chain
5	368 B	<a href="#">zone_lan_src_ACCEPT</a>	all	*	*	::/0	::/0	-	-

OpenWrt	Status	System	Network	Logout	REFRESHING				
---------	--------	--------	---------	--------	------------	--	--	--	--

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment
4	272 B	<a href="#">output lan rule</a>	all	*	*	::/0	::/0	-	Custom lan output rule chain

4	272 B	<a href="#">zone lan_dest ACCEPT</a>	all	*	*	::/0	::/0	-	-
---	-------	--------------------------------------	-----	---	---	------	------	---	---

#### Chain [zone\\_lan\\_src\\_ACCEPT](#) (1 References)

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment
5	368 B	ACCEPT	all	<a href="#">br-lan</a>	*	::/0	::/0	ctstate NEW,UNTRACKED	-

#### Chain [zone\\_wan\\_dest\\_ACCEPT](#) (2 References)

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment
0	0 B	DROP	all	*	<a href="#">eth0.2</a>	::/0	::/0	ctstate INVALID	Prevent NAT leakage
0	0 B	ACCEPT	all	*	<a href="#">eth0.2</a>	::/0	::/0	-	-

#### Chain [zone\\_wan\\_dest\\_REJECT](#) (1 References)

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment
0	0 B	LOG	all	*	<a href="#">eth0.2</a>	::/0	::/0	limit: avg 10/sec burst 5 LOG flags 0 level 4 prefix "REJECT wan out: "	-
0	0 B	<a href="#">reject</a>	all	*	<a href="#">eth0.2</a>	::/0	::/0	-	-

#### Chain [zone\\_wan\\_forward](#) (1 References)

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment
0	0 B	<a href="#">forwarding wan rule</a>	all	*	*	::/0	::/0	-	Custom wan forwarding rule chain
0	0 B	ACCEPT	icmpv6	*	*	::/0	::/0	ipv6-icmp type 128 limit: avg 1000/sec burst 5	Allow-ICMPv6-Forward
0	0 B	ACCEPT	icmpv6	*	*	::/0	::/0	ipv6-icmp type 129 limit: avg 1000/sec burst 5	Allow-ICMPv6-Forward
0	0 B	ACCEPT	icmpv6	*	*	::/0	::/0	ipv6-icmp type 1 limit: avg 1000/sec burst 5	Allow-ICMPv6-Forward

OpenWrt	Status	System	Network	Logout	REFRESHING				
								burst 5	Forward
0	0 B	ACCEPT	icmpv6	*	*	::/0	::/0	ipv6-icmp type 3 limit: avg 1000/sec burst 5	Allow-ICMPv6-Forward
0	0 B	ACCEPT	icmpv6	*	*	::/0	::/0	ipv6-icmp type 4 code 0 limit: avg 1000/sec burst 5	Allow-ICMPv6-Forward
0	0 B	ACCEPT	icmpv6	*	*	::/0	::/0	ipv6-icmp type 4 code 1 limit: avg 1000/sec burst 5	Allow-ICMPv6-Forward
0	0 B	<a href="#">zone_lan_dest ACCEPT</a>	esp	*	*	::/0	::/0	-	Allow-IPSec-ESP
0	0 B	<a href="#">zone_lan_dest ACCEPT</a>	udp	*	*	::/0	::/0	udp dpt:500	Allow-ISAKMP
0	0 B	<a href="#">zone_wan_dest REJECT</a>	all	*	*	::/0	::/0	-	-

### Chain [zone\\_wan\\_input](#) (1 References)

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment
9	504 B	<a href="#">input_wan_rule</a>	all	*	*	::/0	::/0	-	Custom wan input rule chain
0	0 B	ACCEPT	udp	*	*	fc00::/6	fc00::/6	udp dpt:546	Allow-DHCPv6
0	0 B	ACCEPT	icmpv6	*	*	fe80::/10	::/0	ipv6-icmp type 130 code 0	Allow-MLD
0	0 B	ACCEPT	icmpv6	*	*	fe80::/10	::/0	ipv6-icmp type 131 code 0	Allow-MLD
0	0 B	ACCEPT	icmpv6	*	*	fe80::/10	::/0	ipv6-icmp type 132 code 0	Allow-MLD
0	0 B	ACCEPT	icmpv6	*	*	fe80::/10	::/0	ipv6-icmp type 143 code 0	Allow-MLD
0	0 B	ACCEPT	icmpv6	*	*	::/0	::/0	ipv6-icmp type 128 limit: avg 1000/sec burst 5	Allow-ICMPv6-Input
0	0 B	ACCEPT	icmpv6	*	*	::/0	::/0	ipv6-icmp type 129 limit: avg 1000/sec burst 5	Allow-ICMPv6-Input
0	0 B	ACCEPT	icmpv6	*	*	::/0	::/0	ipv6-icmp type 1 limit: avg 1000/sec burst 5	Allow-ICMPv6-

OpenWrt	Status	System	Network	Logout	REFRESHING				
0	0 B	ACCEPT	icmpv6	*	*	::/0	::/0	ipv6-icmpv6 type 2 limit: avg 1000/sec burst 5	Allow-ICMPv6-Input
0	0 B	ACCEPT	icmpv6	*	*	::/0	::/0	ipv6-icmpv6 type 3 limit: avg 1000/sec burst 5	Allow-ICMPv6-Input
0	0 B	ACCEPT	icmpv6	*	*	::/0	::/0	ipv6-icmpv6 type 4 code 0 limit: avg 1000/sec burst 5	Allow-ICMPv6-Input
0	0 B	ACCEPT	icmpv6	*	*	::/0	::/0	ipv6-icmpv6 type 4 code 1 limit: avg 1000/sec burst 5	Allow-ICMPv6-Input
9	504 B	ACCEPT	icmpv6	*	*	::/0	::/0	ipv6-icmpv6 type 133 limit: avg 1000/sec burst 5	Allow-ICMPv6-Input
0	0 B	ACCEPT	icmpv6	*	*	::/0	::/0	ipv6-icmpv6 type 135 limit: avg 1000/sec burst 5	Allow-ICMPv6-Input
0	0 B	ACCEPT	icmpv6	*	*	::/0	::/0	ipv6-icmpv6 type 134 limit: avg 1000/sec burst 5	Allow-ICMPv6-Input
0	0 B	ACCEPT	icmpv6	*	*	::/0	::/0	ipv6-icmpv6 type 136 limit: avg 1000/sec burst 5	Allow-ICMPv6-Input
0	0 B	<a href="#">zone_wan_src_REJECT</a>	all	*	*	::/0	::/0	-	-

### Chain [zone\\_wan\\_output](#) (1 References)

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment
0	0 B	<a href="#">output wan rule</a>	all	*	*	::/0	::/0	-	Custom wan output rule chain
0	0 B	<a href="#">zone_wan_dest_ACCEPT</a>	all	*	*	::/0	::/0	-	-

### Chain [zone\\_wan\\_src\\_REJECT](#) (1 References)

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment
0	0 B	LOG	all	<input type="text" value="eth0.2"/>	*	::/0	::/0	limit: avg 10/sec burst 5 LOG flags 0 level 4 prefix "REJECT wan in: "	-
0	0 B	<a href="#">reject</a>	all	<input type="text" value="eth0.2"/>	*	::/0	::/0	-	-

Chain *FORWARD* (Policy: *ACCEPT*, 0 Packets, 0 B Traffic)

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment
0	0 B	TCPMSS	tcp	*	eth0.2	::/0	::/0	tcp flags:0x06/0x02 TCPMSS clamp to PMTU	Zone wan MTU fixing
0	0 B	TCPMSS	tcp	eth0.2	*	::/0	::/0	tcp flags:0x06/0x02 TCPMSS clamp to PMTU	Zone wan MTU fixing