**OpenWrt** REFRESHING Status System Network Logout

# **Firewall Status**

IPv4 Firewall IPv6 Firewall Show empty chains

**Reset Counters** 

Restart Firewall

Table: Filter

Chain INPUT (Policy: ACCEPT, 0 Packets, 0 B Traffic)

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment
117	11.28 KB	ACCEPT	all	lo	*	0.0.0.0/0	0.0.0.0/0	-	-
1.19 K	172.78 KB	input_rule	all	*	*	0.0.0.0/0	0.0.0.0/0	-	Custom input rule chain
962	134.32 KB	ACCEPT	all	*	*	0.0.0.0/0	0.0.0.0/0	ctstate RELATED,ESTABLISHED	-
8	424 B	syn_flood	tcp	*	*	0.0.0.0/0	0.0.0.0/0	tcp flags:0x17/0x02	-
58	6.15 KB	zone_lan_input	all	br-lan	*	0.0.0.0/0	0.0.0.0/0	-	-
171	32.31 KB	zone_wan_input	all	eth0.2	*	0.0.0.0/0	0.0.0.0/0	-	-

#### Chain FORWARD (Policy: DROP, 0 Packets, 0 B Traffic)

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment
577	174.51 KB	forwarding_rule	all	*	*	0.0.0.0/0	0.0.0.0/0	-	Custom forwarding rule chain
554	173.31 KB	ACCEPT	all	*	*	0.0.0.0/0	0.0.0.0/0	ctstate RELATED,ESTABLISHED	-
23	1.20 KB	zone_lan_forward	all	br-lan	*	0.0.0.0/0	0.0.0.0/0	-	-
0	0 B	zone_wan_forward	all	eth0.2	*	0.0.0.0/0	0.0.0.0/0	-	-
0	0 B	reject	all	*	*	0.0.0.0/0	0.0.0.0/0	-	-

#### Chain OUTPUT (Policy: ACCEPT, 0 Packets, 0 B Traffic)

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment
117	11.28 KB	ACCEPT	all	*	lo	0.0.0.0/0	0.0.0.0/0	-	-
1.21 K	556.19 KB	output_rule	all	*	*	0.0.0.0/0	0.0.0.0/0	-	Custom output rule chain

OpenWr	t Status	s System	Network	Lo	ogout					REFRESHING
3	718 B	zone_lan_output	all	*	br-lan	0.0.0.0/0	0.0.0.0/0	-	-	
106	7.67 KB	zone_wan_output	all	*	eth0.2	0.0.0.0/0	0.0.0.0/0	-	-	

# Chain reject (3 References)

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment
1	60 B	REJECT	tcp	*	*	0.0.0.0/0	0.0.0.0/0	reject-with tcp-reset	-
166	32.12 KB	REJECT	all	*	*	0.0.0.0/0	0.0.0.0/0	reject-with icmp-port-unreachable	-

#### Chain syn\_flood (1 References)

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment
8	424 B	RETURN	tcp	*	*	0.0.0.0/0	0.0.0.0/0	tcp flags:0x17/0x02 limit: avg 25/sec burst 50	-
0	0 B	DROP	all	*	*	0.0.0.0/0	0.0.0.0/0	-	-

# Chain zone\_lan\_dest\_ACCEPT (4 References)

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment	
3	718 B	ACCEPT	all	*	br-lan	0.0.0.0/0	0.0.0.0/0	-	-	

# Chain zone\_lan\_forward (1 References)

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment
23	1.20 KB	forwarding lan rule	all	*	*	0.0.0.0/0	0.0.0.0/0	-	Custom lan forwarding rule chain
23	1.20 KB	zone_wan_dest_ACCEPT	all	*	*	0.0.0.0/0	0.0.0.0/0	-	Zone lan to wan forwarding policy
0	0 B	ACCEPT	all	*	*	0.0.0.0/0	0.0.0.0/0	ctstate DNAT	Accept port forwards
0	0 B	zone lan dest ACCEPT	all	*	*	0.0.0.0/0	0.0.0.0/0	-	-

# Chain zone\_lan\_input (1 References)

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment
58	6.15 KB	input_lan_rule	all	*	*	0.0.0.0/0	0.0.0.0/0	-	Custom lan input rule chain
0	0 B	ACCEPT	all	*	*	0.0.0.0/0	0.0.0.0/0	ctstate DNAT	Accept port redirections

OpenWrt Status System Network Logout

# Chain zone\_lan\_output (1 References)

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment
3	718 B	output_lan_rule	all	*	*	0.0.0.0/0	0.0.0.0/0	-	Custom lan output rule chain
3	718 B	zone_lan_dest_ACCEPT	all	*	*	0.0.0.0/0	0.0.0.0/0	-	-

# Chain zone\_lan\_src\_ACCEPT (1 References)

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment
58	6.15 KB	ACCEPT	all	br-lan	*	0.0.0.0/0	0.0.0.0/0	ctstate NEW,UNTRACKED	-

#### Chain zone\_wan\_dest\_ACCEPT (2 References)

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment
0	0 B	DROP	all	*	eth0.2	0.0.0.0/0	0.0.0.0/0	ctstate INVALID	Prevent NAT leakage
129	8.87 KB	ACCEPT	all	*	eth0.2	0.0.0.0/0	0.0.0.0/0	-	-

#### Chain zone\_wan\_dest\_REJECT (1 References)

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment
0	0 B	reject	all	*	eth0.2	0.0.0.0/0	0.0.0.0/0	-	-

#### Chain zone\_wan\_forward (1 References)

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment
0	0 B	forwarding wan rule	all	*	*	0.0.0.0/0	0.0.0.0/0	-	Custom wan forwarding rule chain
0	0 B	zone_lan_dest_ACCEPT	esp	*	*	0.0.0.0/0	0.0.0.0/0	-	Allow-IPSec-ESP
0	0 B	zone lan dest ACCEPT	udp	*	*	0.0.0.0/0	0.0.0.0/0	udp dpt:500	Allow-ISAKMP
0	0 B	ACCEPT	all	*	*	0.0.0.0/0	0.0.0.0/0	ctstate DNAT	Accept port forwards
0	0 B	zone_wan_dest_REJECT	all	*	*	0.0.0.0/0	0.0.0.0/0	-	-

#### Chain zone\_wan\_input (1 References)

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment
171	32.31 KB	input_wan_rule	all	*	*	0.0.0.0/0	0.0.0.0/0	-	Custom wan input rule

Open	Wrt st	atus System Netw	ork	Logout					REFRESHING
0	0 B	ACCEPT	udp	*	*	0.0.0.0/0	0.0.0.0/0	udp dpt:68	Allow-DHCP-Renew
0	0 B	ACCEPT	icmp	*	*	0.0.0.0/0	0.0.0.0/0	icmptype 8	Allow-Ping
4	128 B	ACCEPT	2	*	*	0.0.0.0/0	0.0.0.0/0	-	Allow-IGMP
0	0 B	ACCEPT	all	*	*	0.0.0.0/0	0.0.0.0/0	ctstate DNAT	Accept port redirections
167	32.18 KB	zone_wan_src_REJECT	all	*	*	0.0.0.0/0	0.0.0.0/0	-	-

#### Chain zone\_wan\_output (1 References)

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment
106	7.67 KB	output_wan_rule	all	*	*	0.0.0.0/0	0.0.0.0/0	-	Custom wan output rule chain
106	7.67 KB	zone_wan_dest_ACCEPT	all	*	*	0.0.0.0/0	0.0.0.0/0	-	-

#### Chain zone\_wan\_src\_REJECT (1 References)

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment
167	32.18 KB	reject	all	eth0.2	*	0.0.0.0/0	0.0.0.0/0	-	-

#### **Table: NAT**

#### Chain PREROUTING (Policy: ACCEPT, 407 Packets, 105.70 KB Traffic)

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment
407	105.70 KB	prerouting_rule	all	*	*	0.0.0.0/0	0.0.0.0/0	-	Custom prerouting rule chain
121	24.28 KB	zone_lan_prerouting	all	br-lan	*	0.0.0.0/0	0.0.0.0/0	-	-
286	81.43 KB	zone_wan_prerouting	all	eth0.2	*	0.0.0.0/0	0.0.0.0/0	-	-

#### Chain POSTROUTING (Policy: ACCEPT, 16 Packets, 1.68 KB Traffic)

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment
146	10.59 KB	postrouting_rule	all	*	*	0.0.0.0/0	0.0.0.0/0	-	Custom postrouting rule chain
2	376 B	zone_lan_postrouting	all	*	br-lan	0.0.0.0/0	0.0.0.0/0	-	-
130	8.91 KB	zone_wan_postrouting	all	*	eth0.2	0.0.0.0/0	0.0.0.0/0	-	-

# Chain zone\_lan\_postrouting (1 References)

OpenV	Vrt	Status	System	Network		Logout					REFRESHING
2	376 B	postrouti	ng lan rule	all	*	*	0.0.0.0/0	0.0.0.0/0	-	Custom lan postrouting	rule chain

#### Chain zone\_lan\_prerouting (1 References)

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment
121	24.28 KB	prerouting_lan_rule	all	*	*	0.0.0.0/0	0.0.0.0/0	-	Custom lan prerouting rule chain

#### Chain zone\_wan\_postrouting (1 References)

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment
130	8.91 KB	postrouting wan rule	all	*	*	0.0.0.0/0	0.0.0.0/0	-	Custom wan postrouting rule chain
130	8.91 KB	MASQUERADE	all	*	*	0.0.0.0/0	0.0.0.0/0	-	-

#### Chain zone\_wan\_prerouting (1 References)

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment
286	81.43 KB	prerouting_wan_rule	all	*	*	0.0.0.0/0	0.0.0.0/0	-	Custom wan prerouting rule chain

# **Table: Mangle**

#### Chain FORWARD (Policy: ACCEPT, 577 Packets, 174.51 KB Traffic)

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment
23	1.20 KB	TCPMSS	tcp	*	eth0.2	0.0.0.0/0	0.0.0.0/0	tcp flags:0x06/0x02 TCPMSS clamp to PMTU	Zone wan MTU fixing
26	1.35 KB	TCPMSS	tcp	eth0.2	*	0.0.0.0/0	0.0.0.0/0	tcp flags:0x06/0x02 TCPMSS clamp to PMTU	Zone wan MTU fixing

Powered by LuCl openwrt-19.07 branch (git-20.247.75781-0d0ab01) / OpenWrt 19.07.4 r11208-ce6496d796