

Firewall Status

IPv4 Firewall

IPv6 Firewall

Show empty chains

Reset Counters

Restart Firewall

Table: Filter

Chain **INPUT** (Policy: **ACCEPT**, 0 Packets, 0 B Traffic)

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment
0	0 B	ACCEPT	all	lo	*	0.0.0.0/0	0.0.0.0/0	-	-
13	4.04 KB	input_rule	all	*	*	0.0.0.0/0	0.0.0.0/0	-	Custom input rule chain
13	4.04 KB	ACCEPT	all	*	*	0.0.0.0/0	0.0.0.0/0	ctstate RELATED,ESTABLISHED	-
0	0 B	syn_flood	tcp	*	*	0.0.0.0/0	0.0.0.0/0	tcp flags:0x17/0x02	-
0	0 B	zone_lan_input	all	br-lan	*	0.0.0.0/0	0.0.0.0/0	-	-
0	0 B	zone_wan_input	all	eth0.2	*	0.0.0.0/0	0.0.0.0/0	-	-

Chain **FORWARD** (Policy: **DROP**, 0 Packets, 0 B Traffic)

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment
0	0 B	forwarding_rule	all	*	*	0.0.0.0/0	0.0.0.0/0	-	Custom forwarding rule chain
0	0 B	ACCEPT	all	*	*	0.0.0.0/0	0.0.0.0/0	ctstate RELATED,ESTABLISHED	-
0	0 B	zone_lan_forward	all	br-lan	*	0.0.0.0/0	0.0.0.0/0	-	-
0	0 B	zone_wan_forward	all	eth0.2	*	0.0.0.0/0	0.0.0.0/0	-	-
0	0 B	reject	all	*	*	0.0.0.0/0	0.0.0.0/0	-	-

Chain **OUTPUT** (Policy: **ACCEPT**, 0 Packets, 0 B Traffic)

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment
0	0 B	ACCEPT	all	*	lo	0.0.0.0/0	0.0.0.0/0	-	-
18	4.98 KB	output_rule	all	*	*	0.0.0.0/0	0.0.0.0/0	-	Custom output rule

OpenWrt	Status	System	Network	Logout	REFRESHING				
18	4.98 KB	ACCEPT	all	*	*	0.0.0.0/0	0.0.0.0/0	ctstate RELATED,ESTABLISHED	-
0	0 B	zone_lan_output	all	*	br-lan	0.0.0.0/0	0.0.0.0/0	-	-
0	0 B	zone_wan_output	all	*	eth0.2	0.0.0.0/0	0.0.0.0/0	-	-

Chain [reject](#) (3 References)

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment
0	0 B	REJECT	tcp	*	*	0.0.0.0/0	0.0.0.0/0	reject-with tcp-reset	-
0	0 B	REJECT	all	*	*	0.0.0.0/0	0.0.0.0/0	reject-with icmp-port-unreachable	-

Chain [syn_flood](#) (1 References)

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment
0	0 B	RETURN	tcp	*	*	0.0.0.0/0	0.0.0.0/0	tcp flags:0x17/0x02 limit: avg 25/sec burst 50	-
0	0 B	DROP	all	*	*	0.0.0.0/0	0.0.0.0/0	-	-

Chain [zone_lan_dest_ACCEPT](#) (4 References)

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment
0	0 B	ACCEPT	all	*	br-lan	0.0.0.0/0	0.0.0.0/0	-	-

Chain [zone_lan_forward](#) (1 References)

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment
0	0 B	forwarding_lan_rule	all	*	*	0.0.0.0/0	0.0.0.0/0	-	Custom lan forwarding rule chain
0	0 B	zone_wan_dest_ACCEPT	all	*	*	0.0.0.0/0	0.0.0.0/0	-	Zone lan to wan forwarding policy
0	0 B	ACCEPT	all	*	*	0.0.0.0/0	0.0.0.0/0	ctstate DNAT	Accept port forwards
0	0 B	zone_lan_dest_ACCEPT	all	*	*	0.0.0.0/0	0.0.0.0/0	-	-

Chain [zone_lan_input](#) (1 References)

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment
0	0 B	input_lan_rule	all	*	*	0.0.0.0/0	0.0.0.0/0	-	Custom lan input rule

OpenWrt	Status	System	Network	Logout	REFRESHING					
0	0 B	ACCEPT	all	*	*	0.0.0.0/0	0.0.0.0/0	ctstate DNAT	Accept port redirections	

0	0 B	zone_lan_src_ACCEPT	all	*	*	0.0.0.0/0	0.0.0.0/0	-	-	
---	-----	-------------------------------------	-----	---	---	-----------	-----------	---	---	--

Chain [zone_lan_output](#) (1 References)

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment
0	0 B	output_lan_rule	all	*	*	0.0.0.0/0	0.0.0.0/0	-	Custom lan output rule chain
0	0 B	zone_lan_dest_ACCEPT	all	*	*	0.0.0.0/0	0.0.0.0/0	-	-

Chain [zone_lan_src_ACCEPT](#) (1 References)

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment
0	0 B	ACCEPT	all	br-lan	*	0.0.0.0/0	0.0.0.0/0	ctstate NEW,UNTRACKED	-

Chain [zone_wan_dest_ACCEPT](#) (2 References)

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment
0	0 B	DROP	all	*	eth0.2	0.0.0.0/0	0.0.0.0/0	ctstate INVALID	Prevent NAT leakage
0	0 B	ACCEPT	all	*	eth0.2	0.0.0.0/0	0.0.0.0/0	-	-

Chain [zone_wan_dest_REJECT](#) (1 References)

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment
0	0 B	LOG	all	*	eth0.2	0.0.0.0/0	0.0.0.0/0	limit: avg 10/sec burst 5 LOG flags 0 level 4 prefix "REJECT wan out: "	-
0	0 B	reject	all	*	eth0.2	0.0.0.0/0	0.0.0.0/0	-	-

Chain [zone_wan_forward](#) (1 References)

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment
0	0 B	forwarding_wan_rule	all	*	*	0.0.0.0/0	0.0.0.0/0	-	Custom wan forwarding rule chain
0	0 B	zone_lan_dest_ACCEPT	esp	*	*	0.0.0.0/0	0.0.0.0/0	-	Allow-IPSec-ESP
0	0 B	zone_lan_dest_ACCEPT	udp	*	*	0.0.0.0/0	0.0.0.0/0	udp dpt:500	Allow-ISAAMP
0	0 B	ACCEPT	all	*	*	0.0.0.0/0	0.0.0.0/0	ctstate	Accept port forwards

OpenWrt	Status	System	Network	Logout	REFRESHING					
0	0 B	zone_wan_dest REJECT	all	*	*	0.0.0.0/0	0.0.0.0/0	-	-	

Chain [zone_wan_input](#) (1 References)

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment
0	0 B	input_wan_rule	all	*	*	0.0.0.0/0	0.0.0.0/0	-	Custom wan input rule chain
0	0 B	ACCEPT	udp	*	*	0.0.0.0/0	0.0.0.0/0	udp dpt:68	Allow-DHCP-Renew
0	0 B	ACCEPT	icmp	*	*	0.0.0.0/0	0.0.0.0/0	icmptype 8	Allow-Ping
0	0 B	ACCEPT	2	*	*	0.0.0.0/0	0.0.0.0/0	-	Allow-IGMP
0	0 B	ACCEPT	all	*	*	0.0.0.0/0	0.0.0.0/0	ctstate DNAT	Accept port redirections
0	0 B	zone_wan_src REJECT	all	*	*	0.0.0.0/0	0.0.0.0/0	-	-

Chain [zone_wan_output](#) (1 References)

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment
0	0 B	output_wan_rule	all	*	*	0.0.0.0/0	0.0.0.0/0	-	Custom wan output rule chain
0	0 B	zone_wan_dest ACCEPT	all	*	*	0.0.0.0/0	0.0.0.0/0	-	-

Chain [zone_wan_src_REJECT](#) (1 References)

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment
0	0 B	LOG	all	eth0.2	*	0.0.0.0/0	0.0.0.0/0	limit: avg 10/sec burst 5 LOG flags 0 level 4 prefix "REJECT wan in: "	-
0	0 B	reject	all	eth0.2	*	0.0.0.0/0	0.0.0.0/0	-	-

Table: NAT

Chain *PREROUTING* (Policy: *ACCEPT*, 1665 Packets, 454.22 KB Traffic)

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment
1.67 K	454.22 KB	prerouting_rule	all	*	*	0.0.0.0/0	0.0.0.0/0	-	Custom prerouting rule chain
156	50.02 KB	zone_lan_prerouting	all	br-lan	*	0.0.0.0/0	0.0.0.0/0	-	-
1.51 K	404.20 KB	zone_wan_prerouting	all	eth0.2	*	0.0.0.0/0	0.0.0.0/0	-	-

OpenWrt	Status	System	Network	Logout	REFRESHING					
Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment	
178	30.35 KB	postrouting_rule	all	*	*	0.0.0.0/0	0.0.0.0/0	-	Custom postrouting rule chain	
0	0 B	zone_lan_postrouting	all	*	<div>br-lan</div>	0.0.0.0/0	0.0.0.0/0	-	-	
163	28.58 KB	zone_wan_postrouting	all	*	<div>eth0.2</div>	0.0.0.0/0	0.0.0.0/0	-	-	

Chain [zone_lan_postrouting](#) (1 References)

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment	
0	0 B	postrouting_lan_rule	all	*	*	0.0.0.0/0	0.0.0.0/0	-	Custom lan postrouting rule chain	

Chain [zone_lan_prerouting](#) (1 References)

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment	
156	50.02 KB	prerouting_lan_rule	all	*	*	0.0.0.0/0	0.0.0.0/0	-	Custom lan prerouting rule chain	

Chain [zone_wan_postrouting](#) (1 References)

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment	
163	28.58 KB	postrouting_wan_rule	all	*	*	0.0.0.0/0	0.0.0.0/0	-	Custom wan postrouting rule chain	
163	28.58 KB	MASQUERADE	all	*	*	0.0.0.0/0	0.0.0.0/0	-	-	

Chain [zone_wan_prerouting](#) (1 References)

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment	
1.51 K	404.20 KB	prerouting_wan_rule	all	*	*	0.0.0.0/0	0.0.0.0/0	-	Custom wan prerouting rule chain	

Table: Mangle

Chain **FORWARD** (Policy: **ACCEPT**, 3901 Packets, 1.62 MB Traffic)

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment	
52	2.70 KB	TCPMSS	tcp	*	<div>eth0.2</div>	0.0.0.0/0	0.0.0.0/0	tcp flags:0x06/0x02 TCPMSS clamp to PMTU	Zone wan MTU fixing	
58	3.00 KB	TCPMSS	tcp	<div>eth0.2</div>	*	0.0.0.0/0	0.0.0.0/0	tcp flags:0x06/0x02 TCPMSS clamp to PMTU	Zone wan MTU fixing	

