		History	
Type	Author	Citation	Literature Cutoff Date
Full Evaluation	E. Browne, J. K. Tuli	NDS 111,1093 (2010)	3-Mar-2009

 $Q(\beta^{-})=-9582\ 7;\ S(n)=13200\ 4;\ S(p)=6239\ 3;\ Q(\alpha)=-2864.4\ 25$  2012Wa38

Note: Current evaluation has used the following Q record -1.01E+4 7 13.28E3 106260 30 -2.88×10<sup>33</sup> 2009AuZZ,2003Au03. Recent theory, calculations: 2008Mi17, 2007Ah04, 2007Mi19, 2006Ba23, 2005Ha19, 2004Ha43, 2000Su15, 1999Ga16, 1999Sa46.

# <sup>66</sup>Ge Levels

All data are from (HI, $xn\gamma$ ), except where indicated otherwise.

#### Cross Reference (XREF) Flags

- $^{66}\mathrm{As}\;\varepsilon$  decay
- $(HI,xn\gamma)$   $^{64}Zn(^{3}He,n)$ C

E(level) <sup>†</sup>	$J^{\pi \ddagger}$	T <sub>1/2</sub> @	XREF	Comments
0.0&	0+	2.26 h 5	ABC	%ε+%β <sup>+</sup> =100 $T_{1/2}$ : weighted average of 2.23 h 10 (1969Bo21), and 2.27 h 5 (1970De39). Others: ≈2.5 h (1950Ho26,1965He08).
956.94 <mark>&amp;</mark> 8	2+	3.7 ps 7	ВС	J <sup><math>\pi</math></sup> : J=2 from $\gamma(\theta)$ (1979Wa23,1990HeYS); $\pi$ =+ from E2 to 0 <sup>+</sup> . T <sub>1/2</sub> : from 1979Wa23.
1693.19 <sup>b</sup> 8	2+	4.5 ps <i>17</i>	В	$J^{\pi}$ : J=2 from $\gamma(\theta)$ (1979Wa23,1982So04,1990HeYS); $\pi$ =+ from E2 to 0 <sup>+</sup> . $T_{1/2}$ : from 1979Wa23.
2173.29 <sup>&amp;</sup> 10	4+	<1.4 ps	В	$J^{\pi}$ : J=4 from $\gamma(\theta)$ (1982So04,1990HeYS), DCO (1982So04); $\pi$ =+ from E2 to 2 <sup>+</sup> .
2495.26 <sup>e</sup> 11	3+		В	$T_{1/2}$ : from 1980Cl01. $T_{1/2}$ <2 ps from 1979Wa23. $J^{\pi}$ : J=3 from $\gamma(\theta)$ (1990HeYS); 3 supported by $\gamma(\theta)$ and DCO (1982So04).
2725.70 <sup>b</sup> 12	4+		В	$J^{\pi}$ : J=4 from $\gamma(\theta)$ (1982So04,1990HeYS), and DCO (1982So04).
2796.86 11	3-		BC	$J^{\pi}$ : J=3 from $\gamma(\theta)$ (1990HeYS).
3022.43 <sup>e</sup> 12	4(+)		В	$J^{\pi}$ : J=(3,5) from $\gamma(\theta)$ (1982So04). Configuration= $(\pi f_{5/2})_{4+}^{+2}$ (1990Bo27).
3242.21? 22			В	E(level): Not seen in 2003St05.
3639.04 19			В	
3654.00 <sup>&amp;</sup> 13	6+	<4.2 ps	В	J <sup>π</sup> : J=6 from $\gamma(\theta)$ (1979Wa23,1990HeYS); $\pi$ =+ from E2 to 4 <sup>+</sup> . DCO measurements support J=6 (1982So04). T <sub>1/2</sub> : from 1980Cl01.
3683.40 <i>11</i>	5-	22 ps 2	В	$J^{\pi}$ : J=5 from $\gamma(\theta)$ , $\pi$ =- from E1+M2 to 4 <sup>+</sup> (1980Cl01). $\gamma(\theta)$ (1982So04,1990HeYS) and DCO measurements give J=5 (1982So04). $T_{1/2}$ : from 1980Cl01. $T_{1/2}$ <2 ps from 1980WaZY.
3736.80 <sup>e</sup> 12	5 <sup>+</sup>	>2 ps	В	$J^{\pi}$ : J=5 from $\gamma(\theta)$ (1982So04,1990HeYS), and DCO (1982So04).
3828.01 <sup>d</sup> 14	5-	0.76 ps +35-21	В	$J^{\pi}$ : J=(3,5) from $\gamma(\theta)$ (1982So04); configuration=( $(\pi p_{3/2})(\pi g_{9/2})$ )5 <sup>-</sup> (1990Bo27).
3980.00 <i>16</i>			В	(
4080.91? <sup>b</sup> 19	6+		В	
4204.82 <sup>c</sup> 13	7-	191 ps 9	В	J <sup>π</sup> : J=7 from $\gamma(\theta)$ (1980Cl01,1990HeYS); $\pi$ =– from E2 to 5 <sup>-</sup> . Configuration=(( $\nu$ f <sub>5/2</sub> )( $\nu$ g <sub>9/2</sub> ))7 <sup>-</sup> (1990Bo27). T <sub>1/2</sub> : weighted average of 190 ps <i>10</i> (1980Cl01) and 204 ps 28 (1979Wa23).
4320.21 <sup>d</sup> 14	6(-)		В	1,2 0 0 1 0 1
4425.40 <sup>e</sup> 14	6(+)		В	

# <sup>66</sup>Ge Levels (continued)

E(level) <sup>†</sup>	$J^{\pi \ddagger}$	T <sub>1/2</sub> @	XREF	Comments
4543.01 <i>14</i>	7-	60 ps 4	В	$J^{\pi}$ : Suggested configuration= $((\pi f_{5/2})(\pi g_{9/2}))7^{-}$ (1990Bo27).
4680.01 22			В	T <sub>1/2</sub> : from 1980Cl01.
4845.62 <i>16</i>	7-		В	
4920? 50	,		В	E(level): reported only in 1990Bo27 in <sup>64</sup> Zn( <sup>12</sup> C, <sup>10</sup> Be).
5172.01 18			В	_(\cdot\cdot\cdot\cdot\cdot\cdot\cdot\cdot
5184.22 <i>14</i>		0.6  ps  +5-3	В	T <sub>1/2</sub> : By DSAM from 1988ZhZX.
5307.40 <sup>d</sup> 14	$(8^{-})$		В	
5358.42 <mark>&amp;</mark> <i>17</i>	8+		В	$J^{\pi}$ : J=8 from $\gamma(\theta)$ (1990HeYS).
5492.33 <sup>c</sup> 14	9-	1.94 ps 21	В	$T_{1/2}$ : from 1980Cl01. Other: 1.2 ps +5-3 (1988ZhZX). $J^{\pi}$ : J=9 from $\gamma(\theta)$ (1990HeYS).
5532.32 <sup>b</sup> 15	8+		В	J <sup>π</sup> : J=8 from $\gamma(\theta)$ (1990HeYS) configuration=( $\nu g_{9/2}$ ) <sub>8+</sub> <sup>+2</sup> (1990Bo27).
5557.99 <sup>e</sup> 17			В	
5947.32 14	9-		В	TT I (0.11) C (0) (1000H 170)
6033.41 <i>15</i> 6163.23 <i>18</i>	9-		В	$J^{\pi}$ : J=(9,11) from $\gamma(\theta)$ (1990HeYS).
6418.44 21	9-		B B	
6502.11 <sup>&amp;</sup> 16	10 <sup>+</sup>	>1.4 ps	В	$J^{\pi}$ : J=10 from $\gamma(\theta)$ (1990HeYS); $\pi$ =(+) from E2 to 8 <sup>+</sup> .
6580.93 <sup>b</sup> 15	10 <sup>(+)</sup>	> 1.1 ps	В	3 . 3 - 10 Hom y(0) (1990He 10), x - (1) Hom E2 to 0 .
6635.84 <sup>d</sup> 16	$(10^{-})$		В	Configuration= $(\pi g_{9/2})_{8+}^{+2}$ (1990Bo27).
6948.02 <sup>e</sup> 20	(10)		В	$configuration = (\pi gg/2)_{8+} (1770D027).$
7130.43° 16	11-		В	$J^{\pi}$ : J=11 consistent with $\gamma(\theta)$ data (1990HeYS); E2 to 5492-keV (9 <sup>-</sup> ) level.
7270? 50			В	E(level): from 1990Bo27 in $^{64}$ Zn( $^{12}$ C, $^{10}$ Be). $J^{\pi}$ : configuration=(( $\pi$ g <sub>9/2</sub> )( $\pi$ d <sub>5/2</sub> ))6 <sup>+</sup> (1990Bo27).
7280.88 22			В	
7575.41 <sup>#</sup> <i>a</i> 18	$(11^{+})$		В	
7601.31 <sup>d</sup> 19	11,12		В	
7636.74 <i>15</i>	11-		В	$J=J(5947)+2 \text{ from } \gamma(\theta) \text{ (1990HeYS)}.$
7727.01 <sup>#</sup> <b>&amp;</b> <i>16</i>	12+		В	$J^{\pi}$ : J=12 from $\gamma(\theta)$ (1990HeYS).
7737.41 <i>16</i>	11-		В	
7847.79 <i>17</i> 7994.69 <i>20</i>	11 <sup>-</sup> 12 <sup>(+)</sup>		B B	
8427.18 <sup>#</sup> <i>a</i> 18	13(+)			
8543.00 <sup>C</sup> 15	13		B B	
8801.31 <sup>#&amp;</sup> 18	14 <sup>+</sup>		В	
9404.51 <sup>c</sup> 18	15-		В	
9653.0? <i>3</i>			В	
9685.71 <sup>#</sup> <i>a</i> 22	15 <sup>(+)</sup>		В	
10473.94 <del>&amp;</del> 20	$(16^{+})$		В	
10691.4 <sup>c</sup> 4	17-		В	
11549.1 <sup>a</sup> 3	4.0		В	
12660.9 <sup>c</sup> 4 13439.2? <sup>a</sup> 5	19-		В	
13439.2? <sup>a</sup> 3 15327.9? <sup>c</sup> 11	21-		B B	
18080.0? <sup>C</sup> 23	$(23^{-})$		В	
	` ′			

<sup>†</sup> From a least-squares fit to Ey data. ‡ From DCO,  $\gamma(\theta)$ , linear polarization measurements in (HI,xny), unless indicated otherwise. # The level is also proposed (2003St05) as a member of a deformed 4-qp structure ( $\pi g_{9/2}^2 v g_{9/2}^2$ ) with staggered M1 transitions.

# <sup>66</sup>Ge Levels (continued)

 $^{@}$  By recoil-distance method (1980Cl01), unless indicated otherwise. & Band(A): g.s. band.

<sup>a</sup> Band(B): Band based on  $(11^+)$ . <sup>b</sup> Band(C):  $\gamma$  band.

<sup>c</sup> Band(D): Band based on  $7^-$ . <sup>d</sup> Band(E):  $\gamma$  cascade based on  $5^-$ .

<sup>e</sup> Band(F):  $\gamma$  cascade based on  $3^+$ .

 $\gamma(^{66}\text{Ge})$ 

All data are from (HI,xny), except where indicated otherwise.

$E_i(level)$	$\mathbf{J}_i^{\pi}$	$\mathrm{E}_{\gamma}$	$I_{\gamma}^{\ddagger}$	$\mathrm{E}_f  \mathrm{J}_f^\pi$	Mult.	δ	$lpha^\dagger$	Comments
956.94	2+	956.9 1	100.0	0.0 0+	E2		0.000393 6	$\alpha(K)=0.000351 \ 5; \ \alpha(L)=3.61\times10^{-5} \ 5; \ \alpha(M)=5.38\times10^{-6} \ 8;$ $\alpha(N+)=3.51\times10^{-7} \ 5$ $\alpha(N)=3.51\times10^{-7} \ 5$
1693.19	2+	736.1 <i>1</i>	100 3	956.94 2+	M1+E2	-1.15 26	0.000691 25	B(E2)(W.u.)=12.0 23 $\alpha$ (K)=0.000617 22; $\alpha$ (L)=6.36×10 <sup>-5</sup> 24; $\alpha$ (M)=9.5×10 <sup>-6</sup> 4; $\alpha$ (N+)=6.18×10 <sup>-7</sup> 22 $\alpha$ (N)=6.18×10 <sup>-7</sup> 22 B(M1)(W.u.)=0.0041 19; B(E2)(W.u.)=16 7
		1693.2 <i>I</i>	30.2 8	0.0 0+	E2		0.000282 4	$\alpha(K)=0.0001027$ 15; $\alpha(L)=1.042\times10^{-5}$ 15; $\alpha(M)=1.554\times10^{-6}$ 22 $\alpha(N)=1.024\times10^{-7}$ 15; $\alpha(IPF)=0.0001672$ 24 $\alpha(E)=0.001672$ 15; $\alpha(E)=0.0001672$ 15; $\alpha(E)=0.0001672$ 15; $\alpha(E)=0.0001672$ 16; $\alpha(E)=0.0001672$ 17 $\alpha(E)=0.0001672$ 18 $\alpha(E)=0.0001672$ 18 $\alpha(E)=0.0001672$ 18 $\alpha(E)=0.0001672$ 18 $\alpha(E)=0.0001672$ 19 $\alpha(E)$
2173.29	4+	1216.4 <i>I</i>	100.0	956.94 2+	E2		0.000238 4	$\alpha(K)=0.000203 \ 3; \ \alpha(L)=2.07\times10^{-5} \ 3; \ \alpha(M)=3.08\times10^{-6} \ 5; \ \alpha(N+)=1.131\times10^{-5} \ 16 \ \alpha(N)=2.02\times10^{-7} \ 3; \ \alpha(IPF)=1.111\times10^{-5} \ 16$
2495.26	3+	802.0 1	100 7	1693.19 2+	M1+E2	-2.91 14	0.000599 9	B(E2)(W.u.)>9.6 $\alpha$ (K)=0.000535 8; $\alpha$ (L)=5.51×10 <sup>-5</sup> 8; $\alpha$ (M)=8.23×10 <sup>-6</sup> 12; $\alpha$ (N+)=5.35×10 <sup>-7</sup> 8 $\alpha$ (N)=5.35×10 <sup>-7</sup> 8
		1538.4 2	3.3 17	956.94 2+	M1+E2		0.000226 15	$\alpha(K)=0.000121 \ 4; \ \alpha(L)=1.23\times10^{-5} \ 4; \ \alpha(M)=1.84\times10^{-6} \ 5; \ \alpha(N+)=9.0\times10^{-5} \ 11$ $\alpha(N)=1.21\times10^{-7} \ 3; \ \alpha(IPF)=9.0\times10^{-5} \ 11$
2725.70	4+	552.5 <i>1</i>	3.4 6	2173.29 4+	M1		0.001111 <i>16</i>	$\alpha(K)$ =0.000993 14; $\alpha(L)$ =0.0001020 15; $\alpha(M)$ =1.524×10 <sup>-5</sup> 22 $\alpha(N)$ =1.003×10 <sup>-6</sup> 14
		1032.4 3	100 3	1693.19 2+	E2		0.000328 5	$\alpha(K) = 0.000293 \ 5; \ \alpha(L) = 3.01 \times 10^{-5} \ 5; \ \alpha(M) = 4.48 \times 10^{-6} \ 7;$ $\alpha(N+) = 2.93 \times 10^{-7} \ 5$ $\alpha(N) = 2.93 \times 10^{-7} \ 5$
		1768.8 2	54.0 23	956.94 2+	E2		0.000307 5	$\alpha(K) = 9.45 \times 10^{-5} \ 14; \ \alpha(L) = 9.57 \times 10^{-6} \ 14; \ \alpha(M) = 1.428 \times 10^{-6} \ 20; \ \alpha(N+) = 0.000201 \ 3$ $\alpha(N) = 9.41 \times 10^{-8} \ 14; \ \alpha(IPF) = 0.000201 \ 3$
2796.86	3-	1103.6 <i>I</i>	<31	1693.19 2+	E1		0.0001354 19	$\alpha(K)=0.0001136\ 16;\ \alpha(L)=1.150\times10^{-5}\ 16;\ \alpha(M)=1.715\times10^{-6}\ 24$ $\alpha(N)=1.126\times10^{-7}\ 16;\ \alpha(IPF)=8.47\times10^{-6}\ 12$
		1840.0 2	100 6	956.94 2 <sup>+</sup>	E1		0.000569 8	$\alpha(K)=4.81\times10^{-5}\ 7;\ \alpha(L)=4.84\times10^{-6}\ 7;\ \alpha(M)=7.22\times10^{-7}\ 11;$ $\alpha(N+)=0.000515\ 8$ $\alpha(N)=4.76\times10^{-8}\ 7;\ \alpha(IPF)=0.000515\ 8$
3022.43	4 <sup>(+)</sup>	297.1 <sup>#</sup> 2		2725.70 4+				α(1)-4.70Λ10 7, α(111)-0.000313 0

# $^{66}_{32}\text{Ge}_{3}$

# Adopted Levels, Gammas (continued)

# $\gamma(^{66}\text{Ge})$ (continued)

$E_i(level)$	$\mathbf{J}_i^{\pi}$	$\mathrm{E}_{\gamma}$	$I_{\gamma}^{\ddagger}$	$\mathbf{E}_f \qquad \mathbf{J}_f^{\pi}$	Mult.	δ	$lpha^\dagger$	Comments
3022.43	4 <sup>(+)</sup>	527.1 2	3 15	2495.26 3+	(M1)		0.001236 18	$\alpha(K)$ =0.001104 <i>16</i> ; $\alpha(L)$ =0.0001135 <i>16</i> ; $\alpha(M)$ =1.696×10 <sup>-5</sup> <i>24</i> $\alpha(N)$ =1.116×10 <sup>-6</sup> <i>16</i>
		849.1 <i>1</i>	100 6	2173.29 4+	(M1)		0.000436 7	$\alpha(N)=1.116 \times 10^{-1}$ $\alpha(K)=0.000390$ $6$ ; $\alpha(L)=3.97 \times 10^{-5}$ $6$ ; $\alpha(M)=5.93 \times 10^{-6}$ $9$ ; $\alpha(N+)=3.92 \times 10^{-7}$ $6$ $\alpha(N)=3.92 \times 10^{-7}$ $6$
3242.21?		1549.0 <sup>#</sup> 2	100.0	1693.19 2 <sup>+</sup>				
3639.04		1143.8 <i>3</i>	≈100.0	2495.26 3 <sup>+</sup>				
3654.00	6+	1480.7 <i>1</i>	100.0	2173.29 4+	E2		0.000229 4	$\alpha(K)$ =0.0001339 <i>19</i> ; $\alpha(L)$ =1.361×10 <sup>-5</sup> <i>19</i> ; $\alpha(M)$ =2.03×10 <sup>-6</sup> 3; $\alpha(N+)$ =7.91×10 <sup>-5</sup> <i>1</i> $\alpha(N)$ =1.336×10 <sup>-7</sup> <i>19</i> ; $\alpha(IPF)$ =7.89×10 <sup>-5</sup> <i>11</i>
								B(E2)(W.u.)>1.2
3683.40	5-	661.0 2	≈1.934	3022.43 4 <sup>(+)</sup>	(E1)		0.000363 5	$\alpha(K)=0.000325$ 5; $\alpha(L)=3.30\times10^{-5}$ 5; $\alpha(M)=4.93\times10^{-6}$ 7; $\alpha(N+)=3.21\times10^{-7}$ 5 $\alpha(N)=3.21\times10^{-7}$ 5
		886.5 <i>1</i>	18.8 4	2796.86 3	E2		0.000474 7	$\alpha(K)$ =0.000423 6; $\alpha(L)$ =4.36×10 <sup>-5</sup> 7; $\alpha(M)$ =6.50×10 <sup>-6</sup> 10; $\alpha(N+)$ =4.23×10 <sup>-7</sup> 6 $\alpha(N)$ =4.23×10 <sup>-7</sup> 6
		057.7.2	67.5.0	2725.70 4+	F1		0.0001662.24	B(E2)(W.u.)=0.30 3
		957.7 2	67.5 8	2725.70 4+	E1		0.0001663 24	$\alpha(K)$ =0.0001488 21; $\alpha(L)$ =1.508×10 <sup>-5</sup> 22; $\alpha(M)$ =2.25×10 <sup>-6</sup> 4 $\alpha(N)$ =1.475×10 <sup>-7</sup> 21
		1510.1 <i>1</i>	100 0 12	2173.29 4+	E1+M2	-0.023 +5-8	0.000334 5	B(E1)(W.u.)=7.7×10 <sup>-6</sup> 7 $\alpha$ (K)=6.59×10 <sup>-5</sup> 10; $\alpha$ (L)=6.65×10 <sup>-6</sup> 10; $\alpha$ (M)=9.92×10 <sup>-7</sup>
		1310.1 1	100.0 12	2173.29 4	E1+W12	-0.023 +3-8	0.000334 3	14; $\alpha(N+)=0.000261$ 4 $\alpha(N)=6.53\times10^{-8}$ 10; $\alpha(IPF)=0.000261$ 4
2726.00	<del>-</del> +	71442	52.4	2022 42 4(+)	(1)		0.000(20.0	B(E1)(W.u.)= $2.9\times10^{-6}$ 3; B(M2)(W.u.)= $0.0031$ 14
3736.80	5+	714.4 2	53 4	3022.43 4 <sup>(+)</sup>	(M1)		0.000630 9	$\alpha(K)=0.000563 \ 8; \ \alpha(L)=5.76\times10^{-5} \ 8; \ \alpha(M)=8.61\times10^{-6} \ 12; \ \alpha(N+)=5.67\times10^{-7} \ 8 \ \alpha(N)=5.67\times10^{-7} \ 8$
								B(M1)(W.u.)<0.0079
		1011.1 <i>3</i>	100 7	2725.70 4+	M1		0.000303 5	$\alpha(K)=0.000271$ 4; $\alpha(L)=2.76\times10^{-5}$ 4; $\alpha(M)=4.12\times10^{-6}$ 6; $\alpha(N+)=2.72\times10^{-7}$ 4
								$\alpha(N) = 2.72 \times 10^{-7} 4$
								B(M1)(W.u.)<0.0053
		1241.5 2	9 4	2495.26 3+	E2		0.000232 4	$\alpha(K)=0.000194 \ 3; \ \alpha(L)=1.98\times10^{-5} \ 3; \ \alpha(M)=2.95\times10^{-6} \ 5;$ $\alpha(N+)=1.581\times10^{-5} \ 23$ $\alpha(N)=1.93\times10^{-7} \ 3; \ \alpha(IPF)=1.561\times10^{-5} \ 23$
								$\alpha(N)=1.93\times10^{-7} \text{ 3; } \alpha(1PF)=1.561\times10^{-5} \text{ 23}$ B(E2)(W.u.)<0.27

S

# $\gamma$ (66Ge) (continued)

$E_i(level)$	$\mathtt{J}_{i}^{\pi}$	$E_{\gamma}$	$_{\rm I_{\gamma}}{}^{\ddagger}$	$\mathbf{E}_f$	$\mathbf{J}_f^{\pi}$	Mult.	$lpha^\dagger$	Comments
3828.01	5-	805.6 2	30 9	3022.43	4 <sup>(+)</sup>	(E1)	0.000236 4	$\alpha(N+)=9.9\times10^{-5}$ 12 $\alpha(N)=1.17\times10^{-7}$ 3; $\alpha(IPF)=9.9\times10^{-5}$ 12 $\alpha(K)=0.000211$ 3; $\alpha(L)=2.14\times10^{-5}$ 3; $\alpha(M)=3.20\times10^{-6}$ 5; $\alpha(N+)=2.09\times10^{-7}$
		1031.1 2	100 9	2796.86	3-	E2	0.000329 5	$\alpha(N)=2.09\times10^{-7}$ 3 B(E1)(W.u.)=0.00015 +6-9 $\alpha(K)=0.000294$ 5; $\alpha(L)=3.01\times10^{-5}$ 5; $\alpha(M)=4.50\times10^{-6}$ 7; $\alpha(N+)=2.94\times10^{-7}$
		1654.7 2	83 5	2173.29	4+	E1	0.000440 7	$\alpha(N)=2.94\times10^{-7}$ 5 B(E2)(W.u.)=19 +6-9 $\alpha(K)=5.68\times10^{-5}$ 8; $\alpha(L)=5.72\times10^{-6}$ 8; $\alpha(M)=8.54\times10^{-7}$ 12; $\alpha(N+)=0.000376$ 6 $\alpha(N)=5.62\times10^{-8}$ 8; $\alpha(IPF)=0.000376$ 6 B(E1)(W.u.)=4.7×10 <sup>-5</sup> +14-22
3980.00		957.6 2 1484.7 2	$1.0 \times 10^2 \ 7$	3022.43 2495.26				$D(E1)(W.u.)=4.7\times10^{-5}+14-22$
4080.91?	6+	1355.2 2	100.0	2725.70		E2	0.000221 3	$\alpha(K)$ =0.0001607 23; $\alpha(L)$ =1.636×10 <sup>-5</sup> 23; $\alpha(M)$ =2.44×10 <sup>-6</sup> 4; $\alpha(N+)$ =4.15×10 <sup>-5</sup> 6 $\alpha(N)$ =1.604×10 <sup>-7</sup> 23; $\alpha(IPF)$ =4.13×10 <sup>-5</sup> 6
4204.82	7-	376.8 2	0.364 12	3828.01	5-	E2	0.00587 9	$\alpha(K) = 0.00523 \ 8; \ \alpha(L) = 0.000557 \ 8; \ \alpha(M) = 8.29 \times 10^{-5} \ 12; \ \alpha(N+) = 5.19 \times 10^{-6} \ 8$ $\alpha(N) = 5.19 \times 10^{-6} \ 8$ $\alpha(N) = 0.0089 \ 6$
		521.4 2	100.0 10	3683.40	5-	E2	0.00207 3	$\alpha(K)$ =0.00184 3; $\alpha(L)$ =0.000193 3; $\alpha(M)$ =2.88×10 <sup>-5</sup> 4; $\alpha(N+)$ =1.84×10 <sup>-6</sup> 3 $\alpha(N)$ =1.84×10 <sup>-6</sup> 3 B(E2)(W,u,)=4.81 24
		550.8 2	0.59 12	3654.00	6+	E1	0.000555 8	$\alpha(K)=0.000497$ 7; $\alpha(L)=5.06\times10^{-5}$ 8; $\alpha(M)=7.55\times10^{-6}$ 11; $\alpha(N+)=4.91\times10^{-7}$ 7 $\alpha(N)=4.91\times10^{-7}$ 7 B(E1)(W.u.)=7.6×10 <sup>-8</sup> 16
4320.21	6(-)	115.4 3	<4.167	4204.82	7-	D		
	Ü	492.2 3	100 9	3828.01		(M1)	0.001444 <i>21</i>	$\alpha(K)$ =0.001290 <i>19</i> ; $\alpha(L)$ =0.0001328 <i>19</i> ; $\alpha(M)$ =1.98×10 <sup>-5</sup> <i>3</i> ; $\alpha(N+)$ =1.305×10 <sup>-6</sup>
		583.4 3	96 9	3736.80	5 <sup>+</sup>	(E1)	0.000484 7	$\alpha(N)=1.305\times10^{-6}\ 19$ $\alpha(K)=0.000433\ 6;\ \alpha(L)=4.41\times10^{-5}\ 7;\ \alpha(M)=6.58\times10^{-6}\ 10;$ $\alpha(N+)=4.28\times10^{-7}\ 6$ $\alpha(N)=4.28\times10^{-7}\ 6$
		636.8 2	79 5	3683.40	5-	(M1+E2)	0.00098 17	$\alpha(K)=0.00087$ 15; $\alpha(L)=9.0\times10^{-5}$ 17; $\alpha(M)=1.35\times10^{-5}$ 24; $\alpha(N+)=8.8\times10^{-7}$ 15 $\alpha(N)=8.8\times10^{-7}$ 15
		681.2 2	≈41.67	3639.04				$u(N)=0.0\times 10^{-1}$

# $\gamma$ (66 Ge) (continued)

$E_i(level)$	$J_i^{\pi}$	Ε <sub>γ</sub>	Ι <sub>γ</sub> ‡	$E_f$ $J_f^{\pi}$	Mult.	$lpha^\dagger$	Comments
4425.40	6(+)	445.4 2 597.4 <i>3</i>	33 25	3980.00 3828.01 5 <sup>-</sup>	(E1)	0.000458 7	$\alpha(K)$ =0.000410 6; $\alpha(L)$ =4.17×10 <sup>-5</sup> 6; $\alpha(M)$ =6.22×10 <sup>-6</sup> 9; $\alpha(N+)$ =4.05×10 <sup>-7</sup> 6 $\alpha(N)$ =4.05×10 <sup>-7</sup> 6
		688.6 <i>3</i>	100 9	3736.80 5+	(M1+E2)	0.00080 12	$\alpha(K)=4.03\times10^{-6}$ $\alpha(K)=0.00072$ $11$ ; $\alpha(L)=7.4\times10^{-5}$ $12$ ; $\alpha(M)=1.10\times10^{-5}$ $17$ ; $\alpha(N+)=7.2\times10^{-7}$ $11$ $\alpha(N)=7.2\times10^{-7}$ $11$
		742.0 2	$7.\times10^{1} 4$	3683.40 5	D		
151001	_	786.3 <i>3</i>	<8.333	3639.04	3.54	0.00240.5	gr. a seed 7 gr. a seed 7 gr. d 8 gr.
4543.01	7-	338.2 1	100.0 22	4204.82 7	M1	0.00348 5	$\alpha(K)$ =0.00311 5; $\alpha(L)$ =0.000323 5; $\alpha(M)$ =4.82×10 <sup>-5</sup> 7; $\alpha(N+)$ =3.16×10 <sup>-6</sup> 5 $\alpha(N)$ =3.16×10 <sup>-6</sup> 5 B(M1)(W.u.)=0.0074 6
		859.6 2	28.2 14	3683.40 5-	E2	0.000512 8	$\alpha(K)$ =0.000457 7; $\alpha(L)$ =4.71×10 <sup>-5</sup> 7; $\alpha(M)$ =7.03×10 <sup>-6</sup> 10; $\alpha(N+)$ =4.57×10 <sup>-7</sup> 7 $\alpha(N)$ =4.57×10 <sup>-7</sup> 7 B(E2)(W.u.)=0.279 24
4680.01		943.2 2	<100.0	3736.80 5 <sup>+</sup>			
4845.62	7-	302.6 <i>3</i>	11 9	4543.01 7	M1	0.00455 7	$\alpha(K)$ =0.00406 6; $\alpha(L)$ =0.000423 6; $\alpha(M)$ =6.32×10 <sup>-5</sup> 9; $\alpha(N+)$ =4.14×10 <sup>-6</sup> 6 $\alpha(N)$ =4.14×10 <sup>-6</sup> 6
		640.8 2	100 6	4204.82 7	M1	0.000799 12	$\alpha(K)=0.000714 \ 10; \ \alpha(L)=7.32\times10^{-5} \ 11; \ \alpha(M)=1.093\times10^{-5} \ 16; \ \alpha(N+)=7.20\times10^{-7} \ \alpha(N)=7.20\times10^{-7} \ 10$
5172.01		629.0 2	<100.0	4543.01 7-			
		746.6 2	<100.0	4425.40 6(+	)		
5184.22		641.2 2	61 7	4543.01 7			
		758.8 2	<1.563	4425.40 6(+)	)		
		979.4 <i>1</i>	100 4	4204.82 7			
5307.40	$(8^{-})$	882.0 2	< 2.500	4425.40 6(+)	)		
		987.2 1	100 5	4320.21 6(-)	(E2)	0.000365 6	$\alpha(K)=0.000326 5$ ; $\alpha(L)=3.34\times10^{-5} 5$ ; $\alpha(M)=4.99\times10^{-6} 7$ ; $\alpha(N+)=3.26\times10^{-7} 5$ $\alpha(N)=3.26\times10^{-7} 5$
		1102.4 2	5.0 25	4204.82 7	(M1)	0.000255 4	$\alpha(K)=0.000228 \ 4; \ \alpha(L)=2.31\times10^{-5} \ 4; \ \alpha(M)=3.45\times10^{-6} \ 5; \ \alpha(N+)=8.24\times10^{-7} \ 13 \ \alpha(N)=2.28\times10^{-7} \ 4; \ \alpha(IPF)=5.96\times10^{-7} \ 10$
5358.42	8+	1704.4 2	100.0	3654.00 6+	E2	0.000285 4	$\alpha(N)=2.28 \times 10^{-4}$ ; $\alpha(IPF)=3.90 \times 10^{-10}$ $\alpha(K)=0.0001014$ 15; $\alpha(L)=1.028 \times 10^{-5}$ 15; $\alpha(M)=1.535 \times 10^{-6}$ 22 $\alpha(N)=1.011 \times 10^{-7}$ 15; $\alpha(IPF)=0.0001722$ 25
5492.33	9-	308.1 <i>3</i>	0.6 4	5184.22			
		949.3 2	8.6 12	4543.01 7	E2	0.000401 6	$\alpha(K)=0.000358\ 5;\ \alpha(L)=3.68\times10^{-5}\ 6;\ \alpha(M)=5.48\times10^{-6}\ 8;$

# $\gamma(^{66}\text{Ge})$ (continued)

$E_i$ (level)	$\mathbf{J}_i^{\pi}$	$\mathrm{E}_{\gamma}$	${\rm I}_{\gamma}^{\ddagger}$	$\mathrm{E}_f$	$\mathbf{J}_f^{\pi}$	Mult.	$lpha^\dagger$	Comments
5492.33	9-	1287.5 <i>I</i>	100.0 14	4204.82	7-	E2	0.000226 4	$\alpha(N+)=3.58\times10^{-7} 5$ $\alpha(N)=3.58\times10^{-7} 5$ B(E2)(W.u.)=1.9 4 $\alpha(K)=0.000179 3; \ \alpha(L)=1.83\times10^{-5} 3; \ \alpha(M)=2.72\times10^{-6} 4; \ \alpha(N+)=2.54\times10^{-5} 4$
								$\alpha(N)=1.79\times10^{-7} \ 3; \ \alpha(IPF)=2.52\times10^{-5} \ 4$ B(E2)(W.u.)=4.8 6
5532.32	8+	173.9 2	1.3 9	5358.42	8+	M1	0.0183	$\alpha(K)$ =0.01630 24; $\alpha(L)$ =0.001720 25; $\alpha(M)$ =0.000257 4; $\alpha(N+)$ =1.673×10 <sup>-5</sup> 24 $\alpha(N)$ =1.673×10 <sup>-5</sup> 24
		852.3 5	< 0.4255	4680.01	_			
		1327.5 2	26.4 13	4204.82		E1	0.000225 4	$\alpha(K)=8.17\times10^{-5}$ 12; $\alpha(L)=8.25\times10^{-6}$ 12; $\alpha(M)=1.231\times10^{-6}$ 18; $\alpha(N+)=0.0001333$ $\alpha(N)=8.10\times10^{-8}$ 12; $\alpha(IPF)=0.0001333$ 19
		1451.4 2	13 5	4080.91?	6+	E2	0.000225 4	$\alpha(K)$ =0.0001395 20; $\alpha(L)$ =1.418×10 <sup>-5</sup> 20; $\alpha(M)$ =2.12×10 <sup>-6</sup> 3; $\alpha(N+)$ =6.90×10 <sup>-5</sup> 1
								$\alpha(N)=1.391\times10^{-7} \ 20; \ \alpha(IPF)=6.89\times10^{-5} \ 10$
		1878.3 2	100 3	3654.00	6+	E2	0.000346 5	$\alpha(K)$ =8.43×10 <sup>-5</sup> 12; $\alpha(L)$ =8.54×10 <sup>-6</sup> 12; $\alpha(M)$ =1.274×10 <sup>-6</sup> 18; $\alpha(N+)$ =0.000252
								$\alpha(N)=8.40\times10^{-8} 12$ ; $\alpha(IPF)=0.000252 4$
5557.99		373.8 2 712.3 2	40 <i>14</i> 100 <i>7</i>	5184.22 4845.62	7-			
		1015.0 2	×6.667	4543.02				
		1132.6 3	~6.667	4425.40	6 <sup>(+)</sup>			
5947.32	9-	455.0 <i>1</i>	63 3	5492.33	9-	(M1)	0.001730 25	$\alpha(K)$ =0.001546 22; $\alpha(L)$ =0.0001593 23; $\alpha(M)$ =2.38×10 <sup>-5</sup> 4; $\alpha(N+)$ =1.564×10 <sup>-6</sup> $\alpha(N)$ =1.564×10 <sup>-6</sup> 22
		763.1 2	24 3	5184.22				4(-)
		1404.3 <i>1</i>	100 6	4543.01	7-	E2	0.000221 3	$ \alpha(\mathrm{K}) = 0.0001493 \ 21; \ \alpha(\mathrm{L}) = 1.518 \times 10^{-5} \ 22; \ \alpha(\mathrm{M}) = 2.27 \times 10^{-6} \ 4; \ \alpha(\mathrm{N}+) = 5.45 \times 10^{-5} \ 8 $
								$\alpha(N)=1.489\times10^{-7} \ 21; \ \alpha(IPF)=5.44\times10^{-5} \ 8$
		1742.5 2	6 3	4204.82	7-	E2	0.000298 5	$\alpha(K)=9.72\times10^{-5}\ 14;\ \alpha(L)=9.85\times10^{-6}\ 14;\ \alpha(M)=1.470\times10^{-6}\ 21;\ \alpha(N+)=0.000189$ $\alpha(N)=9.69\times10^{-8}\ 14;\ \alpha(IPF)=0.000189\ 3$
6033.41	9-	541.1 <i>3</i>	100 3	5492.33	9-	M1	0.001165 <i>17</i>	$\alpha(K)=0.001041$ 15; $\alpha(L)=0.0001069$ 15; $\alpha(M)=1.598\times10^{-5}$ 23 $\alpha(N)=1.051\times10^{-6}$ 15
		726.0 2	<1.282	5307.40	(8-)	(M1)	0.000608 9	$\alpha(K)=0.000544$ 8; $\alpha(L)=5.56\times10^{-5}$ 8; $\alpha(M)=8.31\times10^{-6}$ 12; $\alpha(N+)=5.48\times10^{-7}$ 8 $\alpha(N)=5.48\times10^{-7}$ 8
		849.2 2	15 6	5184.22				
		1187.8 <i>1</i>	27 4	4845.62	7-	E2	0.000246 4	$\alpha(K)=0.000213\ 3;\ \alpha(L)=2.18\times10^{-5}\ 3;\ \alpha(M)=3.25\times10^{-6}\ 5;\ \alpha(N+)=7.11\times10^{-6}\ 10$ $\alpha(N)=2.13\times10^{-7}\ 3;\ \alpha(IPF)=6.90\times10^{-6}\ 10$
6163.23		979.0 2	100 17	5184.22				
		991.2 <i>3</i>	<4.167	5172.01				

 $\infty$ 

# $\gamma$ (66 Ge) (continued)

$E_i(level)$	$\mathbf{J}_i^{\pi}$	$E_{\gamma}$	$I_{\gamma}^{\ddagger}$	$E_f$	$\mathbf{J}_f^{\pi}$	Mult.	δ	$\alpha^{\dagger}$	Comments
6163.23 6418.44	9-	1620.2 1572.8 <i>4</i>	<4.167 100.0	4543.01 7 4845.62		E2		0.000248 4	$\alpha(K)$ =0.0001187 17; $\alpha(L)$ =1.205×10 <sup>-5</sup> 17; $\alpha(M)$ =1.80×10 <sup>-6</sup> 3; $\alpha(N+)$ =0.0001151
6502.11	10 <sup>+</sup>	969.8 2	100.0 16	5532.32	8+	E2		0.000381 6	$\alpha(N)=1.183\times10^{-7}\ 17;\ \alpha(IPF)=0.0001150\ 17$ $\alpha(K)=0.000340\ 5;\ \alpha(L)=3.49\times10^{-5}\ 5;\ \alpha(M)=5.21\times10^{-6}\ 8;$ $\alpha(N+)=3.40\times10^{-7}\ 5$
		1009.8 2	27.9 16	5492.33	9-	E1+M2	-0.05 3	0.000151 3	$\alpha(N)=3.40\times10^{-7} 5$ B(E2)(W.u.)<14 $\alpha(K)=0.000135 3$ ; $\alpha(L)=1.37\times10^{-5} 3$ ; $\alpha(M)=2.05\times10^{-6} 4$ ; $\alpha(N+)=1.34\times10^{-7} 3$
		1143.7 2	81.2 16	5358.42	8 <sup>+</sup>	E2		0.000262 4	$\alpha(N)=1.34\times10^{-7} 3$ B(E1)(W.u.)<3.8×10 <sup>-5</sup> ; B(M2)(W.u.)<0.95 $\alpha(K)=0.000232 4$ ; $\alpha(L)=2.37\times10^{-5} 4$ ; $\alpha(M)=3.54\times10^{-6} 5$ ; $\alpha(N+)=2.90\times10^{-6} 5$
6580.93	10 <sup>(+)</sup>	1048.6 2	100 5	5532.32	8+	(E2)		0.000316 5	$\alpha(N)=2.32\times10^{-7} 4$ ; $\alpha(IPF)=2.67\times10^{-6} 4$ B(E2)(W.u.)<5.1 $\alpha(K)=0.000283 4$ ; $\alpha(L)=2.90\times10^{-5} 4$ ; $\alpha(M)=4.32\times10^{-6} 6$ ; $\alpha(N+)=2.83\times10^{-7} 4$
		1222.5 <i>3</i> 1396.7 <i>I</i>	10 5	5358.42 5184.22	8+				$\alpha(N)=2.83\times10^{-7} 4$
6635.84	(10-)	688.5 <i>3</i>	3.8 19	5947.32	9-	(M1)		0.000683 10	$\alpha(K)=0.000610 \ 9; \ \alpha(L)=6.25\times10^{-5} \ 9; \ \alpha(M)=9.33\times10^{-6} \ 13; \ \alpha(N+)=6.15\times10^{-7} \ 9 \ \alpha(N)=6.15\times10^{-7} \ 9$
		1328.3 2	100 6	5307.40	(8-)	(E2)		0.000222 4	$\alpha(K)$ =0.0001677 24; $\alpha(L)$ =1.708×10 <sup>-5</sup> 24; $\alpha(M)$ =2.55×10 <sup>-6</sup> 4; $\alpha(N+)$ =3.49×10 <sup>-5</sup> 5 $\alpha(N)$ =1.673×10 <sup>-7</sup> 24; $\alpha(IPF)$ =3.47×10 <sup>-5</sup> 5
60.40.00		1451.6 2	19 19	5184.22					
6948.02 7130.43	11-	1390.0 <i>3</i> 1638.0 2	<100.0 100.0	5557.99 5492.33	9-	E2		0.000265 4	$\alpha(K)=0.0001096\ 16$ ; $\alpha(L)=1.112\times10^{-5}\ 16$ ; $\alpha(M)=1.659\times10^{-6}\ 24$ $\alpha(N)=1.092\times10^{-7}\ 16$ ; $\alpha(IPF)=0.0001429\ 20$
7280.88		699.9 2	100.0	6580.93					
7575.41	(11+)	994.5 2	32 4	6580.93	10 <sup>(+)</sup>	(M1)		0.000314 5	$\alpha(K)$ =0.000281 4; $\alpha(L)$ =2.85×10 <sup>-5</sup> 4; $\alpha(M)$ =4.26×10 <sup>-6</sup> 6; $\alpha(N+)$ =2.82×10 <sup>-7</sup> 4 $\alpha(N)$ =2.82×10 <sup>-7</sup> 4
		1073.3 2	100 5	6502.11	10 <sup>+</sup>	(M1)		0.000268 4	$\alpha(K)$ =0.000240 4; $\alpha(L)$ =2.44×10 <sup>-5</sup> 4; $\alpha(M)$ =3.65×10 <sup>-6</sup> 6; $\alpha(N+)$ =2.41×10 <sup>-7</sup> 4
7601.31	11,12	965.3 2	100.0	6635.84	(10 <sup>-</sup> )				$\alpha(N)=2.41\times10^{-7} 4$
7001.51	11,12	905.5 2	100.0	0055.04	(10)				

# $\gamma$ (66 Ge) (continued)

$E_i$ (level)	$\mathbf{J}_i^{\pi}$	$E_{\gamma}$	$I_{\gamma}^{\ddagger}$	$\mathbf{E}_f$	$\mathbf{J}_f^\pi$	Mult.	$\alpha^{\dagger}$	Comments
7636.74	11-	506.4 2	40 4	7130.43	11-	M1	0.001353 19	$\alpha(K)$ =0.001209 17; $\alpha(L)$ =0.0001244 18; $\alpha(M)$ =1.86×10 <sup>-5</sup> 3; $\alpha(N+)$ =1.222×10 <sup>-6</sup> $\alpha(N)$ =1.222×10 <sup>-6</sup> 18
		688.7 2 1000.9 2	<1.099 9 7	6948.02 6635.84	(10-)			
		1218.3 2	6.6 22	6418.44	. ,	E2	0.000237 4	$\alpha(K)$ =0.000202 3; $\alpha(L)$ =2.06×10 <sup>-5</sup> 3; $\alpha(M)$ =3.07×10 <sup>-6</sup> 5; $\alpha(N+)$ =1.163×10 <sup>-5</sup> 17
		1473.5 <i>3</i>	5.5 22	6163.23				$\alpha(N)=2.01\times10^{-7} \ 3; \ \alpha(IPF)=1.143\times10^{-5} \ 17$
		1603.3 4	7.7 <i>11</i>	6033.41	9-	E2	0.000256 4	$\alpha(K)=0.0001143\ 16;\ \alpha(L)=1.160\times10^{-5}\ 17;\ \alpha(M)=1.731\times10^{-6}\ 25$ $\alpha(N)=1.139\times10^{-7}\ 16;\ \alpha(IPF)=0.0001279\ 18$
		1689.4 <i>1</i>	100 4	5947.32	9-	E2	0.000281 4	$\alpha(K)=0.0001032 \ 15; \ \alpha(L)=1.046\times10^{-5} \ 15; \ \alpha(M)=1.561\times10^{-6} \ 22$ $\alpha(N)=1.028\times10^{-7} \ 15; \ \alpha(IPF)=0.0001655 \ 24$
7727.01	12+	125.6 2	3.5 25	7601.31	11,12	D		
		151.6 <i>3</i>	3.0 15	7575.41	$(11^{+})$	(M1)	0.0261	$\alpha(K)$ =0.0233 4; $\alpha(L)$ =0.00247 4; $\alpha(M)$ =0.000369 6; $\alpha(N+)$ =2.39×10 <sup>-5</sup> 4 $\alpha(N)$ =2.39×10 <sup>-5</sup> 4
		596.7 2	≤4.5	7130.43	11-	E1	0.000459 7	$\alpha(K)$ =0.000411 6; $\alpha(L)$ =4.18×10 <sup>-5</sup> 6; $\alpha(M)$ =6.24×10 <sup>-6</sup> 9; $\alpha(N+)$ =4.06×10 <sup>-7</sup> 6 $\alpha(N)$ =4.06×10 <sup>-7</sup> 6
		1224.9 <i>1</i>	100 4	6502.11	10+	E2	0.000236 4	$\alpha(K)$ =0.000200 3; $\alpha(L)$ =2.04×10 <sup>-5</sup> 3; $\alpha(M)$ =3.04×10 <sup>-6</sup> 5; $\alpha(N+)$ =1.276×10 <sup>-5</sup> 18 $\alpha(N)$ =1.99×10 <sup>-7</sup> 3; $\alpha(IPF)$ =1.256×10 <sup>-5</sup> 18
7737.41	11-	606.4 2	24.5 19	7130.43	11-	M1+E2	0.00111 <i>21</i>	$\alpha(N)=1.99\times10^{-7}$ 5; $\alpha(IPF)=1.250\times10^{-7}$ 18 $\alpha(K)=0.00099$ 19; $\alpha(L)=0.000103$ 20; $\alpha(M)=1.5\times10^{-5}$ 3; $\alpha(N+)=9.9\times10^{-7}$ 18 $\alpha(N)=9.9\times10^{-7}$ 18
		789.4 <i>3</i>	<1.887	6948.02				
		1574.3 <i>4</i>	15 6	6163.23				
		1704.1 2	100 6	6033.41		E2	0.000285 4	$\alpha(K)=0.0001015 \ 15; \ \alpha(L)=1.029\times10^{-5} \ 15; \ \alpha(M)=1.535\times10^{-6} \ 22$ $\alpha(N)=1.011\times10^{-7} \ 15; \ \alpha(IPF)=0.0001720 \ 24$
		2245.1 2	8 4	5492.33	9-	E2	0.000498 7	$\alpha(K)=6.10\times10^{-5} 9$ ; $\alpha(L)=6.16\times10^{-6} 9$ ; $\alpha(M)=9.19\times10^{-7} 13$ ; $\alpha(N+)=0.000430$
7847.79	11-	717.7 3	25 5	7130.43	11-	M1	0.000624 9	$\alpha(N)=6.07\times10^{-8}$ 9; $\alpha(IPF)=0.000430$ 6 $\alpha(K)=0.000558$ 8; $\alpha(L)=5.70\times10^{-5}$ 8; $\alpha(M)=8.52\times10^{-6}$ 12; $\alpha(N+)=5.62\times10^{-7}$ 8
		1429.3 3	100 9	6418.44	9-	E2	0.000223 4	$\alpha(N)=5.62\times10^{-7} 8$ $\alpha(K)=0.0001439 \ 2I; \ \alpha(L)=1.464\times10^{-5} \ 2I; \ \alpha(M)=2.18\times10^{-6} \ 3;$ $\alpha(N+)=6.19\times10^{-5} \ 9$ $\alpha(N)=1.436\times10^{-7} \ 2I; \ \alpha(IPF)=6.18\times10^{-5} \ 9$
		1684.5 2	13 17	6163.23				(1) 1.130/10 21, u(111)-0.10/10 /
		- 00 2	10 1,	5100.20	9-			$\alpha(K)=9.00\times10^{-5}\ 13;\ \alpha(L)=9.12\times10^{-6}\ 13;\ \alpha(M)=1.361\times10^{-6}\ 19;$

# $\gamma$ (66 Ge) (continued)

$E_i$ (level)	$\mathbf{J}_i^{\pi}$	$\mathrm{E}_{\gamma}$	$I_{\gamma}^{\ddagger}$	$\mathrm{E}_f \qquad \mathrm{J}_f^\pi$	Mult.	$lpha^\dagger$	Comments
							α(N+)=0.000222 4
7947 70	11-	2255 4 2	12.0	5402.22 0=	E2	0.000546 8	$\alpha(N)=8.97\times10^{-8}$ 13; $\alpha(IPF)=0.000222$ 4 $\alpha(K)=5.61\times10^{-5}$ 8; $\alpha(L)=5.66\times10^{-6}$ 8; $\alpha(M)=8.45\times10^{-7}$ 12; $\alpha(N+)=0.000484$
7847.79	11-	2355.4 3	13 9	5492.33 9	E2	0.000346 8	$\alpha(\mathbf{K}) = 3.01 \times 10^{-5} \delta; \ \alpha(\mathbf{L}) = 3.00 \times 10^{-5} \delta; \ \alpha(\mathbf{M}) = 8.43 \times 10^{-5} 12; \ \alpha(\mathbf{N} +) = 0.000484$
							$\alpha(N)=5.58\times10^{-8}$ 8; $\alpha(IPF)=0.000484$ 7
7994.69	$12^{(+)}$	1492.6 5	100.0	6502.11 10 <sup>+</sup>	(E2)	0.000231 4	$\alpha(K)=0.0001318\ 19;\ \alpha(L)=1.339\times 10^{-5}\ 19;\ \alpha(M)=2.00\times 10^{-6}\ 3;$
							$\alpha(N+)=8.34\times10^{-5} I$
8427.18	13(+)	432.5 2	25 4	7994.69 12 <sup>(+)</sup>	(M1)	0.00195 3	$\alpha(N)=1.314\times10^{-7}$ 19; $\alpha(IPF)=8.32\times10^{-5}$ 12 $\alpha(K)=0.001738$ 25; $\alpha(L)=0.000179$ 3; $\alpha(M)=2.68\times10^{-5}$ 4; $\alpha(N+)=1.761\times10^{-6}$
0427.10	15	432.3 2	23 4	7994.09 12	(IVII)	0.00193 3	$u(\mathbf{K}) = 0.001738 \ 23; \ u(\mathbf{L}) = 0.000179 \ 3; \ u(\mathbf{M}) = 2.08 \times 10^{-5} \ 4; \ u(\mathbf{N}+) = 1.701 \times 10^{-5}$ 25
							$\alpha(N)=1.761\times10^{-6} \ 25$
		700.2 2	64 4	7727.01 12+	M1	0.000658 10	$\alpha(\mathrm{K}) = 0.000588~9;~\alpha(\mathrm{L}) = 6.02 \times 10^{-5}~9;~\alpha(\mathrm{M}) = 8.99 \times 10^{-6}~13;~\alpha(\mathrm{N}+) = 5.93 \times 10^{-7}$
							9 an 5 ag 10=7 a
		825.8 2	25.5 19	7601.31 11,1	2		$\alpha(N)=5.93\times10^{-7} 9$
		851.8 2	100 4	7575.41 (11 <sup>+</sup>		0.000524 8	$\alpha(K)=0.000468\ 7;\ \alpha(L)=4.82\times10^{-5}\ 7;\ \alpha(M)=7.19\times10^{-6}\ 10;\ \alpha(N+)=4.68\times10^{-7}$
							7
		1146 2 2	2 6 10	7280.88			$\alpha(N)=4.68\times10^{-7} 7$
8543.00	13-	1146.2 <i>3</i> 548.3 2	3.6 <i>19</i> 3.9 <i>7</i>	7280.88 7994.69 12 <sup>(+)</sup>	(E1)	0.000561 8	$\alpha(K)=0.000502\ 7;\ \alpha(L)=5.12\times10^{-5}\ 8;\ \alpha(M)=7.63\times10^{-6}\ 11;\ \alpha(N+)=4.96\times10^{-7}$
0545.00	13	540.5 2	3.7 7	1774.07 12	(LI)	0.000301 0	$7 \qquad \qquad 7$
							$\alpha(N)=4.96\times10^{-7}$ 7
		695.3 <i>3</i>	81.8 <i>13</i>	7847.79 11 <sup>-</sup>	E2	0.000895 <i>13</i>	$\alpha(K)=0.000799 \ 12; \ \alpha(L)=8.29\times10^{-5} \ 12; \ \alpha(M)=1.236\times10^{-5} \ 18;$
							$\alpha(N+)=7.98\times10^{-7}$ $\alpha(N)=7.98\times10^{-7}$ 12
		805.5 <i>1</i>	22.7 20	7737.41 11-	E2	0.000605 9	$\alpha(N) = 7.98 \times 10^{-7} 12$ $\alpha(K) = 0.000540 \text{ 8}; \ \alpha(L) = 5.57 \times 10^{-5} \text{ 8}; \ \alpha(M) = 8.31 \times 10^{-6} 12; \ \alpha(N+) = 5.39 \times 10^{-7}$
		003.3 1	22.7 20	7737.11 11	22	0.000003 >	8
							$\alpha(N)=5.39\times10^{-7} 8$
		816.0 2	3.9 7	7727.01 12 <sup>+</sup>	E1	0.000230 4	$\alpha(K)=0.000206\ 3;\ \alpha(L)=2.09\times10^{-5}\ 3;\ \alpha(M)=3.11\times10^{-6}\ 5;\ \alpha(N+)=2.04\times10^{-7}\ 3$
		906.3 1	100.0 20	7636.74 11-	E2	0.000449 7	$\alpha(N)=2.04\times10^{-7}$ 3 $\alpha(K)=0.000401$ 6; $\alpha(L)=4.12\times10^{-5}$ 6; $\alpha(M)=6.15\times10^{-6}$ 9; $\alpha(N+)=4.00\times10^{-7}$ 6
		900.3 1	100.0 20	7030.74 11	EZ	0.000449 /	$\alpha(N)=0.000401$ 6; $\alpha(L)=4.12\times10^{-2}$ 6; $\alpha(M)=0.13\times10^{-2}$ 9; $\alpha(N+)=4.00\times10^{-1}$ 6
		1412.7 2	38.3 20	7130.43 11-	E2	0.000222 4	$\alpha(K)=0.0001474 \ 21; \ \alpha(L)=1.500\times10^{-5} \ 21; \ \alpha(M)=2.24\times10^{-6} \ 4;$
							$\alpha$ (N+)=5.69×10 <sup>-5</sup> 8
							$\alpha(N)=1.471\times10^{-7} \ 21; \ \alpha(IPF)=5.68\times10^{-5} \ 8$
8801.31	14 <sup>+</sup>	1074.3 <i>1</i>	100.0	7727.01 12 <sup>+</sup>	E2	0.000299 5	$\alpha(K)=0.000268 \ 4; \ \alpha(L)=2.74\times10^{-5} \ 4; \ \alpha(M)=4.09\times10^{-6} \ 6; \ \alpha(N+)=2.67\times10^{-7} \ 4$
9404.51	15-	603.2 2	12.2 <i>4</i>	8801.31 14+	E1	0.000448 7	$\alpha(N)=2.67\times10^{-7}$ 4 $\alpha(K)=0.000401$ 6; $\alpha(L)=4.08\times10^{-5}$ 6; $\alpha(M)=6.08\times10^{-6}$ 9; $\alpha(N+)=3.96\times10^{-7}$ 6
7404.31	13	003.2 2	14.4	0001.51 14	ĽΙ	0.000440 /	$\alpha(N)=3.96\times10^{-7}$ 6

# $\gamma(^{66}\text{Ge})$ (continued)

$E_i$ (level)	$\mathbf{J}_i^{\pi}$	$\mathrm{E}_{\gamma}$	$I_{\gamma}^{\ddagger}$	$\mathrm{E}_f$	$\mathbf{J}_f^{\pi}$	Mult.	$lpha^\dagger$	Comments
9404.51	15-	861.5 <i>1</i>	100.0 12	8543.00	13-	E2	0.000509 8	$\alpha(K)$ =0.000455 7; $\alpha(L)$ =4.68×10 <sup>-5</sup> 7; $\alpha(M)$ =6.99×10 <sup>-6</sup> 10; $\alpha(N+)$ =4.54×10 <sup>-7</sup> 7 $\alpha(N)$ =4.54×10 <sup>-7</sup> 7
9653.0?		851.7 <sup>#</sup> 4	<100.0	8801.31	14+			
		1225.8 <sup>#</sup> 2	≈100.0	8427.18	$13^{(+)}$			
9685.71	15 <sup>(+)</sup>	884.4 2	30 6	8801.31	14+	(M1)	0.000400 6	$\alpha(K)=0.000358 \ 5; \ \alpha(L)=3.65\times10^{-5} \ 6; \ \alpha(M)=5.45\times10^{-6} \ 8; \ \alpha(N+)=3.59\times10^{-7} \ 5 \ \alpha(N)=3.59\times10^{-7} \ 5$
		1258.5 2	100 6	8427.18	13 <sup>(+)</sup>	(E2)	0.000229 4	$\alpha(K)$ =0.000188 3; $\alpha(L)$ =1.92×10 <sup>-5</sup> 3; $\alpha(M)$ =2.86×10 <sup>-6</sup> 4; $\alpha(N+)$ =1.92×10 <sup>-5</sup> 3
								$\alpha(N)=1.88\times10^{-7}$ 3; $\alpha(IPF)=1.90\times10^{-5}$ 3
10473.94	$(16^+)$	1672.6 <i>1</i>	100.0	8801.31	14+	E2	0.000276 4	$\alpha(K)=0.0001052 \ I5; \ \alpha(L)=1.067\times10^{-5} \ I5; \ \alpha(M)=1.592\times10^{-6} \ 23$ $\alpha(N)=1.048\times10^{-7} \ I5; \ \alpha(IPF)=0.0001581 \ 23$
10691.4	17-	1286.9 <i>3</i>	100.0	9404.51	15-	E2	0.000226 4	$\alpha(K)=0.000179 \ 3; \ \alpha(L)=1.83\times10^{-5} \ 3; \ \alpha(M)=2.73\times10^{-6} \ 4; \ \alpha(N+)=2.53\times10^{-5} \ 4 \ \alpha(N)=1.79\times10^{-7} \ 3; \ \alpha(IPF)=2.51\times10^{-5} \ 4$
11549.1		1863.4 2	100.0	9685.71	15(+)			$u(N)=1.79\times10^{-5}$ ; $u(IPF)=2.51\times10^{-4}$
12660.9	19-	1969.4 2	100.0	10691.4		E2	0.000382 6	$\alpha(K)=7.72\times10^{-5}\ 11;\ \alpha(L)=7.82\times10^{-6}\ 11;\ \alpha(M)=1.166\times10^{-6}\ 17;$ $\alpha(N+)=0.000296\ 5$ $\alpha(N)=7.69\times10^{-8}\ 11;\ \alpha(IPF)=0.000295\ 5$
13439.2?		1890.0 4	100.0	11549.1				
15327.9?	21-	2667 1	100.0	12660.9	19-	E2	0.000681 10	$\alpha(K)=4.53\times10^{-5}$ 7; $\alpha(L)=4.57\times10^{-6}$ 7; $\alpha(M)=6.82\times10^{-7}$ 10; $\alpha(N+)=0.000631$ 9
10000.00	(22-)	27.52 2	100.0	15227.00	21-	(E0)	0.000710.10	$\alpha(N) = 4.51 \times 10^{-8} \ 7; \ \alpha(IPF) = 0.000631 \ 9$
18080.0?	(23 <sup>-</sup> )	2752 2	100.0	15327.9?	21	(E2)	0.000718 <i>10</i>	$\alpha(K)=4.30\times10^{-5} 6$ ; $\alpha(L)=4.33\times10^{-6} 6$ ; $\alpha(M)=6.47\times10^{-7} 9$ ; $\alpha(N+)=0.000670 10$ $\alpha(N)=4.28\times10^{-8} 6$ ; $\alpha(IPF)=0.000670 10$

<sup>†</sup> Additional information 1.

‡ Relative branching from each level is given.


# Placement of transition in the level scheme is uncertain.

Legend

#### Level Scheme

Intensities: Relative photon branching from each level


---- γ Decay (Uncertain)



 $^{66}_{32}\mathrm{Ge}_{34}$ 


# Level Scheme (continued)

Intensities: Relative photon branching from each level



# Level Scheme (continued)

Intensities: Relative photon branching from each level




Legend

# Level Scheme (continued)

Intensities: Relative photon branching from each level

γ Decay (Uncertain)



 $_{32}^{66}$ Ge $_{34}$ -17

