

Adopted Levels, Gammas

Type	Author	History	Citation	Literature Cutoff Date
Full Evaluation	J. K. Tuli, E. Browne	NDS 157, 260 (2019)		1-Mar-2019

$Q(\beta^-) = -7946$ 8; $S(n) = 12553$ 7; $S(p) = 7842$ 8; $Q(\alpha) = -4257$ 6 [2017Wa10](#)

[1989Ku11](#): $^{12}\text{C}(^{72}\text{Ge}, 2n\gamma)$, $E = 215$ MeV. Transient-field method, deduced g-factors.

[1979Al19](#): Measured $\sigma(\theta)$, neutron time-of-flight, for g.s. in ($^3\text{He}, n$), $E = 25.4$ MeV., Enriched target.

Isotope shift, RMS radii, hyperfine structure studies: [1993He12](#), [1993Hi11](#), [1993Ku19](#), [1994Bu06](#), [1994Lo12](#), [1990Bu12](#) (also [1988Si06](#)), [1987Ea01](#) (also [1986Ea01](#)), [1987An02](#) (also [1986An39](#)).

Theoretical calculations:

[2016Da01](#) SDB band-head spin.

[2016Mo18](#) Charge and mass rms radii.

[2015Sa26](#) Low-lying levels, bands pn interacting boson model.

[2014Zh43](#) Deformation parameter.

[2010Fa08](#), [2010ZhZQ](#), [2009Fa14](#) spin-dependence of g-factors in gs band.

[2008Mi17](#) Half-life shell model.

[2003Me26](#) 2^+ states, g-factors.

[2003ReZZ](#) Studied SDB.

[2002Bu13](#) SDB transition quadrupole moments.

[2002Li18](#) SDB transition energies, moments of inertia.

[1999Gu11](#) Calculated cluster-decay probability.

[1999Sa46](#) Hartree-Fock plus RPA.

[1997Da16](#) SD band data, cranked-shell model.

[1995Ba45](#) RMS radii, mean field.

[1995Ba78](#) level energy vs deformation, constrained Hartree-Fock.

[1995La07](#) relativistic mean-field theory.

[1994Do19](#) levels, mean field.

[1994Iw05](#) level energies, Hartree Fock.

[1994Na09](#) quasi-particle RPA.

[1991Ch01](#) structure of superdeformed GDR.

[1991Bo27](#), [1985Bo36](#), [1985Na02](#) microscopic analysis of deformation.

[1990Ba11](#), [1983Bu09](#), [1984He07](#), [1995Ke09](#), [1996Ca10](#), [1997Su08](#) interacting-boson model.

[1982Fu03](#) cranked-shell model.

[1983Ta03](#) pairing vibrations.

[1980Ca23](#) Hartree-Fock calculation of binding energy and charge radius.

[1971Ki16](#), [1973Og01](#) shell-model calculations.

⁸²Sr LevelsCross Reference (XREF) Flags

A	$^{82}\text{Y } \beta^+$ decay	E	$^{84}\text{Sr}(p, t)$
B	$^{56}\text{Fe}(^{29}\text{Si}, 2p n\gamma)$	F	$^{80}\text{Kr}(\alpha, 2n\gamma)$
C	$^{52}\text{Cr}(^{34}\text{S}, 2p 2n\gamma)$	G	$^{58}\text{Ni}(^{30}\text{Si}, \alpha 2p\gamma), (^{28}\text{Si}, 4p\gamma): \text{SD}$
D	$^{70}\text{Ge}(^{16}\text{O}, 2n 2p\gamma)$		

E(level) [†]	J ^π [‡]	T _{1/2} [@]	XREF	Comments
0 ^d	0 ⁺	25.35 d 3	ABCDEF	%ε=100 T _{1/2} : from T _{1/2} =25.36 d 3 (HPGe, 2009Pi02 ; Ge(Li) 1987Ho06), 25.34 d 2 (ic, 2009Pi02), 25.34 d 5 (1987Ju02). others: 25.55 d 15 (1978Gr17) 25.0 d 4 (1958Sa20), 25.5 d 5 (1953Kr10).

Continued on next page (footnotes at end of table)

Adopted Levels, Gammas (continued)

^{82}Sr Levels (continued)				
E(level) [†]	J ^π [‡]	T _{1/2} [@]	XREF	Comments
				$\Delta\langle r^2 \rangle(^{88}\text{Sr}-^{82}\text{Sr})=0.179 \text{ fm}^2$ 24 (1990Bu12,1988Si06); 0.182 fm^2 6 (1988Si06, deduced from data of 1987Ea01,1986Ea01); 0.169 fm^2 13 or 0.220 fm^2 15 (1987An02,1986An39). $\Delta\langle r^2 \rangle(^{83}\text{Sr}-^{82}\text{Sr})=-0.017 \text{ fm}^2$ 7 (1996Li25). $\Delta\langle r^2 \rangle(^{82}\text{Sr}-^{81}\text{Sr})=-0.053 \text{ fm}^2$ 8 (1996Li25).
573.54 ^d 8	2 ⁺	8.9 ^{&} ps 4	ABCDEF	$\mu=+0.88$ 38 (2014Ku10) $g=+0.44$ 19 (2014Ku10) measured using the transient-field (tf) technique in inverse kinematics with perturbed angular correlation method in $^{12}\text{C}(^{78}\text{Kr},2\alpha\gamma)$. Other $g=0.47$ 7 (2008Yu04,2010Fa08); values of g factors were read from figure 1 of 2008Yu04. J ^π : L(p,t)=2. T _{1/2} : other: 10.7 ps 21 from 1996Jo05 In $^{58}\text{Ni}(^{27}\text{Al},3p)$, while studying ^{82}Y .
1175.71 ^c 8	2 ⁺	7.5 ^{&} ps 24	ABCDEF	J ^π : L(p,t)=2.
1310.89 13	0 ⁺	<3.5 ns	A E	J ^π : L(p,t)=0.
1328.54 ^d 10	4 ⁺	1.0 ^{&} ps 2	BCD F	T _{1/2} : from $\gamma\gamma$ and $\beta\gamma$, ^{82}Y β^+ decay. $\mu=+2.1$ 16 (2014Ku10) $g=+0.53$ 39 (2014Ku10) measured using the transient-field (tf) technique in inverse kinematics with perturbed angular correlation method in $^{12}\text{C}(^{78}\text{Kr},2\alpha\gamma)$. Other $g=0.46$ 8 (2008Yu04,2010Fa08); values of g factors were read from figure 1 of 2008Yu04. J ^π : stretched E2 cascade indicated by angular distribution and polarization in ($^{16}\text{O},2n2p\gamma$).
1688.96 ^b 11	3 ⁺		BCD F	J ^π : J=3 from $\gamma(\theta)$ of 1115 γ in ($^{16}\text{O},2n2p\gamma$); E1 γ from 4 ⁻ .
1865 5	2 ⁺		A E	J ^π : L(p,t)=2.
1996.02 ^c 10	4 ⁺	1.3 ^{&} ps 4	BCD F	J ^π : stretched E2 cascade indicated by angular distribution and polarization in ($^{16}\text{O},2n2p\gamma$).
2195 5	2 ⁺		E	J ^π : L(p,t)=2.
2229.47 ^d 11	6 ⁺	0.37 ps +15-11	BCD F	$\mu=3.5$ 5 (2008Yu04) μ : From $g=0.58$ 8 (2008Yu04,2010Fa08) measured by transient-magnetic field ion-implantation perturbed angular distribution method in $^{58}\text{Ni}(^{28}\text{Si},4p\gamma)$; values of g factors were read from figure 1 of 2008Yu04. J ^π : stretched E2 cascade indicated by angular distribution and polarization in ($^{16}\text{O},2n2p\gamma$). T _{1/2} : other value: 0.9 ps 1 from RDM, $^{70}\text{Ge}(^{16}\text{O},2n2p\gamma)$.
2401.82 ^f 10	3 ⁻		B DE	J ^π : L(p,t)=3.
2525.80 ^b 12	5 ⁺		BCD	
2665 5	0 ⁺		E	J ^π : L(p,t)=0.
2817.31 ^f 11	5 ⁻	3.0 ^{&} ps 6	BCDEF	$\mu=+2$ 2 (2014StZZ) J ^π : from $\gamma(\theta)$ and polarization in ($^{16}\text{O},2n2p\gamma$) indicating E1 transition to 4 ⁺ . μ : From g-factor=+0.3 4 (1989Ku11), transient-field method.
2824.40 ^j 12	4 ⁻		BCD	J ^π : based on $\gamma(\theta)$ and polarization of the 1136-keV decay γ , $^{70}\text{Ge}(^{16}\text{O},2p2n\gamma)$.
2836.26 ^c 12	6 ⁺	0.6 ^{&} ps 4	BCD F	J ^π : stretched E2 cascade indicated by angular distribution and polarization in ($^{16}\text{O},2n2p\gamma$).
2885 5	(2 ⁺)		E	J ^π : L(p,t)=(2).
2920 5			E	
3006.91 ⁱ 12	4 ⁻		B	J ^π : D γ 's to 3 ⁺ and 4 ⁺ levels; decays to 3 ⁻ .
3073.28 ^g 14	(5 ⁻)		B	J ^π : tentative assignment from the seven linking gammas which connect this state to 4 ⁺ , 6 ⁺ , 5 ⁻ , 6 ⁻ , and 7 ⁻ states. The four DCO ratios measured in ($^{29}\text{Si},2pn\gamma$) are consistent with this assignment.

Continued on next page (footnotes at end of table)

Adopted Levels, Gammas (continued)

^{82}Sr Levels (continued)				
E(level) [†]	J ^π [‡]	T _{1/2} [@]	XREF	Comments
3086.23 ^j 12	6 ⁻		BCD	J ^π : γ to (5) ⁻ shows $\Delta J=1$ angular distribution, ($^{16}\text{O}, 2p2n\gamma$); γ to 4 ⁻ is consistent with stretched E2.
3142.30 ^h 22	(5 ⁻)		B	J ^π : fed by 465 γ from 7 ⁻ , and decays to 4 ⁺ .
3242.82 ^d 12	8 ⁺	0.24 ps +10-6	BCD F	$\mu=6.6$ 10 (2008Yu04) μ : From $g=0.82$ 12 (2008Yu04,2010Fa08) measured by transient-magnetic field ion-implantation perturbed angular distribution method in $^{58}\text{Ni}(^{28}\text{Si}, 4p\gamma)$; values of g factors were read from figure 1 of 2008Yu04. J ^π : stretched E2 γ to 6 ⁺ state. g -factor=+0.7 1 (1989Ku11) transient-field method. T _{1/2} =0.76 ps 14 (1989Ku11).
3339.57 ⁱ 12	6 ⁻		B F	$\mu=+5.4$ 6 μ : From g -factor=+0.9 1 (1989Ku11), transient-field method.
3476.96 ^b 15	7 ⁺		BCD	
3511.15 13	(7 ⁻)		CD	J ^π : stretched E2 γ cascade indicated by angular distribution and polarization in ($^{16}\text{O}, 2n2p\gamma$).
3525.75 ^f 12	7 ⁻		BCD	J ^π : from $\gamma(\theta)$ in ($^{16}\text{O}, 2n2p\gamma$), consistent with DCO ratios of decay γ 's obtained in ($^{29}\text{Si}, 2pn\gamma$).
3565.75 ^g 13	7 ⁻		BCD	J ^π : DCO ratio of 801 γ from 9 ⁻ state is consistent with Q.
3607.94 ^h 13	7 ⁻		BCD	J ^π : DCO ratio of 758 γ from 9 ⁻ state is consistent with Q.
3622.78 ^c 12	8 ⁺	0.7 ^{&} ps 4	BCD F	$\mu=+5.6$ 8 (2014StZZ) J ^π : stretched E2 cascade indicated by angular distribution and polarization in ($^{16}\text{O}, 2n2p\gamma$). μ : From g -factor=+0.7 1 (1989Ku11), transient-field method.
3686.07 ^e 15	(8 ⁺) [#]		BCD F	J ^π : $\gamma(\theta)$ indicates probable $\Delta J=0$ transition to 8 ⁺ . DCO ratio of γ to 6 ⁺ is consistent with Q.
4033.49 ⁱ 15	8 ⁻		B	J ^π : DCO ratio of γ to 6 ⁻ is consistent with Q.
4142.60 ^j 14	8 ⁻		B	J ^π : stretched E2 γ to 6 ⁻ state.
4248.4 10			C	
4350.30 ^d 15	10 ⁺	0.14 ps +6-4	BCD F	J ^π : DCO ratio of γ to 8 ⁺ is consistent with Q, M2 ruled out by RUL.
4366.82 ^f 14	9 ⁻		BCD	J ^π : 841 γ to 7 ⁻ is consistent with Q.
4387.09 14	(9 ⁻)		CD	J ^π : stretched E2 cascade indicated by angular distribution in ($^{16}\text{O}, 2n2p\gamma$).
4423.85 ^c 14	10 ⁺	0.9 ^{&} ps 2	BCD	$\mu=+11$ 5 (2014StZZ) J ^π : stretched E2 cascade indicated by angular distribution and polarization in ($^{16}\text{O}, 2n2p\gamma$). μ : From g -factor=+1.1 5 (1989Ku11), transient-field method.
4472.85 ^g 14	9 ⁻		B	J ^π : from DCO ratios of decay γ 's.
4492.5 ^b 4	9 ⁺		B	J ^π : DCO ratio of γ to 7 ⁺ is consistent with Q.
4637.34 ^e 18	(10 ⁺) [#]		BC	J ^π : DCO ratio of 1395 γ to 8 ⁺ state is consistent with Q.
4909.39 ⁱ 18	10 ⁻	0.36 ps +11-8	BC	J ^π : stretched E2 γ to 8 ⁻ state.
5237.4 ^j 4	10 ⁻		B	
5308.15 ^f 17	11 ⁻	0.30 ps +10-7	BCD	J ^π : stretched E2 γ to 9 ⁻ state.
5333.8 15			C	
5392.31? 18			D	
5427.12 ^c 17	12 ⁺	0.33 ps +11-8	BCD	J ^π : stretched E2 γ to 10 ⁺ state.
5468.9 10			B	
5479.09 ^g 25	(11 ⁻)		B	
5569.0 ^d 4	12 ⁺	0.06 ps 6	BC	J ^π : DCO ratio of γ to 10 ⁺ is consistent with Q, M2 ruled out by RUL.
5738.2 ^e 5	(12 ⁺) [#]		BC	
5913.9 ⁱ 4	12 ⁻	0.27 ps +11-8	BCD	J ^π : stretched E2 γ to 10 ⁻ state.
6367.2 ^f 3	13 ⁻	0.15 ps +8-6	BCD	J ^π : stretched E2 γ to 11 ⁻ state.
6450.1 11			B	

Continued on next page (footnotes at end of table)

Adopted Levels, Gammas (continued) ^{82}Sr Levels (continued)

E(level) [†]	J ^π [‡]	T _{1/2} [@]	XREF	Comments
6543.6 ^c 4	14 ⁺	0.25 ps +11-9	BCD	J ^π : stretched E2 γ to 12 ⁺ state.
6556.4 18			C	
6564.8 ^g 4	(13 ⁻)		B	
6937.0 ^d 5	(14 ⁺)	0.04 ps +6-3	BC	
7066.5 ⁱ 5	14 ⁻	0.08 ps +5-4	BC	J ^π : stretched E2 γ to 12 ⁻ state.
7534.6 11			B	
7545.5 ^f 4	15 ⁻	0.12 ps 5	BC	J ^π : stretched E2 γ to 13 ⁻ state.
7788.2 ^g 5	(15 ⁻)		B	J ^π : DCO ratio of γ to (13 ⁻) state is consistent with Q, M2 ruled out by RUL.
7812.0 ^c 6	16 ⁺	0.09 ps +5-4	BC	J ^π : stretched E2 γ to 14 ⁺ state.
7936.1 20			C	
8377.6 ⁱ 6	16 ⁻	0.14 ps 6	BC	J ^π : stretched E2 γ to 14 ⁻ state.
8434.6 ^d 6	(16 ⁺)	<0.18 ps	BC	J ^π : stretched E2 γ to (14 ⁺) state.
8842.0 ^f 7	17 ⁻	0.08 ps 6	BC	J ^π : stretched E2 γ to 15 ⁻ state.
9167.4 ^g 7	(17 ⁻)		B	
9237.8 ^c 7	18 ⁺	0.05 ps +7-4	BC	J ^π : DCO ratio of γ to 16 ⁺ is consistent with Q, M2 ruled out by RUL.
9478.1 23			C	
9842.6 ⁱ 12	(18 ⁻)	<0.19 ^a ps	BC	
10061.6 12	(18 ⁺)		C	
10258.8 ^f 9	(19 ⁻)	0.08 ps +6-4	BC	
10709.4 ^g 12	(19 ⁻)		B	
10872.4 ^c 9	(20 ⁺)	<0.21 ^a ps	BC	
11379.6 ⁱ 16	(20 ⁻)		BC	
11798.4 ^f 10	(21 ⁻)	<0.06 ^a ps	BC	
11837.6? 16	(20 ⁺)		C	
12758.8 13	(22 ⁺)		C	
13005.7 ⁱ 19	(22 ⁻)		BC	
13489.4 ^f 14	(23 ⁻)		BC	
14832.7? 21	(24)		C	
14910.8 17	(24 ⁺)		C	
15409.4 17	(25)		C	
17246.9? 20	(26 ⁻)		C	
17616.5 20	(27)		C	
x ^k	J		G	Additional information 1.
				J ^π : ≈18 from 2003Le08. Others: J≈(19) from 1995Sm08.
1432.0+x ^k 10	J+2		G	
3027.0+x ^k 15	J+4		G	
4783.0+x ^k 18	J+6		G	
6703.1+x ^k 20	J+8		G	
8780.1+x ^k 23	J+10		G	
11010.1+x ^k 25	J+12		G	
13393+x ^k 3	J+14		G	
15938+x ^k 3	J+16		G	
18674+x? ^k 3	J+18		G	

[†] Levels with ΔE=5 keV are from (p,t), all others are deduced from the adopted gammas.[‡] Within each band, the firm assignments come from DCO ratios in ($^{29}\text{Si}, 2\text{pn}\gamma$), except as noted otherwise, whereas the uncertain assignments for the high energy members indicate that the DCO ratios are either not available or not conclusive.

Adopted Levels, Gammas (continued) ^{82}Sr Levels (continued)

- # Tentative assignment in ($^{29}\text{Si}, 2\text{pn}\gamma$) supported by DCO ratios; positive parity from decay to positive parity states only.
- @ From DSAM in $^{56}\text{Fe}(^{29}\text{Si}, 2\text{pn}\gamma)$, unless stated otherwise.
- & From recoil-distance Doppler shift, $^{66}\text{Zn}(^{19}\text{F}, \text{p}2\text{n}\gamma)$ (1981DeYW).
- ^a Effective half-life, not corrected for direct or side feeding (1994Ta01).
- ^b Band(A): $\pi=+$.
- ^c Band(B): $\pi=+$.
- ^d Band(C): $\pi=+$.
- ^e Band(D): $\pi=+$.
- ^f Band(E): $\pi=-$. Yrast odd-spin band.
- ^g Band(F): $\pi=-$. Second odd-spin band.
- ^h Band(G): $\pi=-$. Third odd-spin band.
- ⁱ Band(H): $\pi=-$. Yrast even-spin band.
- ^j Band(I): $\pi=-$. Second even-spin band.
- ^k Band(J): SD band (1995Sm08, 1998Yu01, 2003Le08). $Q(\text{intrinsic})=3.54 +15-14$ (1999Le56, 2003Le08, 2004La18), 4.5 9 (1998Yu01). $\beta_2=0.50$ from $Q(\text{intrinsic})=4.5$ (1999Le56), calculated $Q(\text{intrinsic})=3.3$ 2 (for $^{70}\text{Ge}+^{12}\text{C}$ cluster), 5.6 2 (for $^{54}\text{Cr}+^{28}\text{Si}$ cluster) (2001Bu02). Percent population=1.0-1.5 (1995Sm08), ≈ 2.5 (1998Yu01), 0.63 (2003Le08). Probable configuration= $\nu 5^2 \pi 5^1 (\pi 1/2 [431] \alpha=-1/2)$ with $\pi=-$, $\alpha=1$ (1998Yu01), $\nu 5^1 \pi 5^0$ (1999Le56, 2003Le08).

Adopted Levels, Gammas (continued)

E _i (level)	J _i ^π	E _γ [†]	I _γ ^{&}	<u>γ(⁸²Sr)</u>					Comments
				E _f	J _f ^π	Mult. ^c	δ ^{cf}	α ^e	
573.54	2 ⁺	573.64 [#] 10	100	0	0 ⁺	E2		0.00245	α(K)=0.00216 3; α(L)=0.000243 4; α(M)=4.07×10 ⁻⁵ 6 α(N)=5.07×10 ⁻⁶ 7; α(O)=3.16×10 ⁻⁷ 5 B(E2)(W.u.)=48.3 22
1175.71	2 ⁺	602.15 [#] 10	100 ^b 7	573.54	2 ⁺	M1(+E2)	+1.2 14	0.00196 24	B(M1)(W.u.)≤0.012; B(E2)(W.u.)≤49 α(K)=0.00173 21; α(L)=0.00019 3; α(M)=3.2×10 ⁻⁵ 5 α(N)=4.0×10 ⁻⁶ 6; α(O)=2.6×10 ⁻⁷ 3
		1175.6 1	10.4 8	0	0 ⁺	[E2]		4.07×10 ⁻⁴	B(E2)(W.u.)=0.15 5 α(K)=0.000356 5; α(L)=3.86×10 ⁻⁵ 6; α(M)=6.47×10 ⁻⁶ 9 α(N)=8.12×10 ⁻⁷ 12; α(O)=5.28×10 ⁻⁸ 8; α(IPF)=5.06×10 ⁻⁶ 8
1310.89	0 ⁺	737.35 [‡] 10	100	573.54	2 ⁺				
1328.54	4 ⁺	754.9 1	100	573.54	2 ⁺	E2		1.15×10 ⁻³	B(E2)(W.u.)=109 22 α(K)=0.001020 15; α(L)=0.0001127 16; α(M)=1.89×10 ⁻⁵ 3 α(N)=2.36×10 ⁻⁶ 4; α(O)=1.503×10 ⁻⁷ 21
1688.96	3 ⁺	359.9 3 512.9 2 1114.9 1	9 3 80 12 100 15	1328.54 1175.71 573.54	4 ⁺ 2 ⁺ 2 ⁺				
1865	2 ⁺	688.9 [‡] 4 1291.0 [‡] 6 1865.3 [‡] 15	31 19 100 19 31 19	1175.71 573.54 0	2 ⁺ 2 ⁺ 0 ⁺				
1996.02	4 ⁺	667.53 [#] 10	60 9	1328.54	4 ⁺	M1(+E2)	+0.3 7	0.00137 11	B(M1)(W.u.)=0.019 10; B(E2)(W.u.)≤25 α(K)=0.00122 10; α(L)=0.000132 12; α(M)=2.22×10 ⁻⁵ 20 α(N)=2.79×10 ⁻⁶ 24; α(O)=1.82×10 ⁻⁷ 12
		820.25 [#] 10	100 12	1175.71	2 ⁺	E2		9.34×10 ⁻⁴	B(E2)(W.u.)=34 12 α(K)=0.000826 12; α(L)=9.08×10 ⁻⁵ 13; α(M)=1.524×10 ⁻⁵ 22 α(N)=1.91×10 ⁻⁶ 3; α(O)=1.219×10 ⁻⁷ 17
2229.47	6 ⁺	1422.4 3 900.84 [#] 10	5 2 100	573.54 1328.54	2 ⁺ 4 ⁺	E2		7.41×10 ⁻⁴	B(E2)(W.u.)=1.2×10 ² +4-5 α(K)=0.000656 10; α(L)=7.18×10 ⁻⁵ 10; α(M)=1.205×10 ⁻⁵ 17 α(N)=1.508×10 ⁻⁶ 22; α(O)=9.70×10 ⁻⁸ 14
2401.82	3 ⁻	712.4 [#] 1 1828.4 [#] 1	100 ^b 8 29 ^b 8	1688.96 573.54	3 ⁺ 2 ⁺				
2525.80	5 ⁺	529.8 2 837.1 1 1197.1 2	13 4 100 22 21 6	1996.02 1688.96 1328.54	4 ⁺ 3 ⁺ 4 ⁺				
2817.31	5 ⁻	415.17 [#] 10	13 ^b 13	2401.82	3 ⁻	[E2]		0.00655	α(K)=0.00576 8; α(L)=0.000664 10; α(M)=0.0001115 16 α(N)=1.377×10 ⁻⁵ 20; α(O)=8.31×10 ⁻⁷ 12

Adopted Levels, Gammas (continued)

$\gamma(^{82}\text{Sr})$ (continued)

$E_i(\text{level})$	J_i^π	E_γ^\dagger	$I_\gamma^\&$	E_f	J_f^π	Mult. ^c	δ^{cf}	α^e	Comments
2817.31	5 ⁻	1489.00 [#] 10	100 ^b 13	1328.54	4 ⁺	E1		3.59×10 ⁻⁴	B(E1)(W.u.)=3.2×10 ⁻⁵ 10 $\alpha(\text{K})=0.0001086$ 16; $\alpha(\text{L})=1.154\times 10^{-5}$ 17; $\alpha(\text{M})=1.93\times 10^{-6}$ 3 $\alpha(\text{N})=2.43\times 10^{-7}$ 4; $\alpha(\text{O})=1.602\times 10^{-8}$ 23; $\alpha(\text{IPF})=0.000237$ 4
2824.40	4 ⁻	422.6 3 828.4 2 1135.52 [#] 10	7 2 16 4 100 13	2401.82 3 ⁻ 1996.02 4 ⁺ 1688.96 3 ⁺		E1(+M2)	+0.03 5	2.11×10 ⁻⁴ 5	$\alpha(\text{K})=0.000175$ 5; $\alpha(\text{L})=1.86\times 10^{-5}$ 5; $\alpha(\text{M})=3.12\times 10^{-6}$ 9 $\alpha(\text{N})=3.93\times 10^{-7}$ 11; $\alpha(\text{O})=2.58\times 10^{-8}$ 7; $\alpha(\text{IPF})=1.430\times 10^{-5}$ 22
2836.26	6 ⁺	1494.9 3 606.65 [#] 10	5 2 50 ^b 3	1328.54 4 ⁺ 2229.47 6 ⁺		M1(+E2)	+0.2 3	0.00170 7	B(M1)(W.u.)=0.05 4; B(E2)(W.u.)≤28 $\alpha(\text{K})=0.00150$ 6; $\alpha(\text{L})=0.000163$ 8; $\alpha(\text{M})=2.74\times 10^{-5}$ 13 $\alpha(\text{N})=3.45\times 10^{-6}$ 16; $\alpha(\text{O})=2.26\times 10^{-7}$ 8
		840.24 [#] 10	100 ^b 8	1996.02 4 ⁺		E2		8.79×10 ⁻⁴	B(E2)(W.u.)=7.E+1 5 $\alpha(\text{K})=0.000778$ 11; $\alpha(\text{L})=8.54\times 10^{-5}$ 12; $\alpha(\text{M})=1.434\times 10^{-5}$ 20 $\alpha(\text{N})=1.79\times 10^{-6}$ 3; $\alpha(\text{O})=1.148\times 10^{-7}$ 16
3006.91	4 ⁻	605.1 1 1010.7 2 1318.3 3 1677.6 4	60 20 20 10 100 20 40 10	2401.82 3 ⁻ 1996.02 4 ⁺ 1688.96 3 ⁺ 1328.54 4 ⁺					
3073.28	(5 ⁻)	255.4 3 843.6 2 1077.4 2	7 7 64 14 100 21	2817.31 5 ⁻ 2229.47 6 ⁺ 1996.02 4 ⁺					
3086.23	6 ⁻	261.83 [#] 10 269.02 [#] 10 560.8 2	100 9 78 9 22 4	2824.40 4 ⁻ 2817.31 5 ⁻ 2525.80 5 ⁺					
3142.30	(5 ⁻)	1812.8 4	100	1328.54 4 ⁺					
3242.82	8 ⁺	1013.36 [#] 10	100	2229.47 6 ⁺		E2		5.61×10 ⁻⁴	B(E2)(W.u.)=1.0×10 ² +3-5 $\alpha(\text{K})=0.000497$ 7; $\alpha(\text{L})=5.41\times 10^{-5}$ 8; $\alpha(\text{M})=9.08\times 10^{-6}$ 13 $\alpha(\text{N})=1.138\times 10^{-6}$ 16; $\alpha(\text{O})=7.36\times 10^{-8}$ 11
3339.57	6 ⁻	266.2 2 332.5 2 522.1 1 813.9 1 1110.3 2	4 1 8 2 100 12 16 3 16 3	3073.28 (5 ⁻) 3006.91 4 ⁻ 2817.31 5 ⁻ 2525.80 5 ⁺ 2229.47 6 ⁺					
3476.96	7 ⁺	951.15 [#] 10	100	2525.80 5 ⁺					
3511.15	(7 ⁻)	424 ^{@g} 694.04 10		3086.23 6 ⁻ 2817.31 5 ⁻		E2		1.44×10 ⁻³	$\alpha(\text{K})=0.001273$ 18; $\alpha(\text{L})=0.0001413$ 20; $\alpha(\text{M})=2.37\times 10^{-5}$ 4 $\alpha(\text{N})=2.96\times 10^{-6}$ 5; $\alpha(\text{O})=1.87\times 10^{-7}$ 3

Adopted Levels, Gammas (continued)

$\gamma(^{82}\text{Sr})$ (continued)

$E_i(\text{level})$	J_i^π	E_γ^\dagger	$I_\gamma^\&$	E_f	J_f^π	Mult. ^c	δ^{cf}	α^e	Comments
3511.15	(7) ⁻	1281.1 [#] 2	4.6 ^b 8	2229.47	6 ⁺				
3525.75	7 ⁻	439.88 [#] 10	8 2	3086.23	6 ⁻				
		451.9 3	4 1	3073.28	(5 ⁻)				
		707.9 2	7 2	2817.31	5 ⁻				
3565.75	7 ⁻	1296.19 [#] 10	100 12	2229.47	6 ⁺	D(+Q)	+0.5 5		
		479.3 2	17 6	3086.23	6 ⁻				
		492.7 4	1 1	3073.28	(5 ⁻)				
		748.3 2	14 1	2817.31	5 ⁻				
3607.94	7 ⁻	1336.5 2	100 13	2229.47	6 ⁺				
		465.4 2	30 8	3142.30	(5 ⁻)				
		522.09 [#] 10	100 14	3086.23	6 ⁻	(M1+E2)	-0.7 5	0.0027 3	$\alpha(\text{K})=0.00234$ 22; $\alpha(\text{L})=0.00026$ 3; $\alpha(\text{M})=4.4\times 10^{-5}$ 5 $\alpha(\text{N})=5.5\times 10^{-6}$ 6; $\alpha(\text{O})=3.5\times 10^{-7}$ 3
		534.6 2	35 8	3073.28	(5 ⁻)				
		771.8 2	68 68	2836.26	6 ⁺				
		790.6 2	32 8	2817.31	5 ⁻				
3622.78	8 ⁺	1378.6 2	73 19	2229.47	6 ⁺				
		379.96 [#] 10	8.8 ^b 9	3242.82	8 ⁺				
		786.36 [#] 10	100 ^b 7	2836.26	6 ⁺	E2		1.04×10 ⁻³	B(E2)(W.u.)=1.0×10 ² 6 $\alpha(\text{K})=0.000918$ 13; $\alpha(\text{L})=0.0001013$ 15; $\alpha(\text{M})=1.699\times 10^{-5}$ 24 $\alpha(\text{N})=2.12\times 10^{-6}$ 3; $\alpha(\text{O})=1.355\times 10^{-7}$ 19
		1393.5 [#] 1	18 ^b 6	2229.47	6 ⁺	[E2]		3.31×10 ⁻⁴	B(E2)(W.u.)=1.0 7 $\alpha(\text{K})=0.000249$ 4; $\alpha(\text{L})=2.68\times 10^{-5}$ 4; $\alpha(\text{M})=4.49\times 10^{-6}$ 7 $\alpha(\text{N})=5.65\times 10^{-7}$ 8; $\alpha(\text{O})=3.69\times 10^{-8}$ 6; $\alpha(\text{IPF})=5.01\times 10^{-5}$ 7
3686.07	(8 ⁺)	443.28 [#] 10	100 15	3242.82	8 ⁺				
		1456.2 [#] 3	36 11	2229.47	6 ⁺				
4033.49	8 ⁻	507.9 3	8 2	3525.75	7 ⁻				
		693.9 1	100 22	3339.57	6 ⁻				
4142.60	8 ⁻	534.7 2	26 8	3607.94	7 ⁻				
		577.0 2	31 8	3565.75	7 ⁻				
		617.1 4	8 3	3525.75	7 ⁻				
		1056.3 1	100 23	3086.23	6 ⁻	E2 ^d		5.10×10 ⁻⁴	$\alpha(\text{K})=0.000452$ 7; $\alpha(\text{L})=4.91\times 10^{-5}$ 7; $\alpha(\text{M})=8.25\times 10^{-6}$ 12 $\alpha(\text{N})=1.034\times 10^{-6}$ 15; $\alpha(\text{O})=6.69\times 10^{-8}$ 10
4248.4		1005.6 [@]	100	3242.82	8 ⁺				
4350.30	10 ⁺	1107.47 [#] 10	100	3242.82	8 ⁺	(E2)		4.60×10 ⁻⁴	B(E2)(W.u.)=1.1×10 ² +4-5 $\alpha(\text{K})=0.000406$ 6; $\alpha(\text{L})=4.41\times 10^{-5}$ 7; $\alpha(\text{M})=7.40\times 10^{-6}$ 11 $\alpha(\text{N})=9.28\times 10^{-7}$ 13; $\alpha(\text{O})=6.02\times 10^{-8}$ 9; $\alpha(\text{IPF})=8.58\times 10^{-7}$ 13
4366.82	9 ⁻	758.8 [#] 1	30 ^b 3	3607.94	7 ⁻				

∞

Adopted Levels, Gammas (continued)

$\gamma(^{82}\text{Sr})$ (continued)									
$E_i(\text{level})$	J_i^π	E_γ^\dagger	$I_\gamma^\&$	E_f	J_f^π	Mult. ^c	α^e	Comments	
4366.82	9 ⁻	801.11 [#] 10	100 ^b 8	3565.75	7 ⁻	(E2)	9.91×10 ⁻⁴	$\alpha(\text{K})=0.000876$ 13; $\alpha(\text{L})=9.65\times 10^{-5}$ 14; $\alpha(\text{M})=1.620\times 10^{-5}$ 23 $\alpha(\text{N})=2.02\times 10^{-6}$ 3; $\alpha(\text{O})=1.293\times 10^{-7}$ 19	
4387.09	(9 ⁻)	841.3 [#] 3 876.0 [#] 1	32 ^b 4 100 ^b 18	3525.75 7 ⁻ 3511.15 (7 ⁻)		(E2)	7.93×10 ⁻⁴	$\alpha(\text{K})=0.000702$ 10; $\alpha(\text{L})=7.69\times 10^{-5}$ 11; $\alpha(\text{M})=1.291\times 10^{-5}$ 18 $\alpha(\text{N})=1.616\times 10^{-6}$ 23; $\alpha(\text{O})=1.037\times 10^{-7}$ 15	
4423.85	10 ⁺	1144.20 [#] 10 801.11 [#] 10	88 ^b 7 100 12	3242.82 8 ⁺ 3622.78 8 ⁺		(E2)	9.91×10 ⁻⁴	B(E2)(W.u.)=78 22 $\alpha(\text{K})=0.000876$ 13; $\alpha(\text{L})=9.65\times 10^{-5}$ 14; $\alpha(\text{M})=1.620\times 10^{-5}$ 23 $\alpha(\text{N})=2.02\times 10^{-6}$ 3; $\alpha(\text{O})=1.293\times 10^{-7}$ 19	
		1180.98 [#] 10	16 2	3242.82 8 ⁺		[E2]	4.04×10 ⁻⁴	$\alpha(\text{K})=0.000353$ 5; $\alpha(\text{L})=3.82\times 10^{-5}$ 6; $\alpha(\text{M})=6.41\times 10^{-6}$ 9 $\alpha(\text{N})=8.04\times 10^{-7}$ 12; $\alpha(\text{O})=5.23\times 10^{-8}$ 8; $\alpha(\text{IPF})=5.65\times 10^{-6}$ 8 B(E2)(W.u.)=1.8 5	
4472.85	9 ⁻	907.0 1 947.2 2 1230.3 2	62 8 44 4 100 8	3565.75 7 ⁻ 3525.75 7 ⁻ 3242.82 8 ⁺					
4492.5	9 ⁺	1015.5 3	100	3476.96 7 ⁺					
4637.34	(10 ⁺)	213.5 3 287.0 2 951.2 2 1394.7 3	10 3 38 7 100 10 72 10	4423.85 10 ⁺ 4350.30 10 ⁺ 3686.07 (8 ⁺) 3242.82 8 ⁺					
4909.39	10 ⁻	521.7 ^{@g} 875.9 1	100	4387.09 (9 ⁻) 4033.49 8 ⁻		E2 ^d	7.94×10 ⁻⁴	B(E2)(W.u.)=1.4×10 ² +4-5 $\alpha(\text{K})=0.000702$ 10; $\alpha(\text{L})=7.70\times 10^{-5}$ 11; $\alpha(\text{M})=1.292\times 10^{-5}$ 18 $\alpha(\text{N})=1.616\times 10^{-6}$ 23; $\alpha(\text{O})=1.037\times 10^{-7}$ 15	
5237.4	10 ⁻	1094.8 3	100	4142.60 8 ⁻					
5308.15	11 ⁻	941.32 [#] 10	100	4366.82 9 ⁻		E2	6.67×10 ⁻⁴	$\alpha(\text{K})=0.000590$ 9; $\alpha(\text{L})=6.45\times 10^{-5}$ 9; $\alpha(\text{M})=1.082\times 10^{-5}$ 16 $\alpha(\text{N})=1.356\times 10^{-6}$ 19; $\alpha(\text{O})=8.73\times 10^{-8}$ 13 B(E2)(W.u.)=1.2×10 ² +3-4	
5333.8		1085.4 [@]	100	4248.4					
5392.31?		1005.43 ^{#g} 10	100	4387.09 (9 ⁻)					
5427.12	12 ⁺	1003.26 [#] 10	100	4423.85 10 ⁺		E2	5.74×10 ⁻⁴	B(E2)(W.u.)=80 +20-27 $\alpha(\text{K})=0.000508$ 8; $\alpha(\text{L})=5.54\times 10^{-5}$ 8; $\alpha(\text{M})=9.30\times 10^{-6}$ 13 $\alpha(\text{N})=1.165\times 10^{-6}$ 17; $\alpha(\text{O})=7.53\times 10^{-8}$ 11	
5468.9		1045 1	100	4423.85 10 ⁺					
5479.09	(11 ⁻)	1006.2 3 1128.8 3	100 7 62 4	4472.85 9 ⁻ 4350.30 10 ⁺					
5569.0	12 ⁺	1218.7 3	100	4350.30 10 ⁺		[E2]	3.83×10 ⁻⁴	$\alpha(\text{K})=0.000330$ 5; $\alpha(\text{L})=3.56\times 10^{-5}$ 5; $\alpha(\text{M})=5.98\times 10^{-6}$ 9 $\alpha(\text{N})=7.51\times 10^{-7}$ 11; $\alpha(\text{O})=4.89\times 10^{-8}$ 7; $\alpha(\text{IPF})=1.093\times 10^{-5}$ 16	
5738.2	(12 ⁺)	1100.9 4	100	4637.34 (10 ⁺)					
5913.9	12 ⁻	1004.5 3	100	4909.39 10 ⁻		E2 ^d	5.73×10 ⁻⁴	B(E2)(W.u.)=1.0×10 ² +3-4	

Adopted Levels, Gammas (continued)

$\gamma(^{82}\text{Sr})$ (continued)								
$E_i(\text{level})$	J_i^π	E_γ^\dagger	$I_\gamma^\&$	E_f	J_f^π	Mult. ^c	α^e	Comments
6367.2	13 ⁻	1059.0 2	100	5308.15	11 ⁻	E2	5.07×10 ⁻⁴	$\alpha(\text{K})=0.000507$ 8; $\alpha(\text{L})=5.52\times10^{-5}$ 8; $\alpha(\text{M})=9.27\times10^{-6}$ 13 $\alpha(\text{N})=1.162\times10^{-6}$ 17; $\alpha(\text{O})=7.51\times10^{-8}$ 11 $\alpha(\text{K})=0.000449$ 7; $\alpha(\text{L})=4.88\times10^{-5}$ 7; $\alpha(\text{M})=8.20\times10^{-6}$ 12 $\alpha(\text{N})=1.028\times10^{-6}$ 15; $\alpha(\text{O})=6.66\times10^{-8}$ 10 B(E2)(W.u.)=1.3×10 ² +6-8
6450.1		1023 1	100	5427.12	12 ⁺			
6543.6	14 ⁺	1116.5 3	100	5427.12	12 ⁺	E2 ^d	4.52×10 ⁻⁴	B(E2)(W.u.)=62 +23-28 $\alpha(\text{K})=0.000399$ 6; $\alpha(\text{L})=4.33\times10^{-5}$ 6; $\alpha(\text{M})=7.27\times10^{-6}$ 11 $\alpha(\text{N})=9.11\times10^{-7}$ 13; $\alpha(\text{O})=5.91\times10^{-8}$ 9; $\alpha(\text{IPF})=1.133\times10^{-6}$ 19
6556.4		1222.6 @	100	5333.8				
6564.8	(13 ⁻)	1085.7 3	100	5479.09	(11 ⁻)			
6937.0	(14 ⁺)	1368.0 3	100	5569.0	12 ⁺	[E2]	3.35×10 ⁻⁴	$\alpha(\text{K})=0.000258$ 4; $\alpha(\text{L})=2.78\times10^{-5}$ 4; $\alpha(\text{M})=4.67\times10^{-6}$ 7 $\alpha(\text{N})=5.87\times10^{-7}$ 9; $\alpha(\text{O})=3.84\times10^{-8}$ 6; $\alpha(\text{IPF})=4.35\times10^{-5}$ 7 B(E2)(W.u.)=1.4×10 ² +42-8
7066.5	14 ⁻	1152.6 3	100	5913.9	12 ⁻	E2 ^d	4.23×10 ⁻⁴	B(E2)(W.u.)=1.6×10 ² +9-11 $\alpha(\text{K})=0.000372$ 6; $\alpha(\text{L})=4.03\times10^{-5}$ 6; $\alpha(\text{M})=6.76\times10^{-6}$ 10 $\alpha(\text{N})=8.49\times10^{-7}$ 12; $\alpha(\text{O})=5.52\times10^{-8}$ 8; $\alpha(\text{IPF})=3.01\times10^{-6}$ 5
7534.6		991 1	100	6543.6	14 ⁺			
7545.5	15 ⁻	1178.3 3	100	6367.2	13 ⁻	E2 ^d	4.06×10 ⁻⁴	B(E2)(W.u.)=1.0×10 ² 4 $\alpha(\text{K})=0.000354$ 5; $\alpha(\text{L})=3.84\times10^{-5}$ 6; $\alpha(\text{M})=6.44\times10^{-6}$ 9 $\alpha(\text{N})=8.08\times10^{-7}$ 12; $\alpha(\text{O})=5.26\times10^{-8}$ 8; $\alpha(\text{IPF})=5.35\times10^{-6}$ 9
7788.2	(15 ⁻)	1223.4 3	100	6564.8	(13 ⁻)			
7812.0	16 ⁺	1268.4 4	100	6543.6	14 ⁺	E2 ^d	3.62×10 ⁻⁴	B(E2)(W.u.)=9.E+1 +4-5 $\alpha(\text{K})=0.000303$ 5; $\alpha(\text{L})=3.27\times10^{-5}$ 5; $\alpha(\text{M})=5.48\times10^{-6}$ 8 $\alpha(\text{N})=6.89\times10^{-7}$ 10; $\alpha(\text{O})=4.49\times10^{-8}$ 7; $\alpha(\text{IPF})=2.04\times10^{-5}$ 3
7936.1		1379.6 @	100	6556.4				
8377.6	16 ⁻	1311.1 4	100	7066.5	14 ⁻	E2 ^d	3.48×10 ⁻⁴	B(E2)(W.u.)=49 22 $\alpha(\text{K})=0.000282$ 4; $\alpha(\text{L})=3.05\times10^{-5}$ 5; $\alpha(\text{M})=5.11\times10^{-6}$ 8 $\alpha(\text{N})=6.42\times10^{-7}$ 9; $\alpha(\text{O})=4.19\times10^{-8}$ 6; $\alpha(\text{IPF})=2.98\times10^{-5}$ 5
8434.6	(16 ⁺)	1497.6 3	100	6937.0	(14 ⁺)	E2 ^d	3.26×10 ⁻⁴	$\alpha(\text{K})=0.000215$ 3; $\alpha(\text{L})=2.31\times10^{-5}$ 4; $\alpha(\text{M})=3.88\times10^{-6}$ 6 $\alpha(\text{N})=4.87\times10^{-7}$ 7; $\alpha(\text{O})=3.19\times10^{-8}$ 5; $\alpha(\text{IPF})=8.35\times10^{-5}$ 12 B(E2)(W.u.)>20
8842.0	17 ⁻	1296.5 5	100	7545.5	15 ⁻	E2 ^d	3.53×10 ⁻⁴	B(E2)(W.u.)=9.E+1 7 $\alpha(\text{K})=0.000289$ 4; $\alpha(\text{L})=3.12\times10^{-5}$ 5; $\alpha(\text{M})=5.23\times10^{-6}$ 8 $\alpha(\text{N})=6.57\times10^{-7}$ 10; $\alpha(\text{O})=4.29\times10^{-8}$ 6; $\alpha(\text{IPF})=2.65\times10^{-5}$ 4
9167.4	(17 ⁻)	1379.2 4	100	7788.2	(15 ⁻)			
9237.8	18 ⁺	1425.7 4	100	7812.0	16 ⁺	[E2]	3.27×10 ⁻⁴	B(E2)(W.u.)=9.E+1 +36-5 $\alpha(\text{K})=0.000237$ 4; $\alpha(\text{L})=2.56\times10^{-5}$ 4; $\alpha(\text{M})=4.29\times10^{-6}$ 6 $\alpha(\text{N})=5.39\times10^{-7}$ 8; $\alpha(\text{O})=3.52\times10^{-8}$ 5; $\alpha(\text{IPF})=5.93\times10^{-5}$ 9

Adopted Levels, Gammas (continued)

$\gamma(^{82}\text{Sr})$ (continued)

$E_i(\text{level})$	J_i^π	E_γ^\dagger	$I_\gamma^\&$	E_f	J_f^π	Mult. ^c	α^e	Comments
9478.1		1542 @	100	7936.1				
9842.6	(18 ⁻)	1465 1	100	8377.6	16 ⁻	[E2]	3.25×10 ⁻⁴	$\alpha(\text{K})=0.000225$ 4; $\alpha(\text{L})=2.42\times 10^{-5}$ 4; $\alpha(\text{M})=4.05\times 10^{-6}$ 6 $\alpha(\text{N})=5.10\times 10^{-7}$ 8; $\alpha(\text{O})=3.34\times 10^{-8}$ 5; $\alpha(\text{IPF})=7.19\times 10^{-5}$ 11 B(E2)(W.u.)>21
10061.6	(18 ⁺)	1626.9 @	100	8434.6	(16 ⁺)			
10258.8	(19 ⁻)	1416.8 5	100	8842.0	17 ⁻	[E2]	3.28×10 ⁻⁴	B(E2)(W.u.)=6.E+1 +3-5 $\alpha(\text{K})=0.000240$ 4; $\alpha(\text{L})=2.59\times 10^{-5}$ 4; $\alpha(\text{M})=4.34\times 10^{-6}$ 6 $\alpha(\text{N})=5.46\times 10^{-7}$ 8; $\alpha(\text{O})=3.57\times 10^{-8}$ 5; $\alpha(\text{IPF})=5.67\times 10^{-5}$ 8
10709.4	(19 ⁻)	1542 1	100	9167.4	(17 ⁻)			
10872.4	(20 ⁺)	1634.6 5	100	9237.8	18 ⁺	[E2]	3.44×10 ⁻⁴	$\alpha(\text{K})=0.000181$ 3; $\alpha(\text{L})=1.94\times 10^{-5}$ 3; $\alpha(\text{M})=3.25\times 10^{-6}$ 5 $\alpha(\text{N})=4.09\times 10^{-7}$ 6; $\alpha(\text{O})=2.69\times 10^{-8}$ 4; $\alpha(\text{IPF})=0.0001396$ 20 B(E2)(W.u.)>11
11379.6	(20 ⁻)	1537 1	100	9842.6	(18 ⁻)			
11798.4	(21 ⁻)	1539.6 5	100	10258.8	(19 ⁻)	[E2]	3.29×10 ⁻⁴	$\alpha(\text{K})=0.000204$ 3; $\alpha(\text{L})=2.19\times 10^{-5}$ 3; $\alpha(\text{M})=3.67\times 10^{-6}$ 6 $\alpha(\text{N})=4.61\times 10^{-7}$ 7; $\alpha(\text{O})=3.02\times 10^{-8}$ 5; $\alpha(\text{IPF})=9.96\times 10^{-5}$ 14 B(E2)(W.u.)>51
11837.6?	(20 ⁺)	1776 @	100	10061.6	(18 ⁺)			
12758.8	(22 ⁺)	1886.4 @	100	10872.4	(20 ⁺)			
13005.7	(22 ⁻)	1626 1	100	11379.6	(20 ⁻)			
13489.4	(23 ⁻)	1691 1	100	11798.4	(21 ⁻)			
14832.7?	(24)	1827 @	100	13005.7	(22 ⁻)			
14910.8	(24 ⁺)	2152 @	100	12758.8	(22 ⁺)			
15409.4	(25)	1920 @	100	13489.4	(23 ⁻)			
17246.9?	(26 ⁻)	2336 @	100	14910.8	(24 ⁺)			
17616.5	(27)	2207 @	100	15409.4	(25)			
1432.0+x	J+2	1432 1	100 ^a	x	J			
3027.0+x	J+4	1595 1	100 ^a	1432.0+x	J+2			
4783.0+x	J+6	1756 1	100 ^a	3027.0+x	J+4			
6703.1+x	J+8	1920 1	100 ^a	4783.0+x	J+6			
8780.1+x	J+10	2077 1	100 ^a	6703.1+x	J+8			
11010.1+x	J+12	2230 1	100 ^a	8780.1+x	J+10			
13393+x	J+14	2383 1	100 ^a	11010.1+x	J+12			
15938+x	J+16	2545 1	100 ^a	13393+x	J+14			
18674+x?	J+18	2736 ^g	100 ^a	15938+x	J+16			

[†] From ⁵⁶Fe(²⁹Si,2pn γ), unless otherwise stated. For SD band, values are from ⁵⁸Ni(³⁰Si, α 2pn γ),(²⁸Si,4pn γ):SD.

[‡] From ⁸²Y β^+ decay.

Adopted Levels, Gammas (continued)

$\gamma(^{82}\text{Sr})$ (continued)


- # From $^{70}\text{Ge}(^{16}\text{O},2\text{n}2\text{p}\gamma)$.
- @ From $^{52}\text{Cr}(^{34}\text{S},2\text{p}2\text{n}\gamma)$.
- & γ branching from each level deduced from $(^{29}\text{Si},2\text{pn}\gamma)$, except as noted otherwise.
- ^a Relative intensity within the SD band.
- ^b From $^{70}\text{Ge}(^{16}\text{O},2\text{n}2\text{p}\gamma)$.
- ^c From $\gamma(\theta)$ and linear polarization observed in $(^{16}\text{O},2\text{n}2\text{p}\gamma)$, except as noted otherwise.
- ^d From DCO ratios obtained in $^{56}\text{Fe}(^{29}\text{Si},2\text{pn}\gamma)$ and RUL.
- ^e [Additional information 2](#).
- ^f If No value given it was assumed $\delta=1.00$ for E2/M1, $\delta=1.00$ for E3/M2 and $\delta=0.10$ for the other multipolarities.
- ^g Placement of transition in the level scheme is uncertain.

Adopted Levels, Gammas

Legend


Level Scheme

Intensities: Relative photon branching from each level

-----► γ Decay (Uncertain)


Adopted Levels, GammasLevel Scheme (continued)

Intensities: Relative photon branching from each level




Adopted Levels, Gammas

Legend

Level Scheme (continued)

Intensities: Relative photon branching from each level


-----► γ Decay (Uncertain)


Adopted Levels, Gammas

Legend


Level Scheme (continued)


Intensities: Relative photon branching from each level

-----► γ Decay (Uncertain)


Adopted Levels, Gammas**Level Scheme (continued)**

Intensities: Relative photon branching from each level

 $^{82}_{38}\text{Sr}_{44}$

Adopted Levels, Gammas $^{82}_{38}\text{Sr}_{44}$

Adopted Levels, Gammas (continued)

