
Version B

## UNIVERSITY OF VICTORIA CHEMISTRY 101 Midterm Test 1 October 18, 2013 5-6 pm (60 minutes)

Version B

## DISPLAY YOUR STUDENT ID CARD ON THE TOP OF YOUR DESK NOW

Answer all multiple choice questions on the bubble sheet provided. Use a soft pencil. The scanner does not read ink. Complete the identification portion of the bubble sheet according to the example shown. (The student's name in the example is Bab Cabba.)



Hand in only the bubble sheet at the end of the test period (60 minutes).

A DATA sheet is included, unstapled, inside the cover page of this test.

This test has 6 pages (not including the DATA sheet). Count the pages before you begin.

The basic Sharp EL510 calculator or the Sharp EL-510 RNB are the only ones approved for use in Chemistry 101.

DO NOT BEGIN UNTIL TOLD TO DO SO BY THE INVIGILATOR

This test consists entirely of multiple choice questions and is worth 50 marks. There are two marks per question. The answers for the 25 questions must be coded on the optical sense form (bubble sheet) using a SOFT PENCIL. The scanner does not read ink of any colour. Select the BEST response for each question below.


Below is the energy level diagram for the possible energy levels of a hydrogen atom. (not to scale). Answer the following questions 1 to 4 about the hydrogen atom.

- 1. What is the energy change ( $\Delta E$ ) corresponding to the transition labeled Y?
  - A.  $6.02 \times 10^{23} \,\text{J}$
  - B.  $3.29 \times 10^{-15} \,\mathrm{J}$
  - C.  $2.18 \times 10^{-18} \,\mathrm{J}$
  - D.  $-3.29 \times 10^{-15} \text{ J}$
  - E.  $-2.18 \times 10^{-18} \,\mathrm{J}$
- 2. What is the energy change ( $\Delta E$ ) corresponding to the transition labeled T?
  - A.  $2.18 \times 10^{-18} \,\mathrm{J}$
  - B.  $1.55 \times 10^{-19}$  J
  - C.  $2.90 \times 10^{-19}$  J
  - D.  $-2.18 \times 10^{-18}$  J
  - E.  $-1.55 \times 10^{-19}$  J

Energy


- 3. What is the total number of ways that an electron in an H atom could have the energy labeled B? (i.e. what is the degeneracy of level B?) This is the same as asking how many different combinations of the quantum numbers would have this energy. Include spin (m<sub>s</sub>) in your analysis.
  - A. 8
  - B. 28
  - C. 18
  - D. 10
  - E. 42

[Energy levels not exactly to scale]



- 4. Decide whether the following statements are true (T) or false (F) and then select the best response below for indicating the one(s) that is(are) FALSE.
- i) Transition W represents an emission. (T)
- ii) Transition R represents an ionization. (T)
- iii) Transition Y represents an electron affinity. (T)
- iv) For the level labeled D the value of n is 3. (F)
- v) Level D is the third excited state. (T)
- vi) Transition S results in absorption of radiation. (T)
- A) iv & vi
- B) vi only
- C) iv only
- D) iii, iv & vi
- E) ii & v

Below are some depictions of orbitals. Questions 5 - 7 refer to these pictures.



- 5. Which of these orbitals has an  $\ell$  value (angular momentum quantum number) of 0?
- A. C
- B. D
- C. B
- D. E
- E. A
- 6. Which of these pictures depict(s) a p orbital?
- A. all of them
- B. A, D and E
- C. A and D
- D. A and E
- E. C
- 7. Which set of quantum numbers  $n,\ell$  can be valid for the orbital D in the figure above?
- A. 2,2
- B. 4,2
- C. 3,1
- D. 4,3
- E. 2,3
- 8. Which of these is the best Lewis structure for [NCO]<sup>-</sup>? Answer D

9. Which of these neutral atoms has an INCORRECT Lewis symbol? Answer E

Α

- В
- C
- D
- E

- ·S
- ·Sb
- :Se
- :și
- :Śn
- 10. Which of these elements is the central atom in CHBrClI?
- A. I
- B. C
- C. Br
- D. Cl
- E. H

Chemistr	y 101, Mid-Ter	m Test 1 Ver	rsion B Fall	2013		Page 4 of 6
11. Based A. O-F	l on relative ele B. <mark>I-F</mark>	ctronegativities, C. Cl-Cl		e is the MOST po S-Cl	olar bond? E. F-Cl	
12. Whic A. KCl	h of these ionic B. Sc <sub>2</sub> O <sub>3</sub>	compounds has	the highest lat ScCl <sub>3</sub>	tice energy? D. CaCl <sub>2</sub>	E. CaO	
•	ally unfavorable	-	<u>-</u>		e rationalize the fact energetically favora	
B. It C. <mark>E</mark> D. N E. It	itrogen has a hi has a full shell	repulsion between the description of valence elected ents has the high	vity. rons.	ons in the same 2	p orbital is high.	
A. Al	B. P	C. S	D. <mark>Mg</mark>	E. Si		
know the	heat of atomiza		the heat of ato	mization of chlo	netal and chlorine garine, the ionization e	
B. T. C. T. D. T.	he electrostatic he Na-Cl bond	vities of both N force between N enthalpy (i.e. boent of the Na-Cl y of NaCl	Na <sup>+</sup> and Cl <sup>-</sup> nd energy)			
16. How	many non-bond	ling electrons ar	e there in a mo	lecule of SBr <sub>2</sub> ?		

D. <mark>16</mark>

C. The central atom has more than an octet and is from the third (or higher numbered) row of the

E. Completing the octet would put a formal positive charge on an electronegative element.

17. Which of these is NOT a valid reason for a molecule to disobey the octet rule?

B. There are insufficient electrons to provide the central atom with an octet.

E. 20

C. 18

A. The molecule has an odd number of electrons.

D. The central atom is a transition metal.

B. 12

periodic table.

A. 0

Questions 18 & 19 refer to the molecules in this box. Answer these questions referring to these molecules.

i. SiH4	ii. BF3	iii. OF2	iv. NF3	v. NO
vi. BrF5	vii. XeF4	viii. OCCl <sub>2</sub>		

- 18. Indicate all of the molecules in the box above for which the best Lewis structure has an atom that is assigned more than eight electrons (i.e. an "extended octet").
  - A. i & vi
- B. vi, vii & viii
- C. v only
- D. vi & vii
- E. vii only
- 19. Indicate all of the molecules in the box above for which the best Lewis structure has an atom that is assigned fewer than eight electrons (i.e. an "incomplete octet").
  - A. i only
- B. ii & v
- C. v only
- D. ii & iv
- E. vii only
- 20. Using bond energies from the DATA sheet, calculate (estimate) the enthalpy of reaction (heat of reaction, ΔH) in kJ/mol for the decomposition of hydrogen peroxide in the reaction shown below.

2 H
$$\longrightarrow$$
O $\longrightarrow$ H (g)  $\longrightarrow$  2 H<sub>2</sub>O (g) + O<sub>2</sub> (g)

- A. -203
- B. -349
- C. +203
- D. +349
- E. +146
- 21. For which one of the following molecules do we invoke resonance in describing the bonding?
  - A. PCl<sub>5</sub>
- $B. O_2$
- C. CCl<sub>4</sub>
- $D. SO_3$
- E. OF<sub>2</sub>
- 22. Which of the following relationships is/are CORRECT when comparing lattice energies?
- i.  $BaF_2 > CaF_2$
- ii. CsBr > RbBr > NaCl
- iii. BaO > KF iv. NaCl > MgCl<sub>2</sub> v. NaBr > NaCl

- A. i & v only
- B. ii only
- C. i & iii
- D. iii only
- E. i, ii & iii
- 23. Consider the two resonance structures for ClO<sub>2</sub> shown below. What is the formal charge on Cl in each

of the two resonance structures respectively?

- A. -1, 0
- B. +1, 0
- C. 0, 0
- D. 0,+1
- E. 0, -1

24. Consider the following electron configuration (written in Aufbau order). What neutral ground state element has this configuration?

 $1s^22s^22p^63s^23p^64s^23d^{10}4p^65s^24d^{10}5p^66s^24f^{14}5d^{10}6p^1$ 

A. Pb

B. Hg

C. Tl

D. Cn

- E. Au
- 25. The predicted ground state electron configuration for the doubly charged ion of tungsten (W<sup>2+</sup>) is?
  - A. [Xe]  $4f^{14} 5d^4$
- B. [Xe]  $4f^{13} 5d^5$

C. [Xe]  $4f^{12} 5d^4 6s^2$ 

- D. [Xe]  $4f^{14} 5d^3 6s^1$
- E. [Xe]  $4f^{14} 5d^4 6s^2$

END