

LEU+ to HALEU transitions in advanced reactor fuel cycles

ANS Great Lakes Local Section

Nathan Ryan
Advanced Reactors and Fuel Cycles

University of Illinois Urbana-Champaign

January 30, 2025






Outline

- ① Nuclear Fuel Cycle
- ② Fuel Cycle Modeling
- ③ LEU+ to HALEU
- ④ Conclusion

Generally, fuel cycles have these steps



*Spent fuel reprocessing is omitted from the cycle in most countries, including the United States.

Source: Penn State Univ. Radiation Science and Engineering Center (public domain)*

Not all fuel cycles are made equal, and we want options

Concerns about economics, waste generation, proliferation risk, and sustainability motivate the need for fuel cycle options. With metrics like:

- natural resource utilization,
- waste mass/volume,
- special material quantities,
- separative work units,
- and energy production,

we can begin to evaluate the tradeoffs between fuel cycle options.

Outline

- ① Nuclear Fuel Cycle
- ② Fuel Cycle Modeling
- ③ LEU+ to HALEU
- ④ Conclusion




Big questions in fuel cycle modeling

Increased computational power and advanced reactors mean more detailed fuel cycle modeling.

- How can we make facility models more accurate?
- How can we make transaction models more detailed?
- Can we implement nuclear fuel cycle codes to identify realtime diversion or diversion paths?
- When do advanced reactor technologies change key metrics we use to evaluate fuel cycles?

We use Cyclus to model fuel cycles

Cyclus is an open-source agent-based fuel cycle code allowing for detailed facility and transaction modeling [2].



Source: https://github.com/cyclus/cyclus.github.com/blob/source/source/logos/logo2_transp.png

Cyclus is being used to tackle big questions in fuel cycle modeling

Making facility models more accurate

OpenMCcyclus [1] couples Cyclus with OpenMC to model realtime depletion.

Making transaction models more detailed

There is active work to incorporate realistic purchasing agreements and market models into Cyclus.

Identifying realtime diversion or diversion paths

CNTAUR [3] and Pyre [4] format outputs in IAEA code 10 format and model real time diversion, respectively.


Finding advanced reactor impacts on the fuel cycle

We will talk a little about that today!

Outline

- ① Nuclear Fuel Cycle
- ② Fuel Cycle Modeling
- ③ LEU+ to HALEU**
- ④ Conclusion

A mildly provocative question



Source: inl.gov/nuclear-reactor-sustainment-and-expanded-deployment/

What if we can't get HALEU to fuel these advanced reactors? Could we use LEU+ in the meantime?




We define the enrichment levels as...

These are a mash-up of economic and regulatory definitions.


Enrichment levels and their ranges.

Enrichment Level	Range [% ^{235}U]
Natural	< 0.711
LEU	0.711-5
LEU+	5-10
HALEU	10-20
HEU	\geq 20


Our demand for energy is going up



Staggering enrichment could give the supply chain time to develop



The difference is on the order of hundreds of tons





Outline

- ① Nuclear Fuel Cycle
- ② Fuel Cycle Modeling
- ③ LEU+ to HALEU
- ④ Conclusion



Fuel cycles modeling is useful for energy planning and safeguards

We have covered a tiny fraction of what fuel cycle modeling can do, but there is so much more to do. In our simple case, we transition from LEU+ to HALEU after 10 years of operation.

- For the Xe100 reactors, we need almost 315 less tons of HALEU.
- For the MMR reactors, we need almost 97 less tons of HALEU.

Next we need to characterize what the cost of this transition would be.



Acknowledgement

This research was performed, in part, using funding received from the DOE Office of Nuclear Energy's Nuclear Energy University Program (Project 23-29656 DE-NE0009390) 'Illuminating Emerging Supply Chain and Waste Management Challenges'.

Thanks to Luke Seifert for his help with running the neutronics models, and thanks to Amanda Bachmann and Zoe Richter for letting me adapt their reactor models for the MMR and Xe100.

References I

- [1] Oleksandr Yaras, Amanda M. Bachmann and Madicken Munk.
An open-source coupling for depletion during fuel cycle modeling.
Nuclear Science and Engineering, 0(0):1–14, 2024.
- [2] Kathryn D. Huff, Matthew J. Gidden, Robert W. Carlsen, Robert R. Flanagan, Meghan B. McGarry, Arrielle C. Opatowsky, Erich A. Schneider, Anthony M. Scopatz, and Paul P. H. Wilson.
Fundamental concepts in the Cyclus nuclear fuel cycle simulation framework.
Advances in Engineering Software, 94:46–59, April 2016.
arXiv: 1509.03604.
- [3] Kathryn Mummah, Daniel Jackson, John Oakberg, Kenneth Apt, and Vlad Henzl.
Advanced Algorithms for Scrutiny of Mandatory State Reports Declarations to the IAEA (Final Project Report).
Technical Report LA-UR–24-24919, 2352690, Los Alamos National Lab. (LANL), Los Alamos, NM (United States), May 2024.
- [4] Greg T. Westphal.
Modeling special nuclear material diversion from a pyroprocessing facility.
text, University of Illinois at Urbana-Champaign, December 2019.

Know how to code?



Consider volunteering as a TA or mentor in the Computational Resource Access NEtwork (CRANE) so we can support more students!



Go to our website: <https://www.cranephysics.org>