# IATEX Mathematical Symbols

The more unusual symbols are not defined in base LATEX (NFSS) and require \usepackage{amssymb}

#### 1 Greek and Hebrew letters

$\alpha$	\alpha	$\kappa$	\kappa	$\psi$	\psi	F	\digamma	$\Delta$	\Delta	$\Theta$	<b>\Theta</b>
$\beta$	\beta	$\lambda$	$\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ $	$\rho$	\rho	$\varepsilon$	\varepsilon	$\Gamma$	\Gamma	Υ	\Upsilon
χ	\chi	$\mu$	\mu	$\sigma$	\sigma	$\varkappa$	\varkappa	$\Lambda$	\Lambda	Ξ	\Xi
$\delta$	\delta	$\nu$	\nu	au	\tau	$\varphi$	\varphi	$\Omega$	\Omega		
$\epsilon$	\epsilon	o	0	$\theta$	\theta	$\overline{\omega}$	\varpi	$\Phi$	\Phi	×	\aleph
$\eta$	\eta	$\omega$	\omega	v	\upsilon	$\varrho$	\varrho	Π	\Pi	コ	\beth
$\gamma$	\gamma	$\phi$	\phi	ξ	\xi	ς	\varsigma	$\Psi$	\Psi	٦	$\d$ aleth
ι	\iota	$\pi$	\pi	ζ	\zeta	$\vartheta$	\vartheta	$\Sigma$	\Sigma	٦	\gimel

#### 2 LATEX math constructs

$\frac{abc}{xyz}$	$\frac{abc}{xyz}$	$\overline{abc}$	$\operatorname{\mathtt{oldsymbol{a}bc}}$	$\overrightarrow{abc}$	$\verb \overrightarrow{abc} $
f'	f'	$\underline{abc}$	$\underline\{abc\}$	$\overleftarrow{abc}$	$\verb \overleftarrow  \{abc\}$
$\sqrt{abc}$	$\sqrt{abc}$	$\widehat{abc}$	$\widehat\{abc\}$	$\widehat{abc}$	$\operatorname{\mathtt{oldsymbol{a}bc}}$
$\sqrt[n]{abc}$	$\sqrt[n]{abc}$	$\widetilde{abc}$	$\verb \widetilde  \{abc\}$	$\underbrace{abc}$	$\underbrace{abc}$

#### 3 Delimiters

	{	\{	L	\lfloor	/	/	$\uparrow$	\Uparrow	L	\llcorner
\vert	}	\}		\rfloor	\	\backslash	$\uparrow$	\uparrow	١	\lrcorner
\1	(	$\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ $	Γ	\lceil	[	[	$\Downarrow$	\Downarrow	Г	\ulcorner
\Vert	>	\rangle	7	\rceil	1	1		\downarrow	٦	\urcorner

#### 4 Variable-sized symbols (displayed formulae show larger version)

$\sum$	\sum	ſ	$\$ int	+	\biguplus	$\oplus$	\bigoplus	V	\bigvee
$\prod$	\prod	∮	$\operatorname{\ooint}$	$\cap$	\bigcap	$\otimes$	\bigotimes	$\wedge$	\bigwedge
$\coprod$	\coprod	$\iint$	$\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ $	U	\bigcup	$\odot$	\bigodot	Ш	\bigsqcup

#### 5 Standard Function Names

Function names should appear in Roman, not Italic, e.g., Correct:  $tan(at-n\pi) \longrightarrow tan(at-n\pi)$ Incorrect:  $tan(at-n\pi) \longrightarrow tan(at-n\pi)$ 

arccos	\arccos	arcsin	\arcsin	arctan	\arctan	arg	\arg
$\cos$	\cos	$\cosh$	\cosh	$\cot$	\cot	$\coth$	\coth
$\csc$	\csc	$\deg$	\deg	$\det$	\det	$\dim$	\dim
$\exp$	\exp	$\gcd$	\gcd	hom	\hom	$\inf$	\inf
ker	\ker	$\lg$	\lg	$\lim$	\lim	$\lim\inf$	$\label{liminf}$
$\limsup$	\limsup	$\ln$	\ln	$\log$	\log	max	\max
$\min$	\min	$\Pr$	\Pr	$\sec$	\sec	$\sin$	\sin
$\sinh$	\sinh	$\sup$	\sup	an	\tan	anh	\tanh

## 6 Binary Operation/Relation Symbols

_	<b>J</b> - 1		7				
*	\ast	$\pm$	\pm	$\cap$	\cap	$\triangleleft$	\lhd
*	\star	Ŧ	\mp	$\cup$	\cup	$\triangleright$	\rhd
	\cdot	П	\amalg	$\forall$	\uplus	◁	\triangleleft
0	\circ	$\odot$	\odot	П	\sqcap	$\triangleright$	\triangleright
•	\bullet	$\ominus$	\ominus	$\sqcup$	\sqcup	$\leq$	\unlhd
$\bigcirc$	\bigcirc	$\oplus$	\oplus	$\wedge$	\wedge	$\succeq$	\unrhd
<b>♦</b>	\diamond	0	\oslash	V	\vee	$\nabla$	\bigtriangledown
×	\times	$\otimes$	\otimes	†	\dagger	Å	\bigtriangleup
÷	\div		\wr		\ddagger	\	\setminus
	\centerdot		\Box	‡	\barwedge	$\stackrel{\vee}{\scriptstyle \vee}$	\veebar
*	\circledast	⊞	\boxplus	人	\curlywedge	Υ	\curlyvee
<ul><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li><!--</td--><td>\circledcirc</td><td></td><td>\boxminus</td><td>M</td><td>\Cap</td><td>U</td><td>\Cup</td></li></ul>	\circledcirc		\boxminus	M	\Cap	U	\Cup
Θ	\circleddash		\boxtimes		\bot	T	\top
÷	\dotplus	⊡	\boxdot		\intercal		\rightthreetimes
*	\divideontimes		\square	<u>T</u>	\doublebarwedge	$\lambda$	\leftthreetimes
*	(divideontimes		\square	/\	(doublebal wedge	^	/Telconfectmes
=	\equiv	$\leq$	\leq	>	\geq	$\perp$	\perp
$\stackrel{-}{\cong}$	\cong	<u> </u>	\prec	≥ ≻	\succ	Ť	\mid
	<del>-</del>		•			I II	
$\neq$	\neq	$\preceq$	\preceq		\succeq		\parallel
$\sim$	\sim	«	\11	≫	\gg	$\bowtie$	\bowtie
$\simeq$	\simeq	$\subset$	\subset	$\supset$	\supset	M	\Join
$\approx$	\approx	$\subseteq$	\subseteq	$\supseteq$	\supseteq	$\bowtie$	\ltimes
$\simeq$	\asymp		\sqsubset		\sqsupset	×	\rtimes
Ė	\doteq		\sqsubseteq	$\supseteq$	\sqsupseteq	$\overline{}$	\smile
$\propto$	\propto	$\dashv$	\dashv	$\vdash$	\vdash	$\widehat{}$	\frown
=	\models	$\in$	\in	$\ni$	\ni	∉	$\n$
$\approx$	\approxeq	$\leq$	\leqq	$\geq$	\geqq	≶	\lessgtr
$\sim$	\thicksim	$\leq$	\leqslant	≥	\geqslant	$\leq$	\lesseqgtr
$\sim$	\backsim	≨	\lessapprox	$\gtrapprox$	\gtrapprox	W	\lesseqqgtr
$\geq$	\backsimeq	<b>**</b>	\111	<b>&gt;&gt;&gt;</b>	\ggg	$\leq$	\gtreqqless
$\triangleq$	\triangleq	<	\lessdot	>	\gtrdot	≦	\gtreqless
<u> </u>	\circeq		\lessim		\gtrsim	$\leq$	\gtrless
	-	$\lesssim$	\eqslantless	$\stackrel{\sim}{\sim}$	_		_
≏	\bumpeq	%\?\.M	_	NY	\eqslantgtr	Э Х	\backepsilon
<b>⇒</b>	\Bumpeq	$\geq$	\precsim	$\sim$	\succsim	Ď	\between
<b>=</b>	\doteqdot		\precapprox		\succapprox	ф	\pitchfork
≈	\thickapprox	$\subseteq$	\Subset	∌	\Supset	- 1	\shortmid
Έ.	\fallingdotseq	$\subseteq$	\subseteqq	$\supseteq$	\supseteqq	$\sim$	\smallfrown
≓	\risingdotseq		\sqsubset		\sqsupset	· ·	\smallsmile
$\propto$	\varpropto	$\preccurlyeq$	\preccurlyeq	≽	\succcurlyeq	<del> </del>	\Vdash
•••	\therefore	$\Rightarrow$	\curlyeqprec	$\succcurlyeq$	\curlyeqsucc	<b> </b> =	\vDash
•••	\because	◀	\blacktriangleleft	•	\blacktriangleright	II⊢	\Vvdash
<b>=</b>	\eqcirc	$\leq$	\trianglelefteq	$\trianglerighteq$	$\$ trianglerighteq	П	\shortparallel
$\neq$	\neq	$\triangleleft$	$\vertriangleleft$	$\triangleright$	$\vertriangleright$	Ħ	$\nshortparallel$
				. 1			
≇	\ncong	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	\nleq	***	\ngeq	¥	\nsubseteq
ł	\nmid	≨	\nleqq		\ngeqq	⊉.	$\nsupseteq$
#	nparallel	≰	$\nleqslant$	$\not\geq$	$\ngeqslant$	$\not\sqsubseteq$	$\nsubseteqq$
ł	$\n$	≮	\nless	$\nearrow$	\ngtr	⊉	\nsupseteqq
Ħ	\nshortparallel	$ \prec$	\nprec	$\not\succ$	\nsucc	$\subsetneq$	\subsetneq
~	\nsim	≰	\npreceq	$\not\succeq$	\nsucceq	$\supseteq$	\supsetneq
⊭	\nVDash	∡	\precnapprox	≵	\succnapprox	$\subseteq$	\subsetneqq
¥	\nvDash	: : : : :	\precnsim	~~ ~~	\succnsim	\$	\supsetneqq
$\nvdash$	\nvdash	\$	\lnapprox		\gnapprox	Ź	\varsubsetneq
$\not$	\ntriangleleft	$\stackrel{\sim}{\leq}$	\lneq	$\stackrel{\sim}{>}$	\gneq	Ş	\varsupsetneq
⊉	\ntrianglelefteq	≨	\lneqq	$\stackrel{\checkmark}{\geqslant}$	\gneqq	$\subseteq$	\varsubsetneqq
$\not\vdash$	\ntriangleright	\$	\lnsim	$\stackrel{\neq}{\geq}$	\gnsim		\varsupsetneqq
⊈	\ntrianglerighteq	#^\$^#\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\	\lvertneqq	#V&V#V*V*X**	\gvertneqq	<b>=</b>	r 11
+		#	· · · ·	=	.0 11		

#### Arrow symbols

7 X I I	ow symbols				
$\leftarrow$	\leftarrow	←—	\longleftarrow	1	\uparrow
$\Leftarrow$	\Leftarrow	$\Leftarrow$	\Longleftarrow	1	\Uparrow
$\longrightarrow$	\rightarrow	$\longrightarrow$	\longrightarrow	$\downarrow$	\downarrow
$\Rightarrow$	\Rightarrow	$\Longrightarrow$	\Longrightarrow	₩	\Downarrow
$\longleftrightarrow$	\leftrightarrow	$\longleftrightarrow$	\longleftrightarrow	<b>1</b>	\updownarrow
$\Leftrightarrow$	\Leftrightarrow	$\iff$	\Longleftrightarrow	$\dot{\updownarrow}$	\Updownarrow
$\mapsto$	\mapsto	$\longmapsto$	\longmapsto	7	\nearrow
$\leftarrow$	\hookleftarrow	$\hookrightarrow$	$\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ $	\	\searrow
_	$\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ $		\rightharpoonup	1	\swarrow
$\overline{}$	\leftharpoondown	$\rightarrow$	\rightharpoondown	_	\nwarrow
$\rightleftharpoons$	\rightleftharpoons	<b>~</b> →	\leadsto		
>	\dashrightarrow	<b>←</b>	\dashleftarrow	$\rightleftharpoons$	\leftleftarrows
$\stackrel{\longleftarrow}{\longrightarrow}$	$\$ leftrightarrows	$\Leftarrow$	\Lleftarrow	₩-	\twoheadleftarrow
$\longleftarrow$	\leftarrowtail	$\leftarrow$ P	\looparrowleft	$\leftrightharpoons$	\leftrightharpoons
$ \leftarrow $	\curvearrowleft	Q	$\circlearrowleft$	Ϋ́	\Lsh
$\uparrow\uparrow$	\upuparrows	1	\upharpoonleft	1	\downharpoonleft
<b>⊸</b> ∘	$\mbox{\mbox{\tt multimap}}$	<b>~~</b> →	$\$ leftrightsquigarrow	$\Rightarrow$	$\$ rightrightarrows
$\rightleftharpoons$	$\$ rightleftarrows	$\Rightarrow$	\rightrightarrows	$\rightleftharpoons$	\rightleftarrows
$\longrightarrow$	ackslash  an  an  an  an  an  an  an  an  an  an	$\longrightarrow$	\rightarrowtail	$\hookrightarrow$	\looparrowright
$\rightleftharpoons$	$\$ rightleftharpoons	$\curvearrowright$	\curvearrowright	Ŏ	\circlearrowright
ightharpoons	\Rsh	$\downarrow \downarrow$	\downdownarrows	1	\upharpoonright
ļ	\downharpoonright	<b>~</b> →	\rightsquigarrow		
↔	\nleftarrow	$\rightarrow$	\nrightarrow	#	\nLeftarrow
$\Rightarrow$	$\n$ Rightarrow	$\leftrightarrow\!$	$\nleftrightarrow$	<b>#</b>	$\n$

$\mathbf{M}$	iscellaneous s	ymbo	ols				
$\infty$	\infty	$\forall$	\forall	$\Bbbk$	\Bbbk	Ø	\wp
$\nabla$	\nabla	∃	\exists	*	\bigstar	_	\angle
$\partial$	\partial	∄	\nexists		\diagdown	4	\measuredangle
9	\eth	Ø	\emptyset		\diagup	⋖	\sphericalangle
*	\clubsuit	Ø	\varnothing	$\Diamond$	\Diamond	С	\complement
$\Diamond$	\diamondsuit	$\imath$	\imath	F	\Finv	$\nabla$	\triangledown
$\Diamond$	\heartsuit	J	\jmath	G	\Game	$\triangle$	\triangle
<b>^</b>	\spadesuit	$\ell$	\ell	$\hbar$	\hbar	Δ	\vartriangle
	\cdots	ſſſſ	\iiiint	$\hbar$	$\hslash$	•	\blacklozenge
:	\vdots	$\iiint$	\iiint	$\Diamond$	\lozenge		\blacksquare
	\ldots	ĴĴ	\iint	Ω	\mho	<b>A</b>	\blacktriangle
٠	\ddots	#	\sharp	,	\prime	▼	\blacktrinagledown
$\Im$	\Im	b	\flat		\square	1	\backprime
$\Re$	\Re	þ	\natural	$\sqrt{}$	\surd	<u>(S)</u>	\circledS

#### Math mode accents

$\acute{a}$	$\acute{a}$	$\bar{a}$	$\text{ar{a}}$	Á	\Acute{\Acute{A}}	$ar{ar{A}}$	\Bar{\Bar{A}}
$reve{a}$	$\brack {a}$	$\check{a}$	$\operatorname{\check}\{a\}$	Ă	\Breve{\Breve{A}}	Ă	$\Check{\Check{A}}$
$\ddot{a}$	$\dot{a}$	$\dot{a}$	$\dot{a}$	Ä	\Ddot{\Ddot{A}}	À	\Dot{\Dot{A}}
$\grave{a}$	$\grave{a}$	$\hat{a}$	$\hat{a}$	À	\Grave{\Grave{A}}	$\hat{\hat{A}}$	\Hat{\Hat{A}}
$\tilde{a}$	$\hat{a}$	$\vec{a}$	$\sqrt{ec}{a}$	$ ilde{ ilde{A}}$	<pre>\Tilde{\Tilde{A}}</pre>	$ec{ec{A}}$	\Vec{\Vec{A}}

#### 10 Array environment, examples

Simplest version: \begin{array}{\cols} \ row\_1 \\ row\_2 \\ \dots \ row\_m \end{array}\ \ and \ row\_j \ includes \ character \( 2n \) times to separate the n elements in the row. Examples:

$$\left( \begin{array}{cc} 2\tau & 7\phi - \frac{5}{12} \\ 3\psi & \frac{\pi}{8} \end{array} \right) \left( \begin{array}{c} x \\ y \end{array} \right) \text{ and } \left[ \begin{array}{cc} 3 & 4 & 5 \\ 1 & 3 & 729 \end{array} \right]$$

 $f(z) = \left\{ \left( \sum_{z^2}+\cos z \right) & \left( \sum_{z^2}+\cos z$ 

$$f(z) = \begin{cases} \overline{z^2 + \cos z} & \text{for } |z| < 3\\ 0 & \text{for } 3 \le |z| \le 5\\ \sin \overline{z} & \text{for } |z| > 5 \end{cases}$$

#### 11 Other Styles (math mode only)

 $\textbf{Caligraphic letters: $\mathbb{ABCDEFGHIJKLMNOPQRSTUVWXYZ} }$ 

 $\textbf{Mathbb letters: $\mathbb{A} \mathbb{E} \mathbb{CDEFGHIJKLMNOPQRSTUVWXYZ}$ 

 $Mathfrak \ letters: \$ \texttt{A}\$ \ etc.: AB \ CD \ EFGHIJKLMNOPQRSTUVWXYZabc123$ 

Math Sans serif letters: \$\mathsf{A}\\$ etc.: ABCDEFGHIJKLMNOPQRSTUVWXYZ abc 123

Math bold letters: \$\mathbf{A}\\$ etc.: ABCDEFGHIJKLMNOPQRSTUVWXYZabc123

#### 12 Font sizes

Math Mode:

$$\int f^{-1}(x - x_a) dx$$

$$\int f^{-1}(x - x_a) dx$$

$$\int_{\int f^{-1}(x - x_a) dx} f^{-1}(x - x_a) dx$$

$${\sigma^{-1}(x-x_a)\dx}$$

 ${\text f^{-1}(x-x_a)\,dx}$  ${\text f^{-1}(x-x_a)\,dx}$ 

\${\scriptstyle \int f \{-1\}(x-x\_a)\,dx\}\$

Text Mode:

$$\label{eq:large} $$ \begin{array}{l} \mbox{\tt large} = \mbox{\tt normal} \\ \mbox{\tt large} = \mbox{\tt large} \\ \mbox{\tt Large} = \mbox{\tt LARGE} \\ \end{array} $$ \begin{array}{l} \mbox{\tt LARGE} = \mbox{\tt LARGE} \\ \end{array} $$ \mbox{\tt large} = \mbox{\tt large} \\ \end{array} $$ \mbox{\tt large} = \mbox{\tt large} \\ \mbox{\tt large} = \mbox{\tt large} \\ \mbox{\tt large} = \mbox{\tt large} \\ \end{array} $$ \mbox{\tt large} = \mbox{\tt large} \\ \mbox{\tt large} = \mbo$$

$$\label{eq:huge} \begin{array}{l} \text{huge} = huge \\ \text{Huge} = Huge \end{array}$$

### 13 Text Mode: Accents and Symbols