

CS 460 - Compilers

Arian Izadi

Spring 2024

1 Jan 22

1.1 Languages

Syntax is the rules for what a syntactically correct program looks like. Semantics is the meaning of a program.

When does it matter the order of evaluation (right to left vs left to right)? When the code has side effects, an example of this is postfix vs prefix increment ($a++$ vs $++a$).

Compilers for a language L , move from front end \rightarrow intermediate representation \rightarrow back end.

- Front end: FIND IN BOOK
- Intermediate: FIND IN BOOK
- Back end: FIND IN BOOK

1.2 Lexical Analysis & Scanning

Lexical analysis, a scanner, is the process of converting a stream of characters into a stream of tokens.

1. Find all terminals in the grammar.
2. Write the Scanner.
 - (a) Do we use a DFA, NFA, or PDA?
 - (b) Look at token types. All tokens can be expressed by a regular expression.
 - i. Symbols: Semicolon, commas, etc.
 - ii. Keywords: for, while, etc.
 - iii. Variables: x, y, etc.
 - iv. Numbers: 1, 3.14, 0x64, etc.

Chomsky Language Hierarchy

- Type 0: Unrestricted (Turing Machines)
- Type 1: Context Sensitive
- Type 2: Context Free (PDA)
- Type 3: Regular Expressions (NFA, DFA)

Both RE and CFG have 1 non-terminal on the left of any combination of terminals and non-terminals on the right.

Example 1:

$S \rightarrow X \quad X \rightarrow aXb|d$ not regular: $a^n db^n$

Example 2:

$S \rightarrow X \quad X \rightarrow aX|b$ regular: a^*b