




Unit Vector Notation



Unit vectors

$$\vec{v} = \begin{bmatrix} 2 \\ 3 \end{bmatrix}$$
$$\vec{v} = (2, 3)$$
$$\hat{i} = \begin{bmatrix} 1 \\ 0 \end{bmatrix}$$
$$\hat{j} = \begin{bmatrix} 0 \\ 1 \end{bmatrix}$$
$$\vec{v} = \underline{2\hat{i}} + \underline{3\hat{j}}$$
$$\vec{b} = -1\hat{i} + 4\hat{j} = \begin{bmatrix} -1 \\ 4 \end{bmatrix}$$
$$\vec{v} + \vec{b} = (2 + -1)\hat{i} + (3 + 4)\hat{j} = \underline{\underline{\hat{i} + 7\hat{j}}}$$
$$= \underline{\underline{\begin{bmatrix} 1 \\ 7 \end{bmatrix}}}$$

Source: [Unit vectors intro \(video\)](#) | [Vectors](#) | [Khan Academy](#)

Vector Representation

What is a Vector?

A **vector** is a quantity with both:



- **Magnitude** (how much)
- **Direction** (which way)

We can **visualize** it as an arrow :

- **Length of the arrow** = magnitude
- **Arrow direction** = vector direction

Example

A vector **v** that moves:

- 2 units right  (horizontal)
- 3 units up  (vertical)

Can be written as:

- **Column vector:**

$$\vec{v} = \begin{bmatrix} 2 \\ 3 \end{bmatrix}$$

- **Tuple notation:**

$$\vec{v} = (2, 3)$$

Unit Vectors: The Lego Bricks of Vector World

Definition

Unit vectors are the "building blocks" of direction. They have:

- **Length = 1**
- Point in a coordinate direction (horizontal or vertical)

💡 Notation

We use a **hat** (^) to denote unit vectors.

🎯 2D Unit Vectors

Name	Symbol	Vector Form	Meaning
Horizontal unit	\hat{i}	$\begin{bmatrix} 1 \\ 0 \end{bmatrix}$	Right (x-direction)
Vertical unit	\hat{j}	$\begin{bmatrix} 0 \\ 1 \end{bmatrix}$	Up (y-direction)

🧮 Expressing Vectors with Unit Vectors

🧠 Idea

Any 2D vector can be written as a **linear combination** of \hat{i} and \hat{j} .

📝 Example

Given $\vec{v} = \begin{bmatrix} 2 \\ 3 \end{bmatrix}$, we write:

$$\vec{v} = 2\hat{i} + 3\hat{j}$$

This means:

- Move 2 units in the \hat{i} direction ➡
- Move 3 units in the \hat{j} direction ⬆

🧱 Think of this like assembling a custom vector using pre-made blocks:

🧱 2 blocks of \hat{i} + 🧱 3 blocks of \hat{j}



Vector Addition with Unit Vectors



Given

- $\vec{v} = 2\hat{i} + 3\hat{j}$
- $\vec{b} = -1\hat{i} + 4\hat{j}$

+ Adding

$$\vec{v} + \vec{b} = (2 + (-1))\hat{i} + (3 + 4)\hat{j} = \hat{i} + 7\hat{j}$$






Or as a column vector:

$$\vec{v} + \vec{b} = \begin{bmatrix} 1 \\ 7 \end{bmatrix}$$



Geometric Intuition

You're stacking arrows tip-to-tail:

- First move like vector \vec{v} \longrightarrow  
- Then from that end, move like vector \vec{b} \longrightarrow  
- Resulting vector connects the start to the final point 



Key Takeaways

Concept	Description
Vector	A quantity with magnitude + direction
Unit Vectors	Basic direction vectors: $\hat{i} = [1, 0]$, $\hat{j} = [0, 1]$
Vector Representation	Can use tuples, columns, or unit vector notation
Vector Addition	Add corresponding components (horizontal with horizontal, etc.)
Vector Construction	Any vector in 2D is just a sum of scaled unit vectors (a linear combination)

Final Thoughts

Unit vectors are like the X and Y axes' personal agents—they define **pure direction**. Think of \hat{i} and \hat{j} like the **north-south and east-west tiles** of a vector GPS system. Every vector is just a clever remix of them 🧩✨.

Once you're comfy with this idea, scaling to **3D** is just adding a third buddy: \hat{k} for the Z-axis 📈📊.