

Capstone Project -2

Fake News Prediction – Recently there has been a topic of fake news detection on social media, where lots of posts are getting published by many companies and daily basis and in order to identify if there is a fake news or not its not very easy, so with help of Machine learning, we will develop a solution which can identify if this is a fake news or not.

Business Problem Description – In this era, where social media has so much dominance on knowledge and information across the globe, it is very important to identify if it is a fake or a genuine article, so that the knowledge and information is valuable and can a real education for the society.

1. With help of NLP (Natural Language processing), we will create a corpus of words from real and fake news articles. This corpus will be used to create a classifier model, which can predict the news/ article to be fake or real. With this model we can focus on the source of these articles and classify them with high confidence that the news or article coming from the source is real or fake.

Code –

<https://github.com/arijitsinha80/Springboard/blob/master/Project2/CapstoneProject2-FakeNewsPrediction.ipynb>

Dataset Details –

There are 25114 and 5 attributes. Key features from the dataset are as below from the training dataset

Columns	Description
id	Identified/ Unique Id for a news articles
title	Title of a news articles
author	Author/ Source of the news articles
text	It is the text of the article; could be incomplete
label	Label that marks the article as potentially unreliable

Reference data source –

- <https://www.kaggle.com/c/fake-news/data>

Data Wrangling –

We have downloaded the dataset provided on the Kaggle; and with our analysis of the data, there are 20800 records in the training dataset and 5200 records in the test dataset. This dataset set has the Author, Title, text and label as the attributes in the dataset.

Due to Indexing already available, it looks like ID column is duplicate column, hence it been dropped from the dataset, as shown in fig1,2.

	id		title	author	text	label
0	0	House Dem Aide: We Didn't Even See Comey's Let...	Darrell Lucus	House Dem Aide: We Didn't Even See Comey's Let...		1
1	1	FLYNN: Hillary Clinton, Big Woman on Campus - ...	Daniel J. Flynn	Ever get the feeling your life circles the rou...		0

fig1

	id		title	author	text
0	20800	Specter of Trump Loosens Tongues, If Not Purse...	David Streitfeld	PALO ALTO, Calif. — After years of scorning...	
1	20801	Russian warships ready to strike terrorists ne...	NaN	Russian warships ready to strike terrorists ne...	

fig2

There are 10413 records, which are labeled as real / valid news and 10387 records are labeled as fake news. There are records, with null for Author, Title and Text columns.

In Training Dataset

```
title      558
author     1957
text       39
label      0
```

In Test Dataset

```
title      122
author     503
text       7
```

Data Preprocessing, Below in fig4, steps will be performing for the text – attribute, Remove Line Breaks element, remove new Line element, remove Hyperlink element, remove ampersand, remove greater than sign, remove less than sign, remove non-breaking space, remove Emails, remove new line characters, remove distracting single quotes.

	label		title	author	text
0	1	House Dem Aide: We Didn't Even See Comey's Let...	Darrell Lucus	House Dem Aide: We Didn't Even See Comey's Let...	
1	0	FLYNN: Hillary Clinton, Big Woman on Campus - ...	Daniel J. Flynn	Ever get the feeling your life circles the rou...	
2	1	Why the Truth Might Get You Fired	Consortiumnews.com	Why the Truth Might Get You Fired October 29, ...	
3	1	15 Civilians Killed In Single US Airstrike Hav...	Jessica Purkiss	Videos 15 Civilians Killed In Single US Aistr...	
4	1	Iranian woman jailed for fictional unpublished...	Howard Portnoy	Print \nAn Iranian woman has been sentenced to...	

fig4

In fig4.1, using these preprocessed text, we created the length attribute of the words in the text.

	label		title	author		text	textlen
0	1		House Dem Aide: We Didn't Even See Comey's Let...	Darrell Lucus		House Dem Aide: We Didn't Even See Comey's Let...	4886
1	0		FLYNN: Hillary Clinton, Big Woman on Campus - ...	Daniel J. Flynn		Ever get the feeling your life circles the rou...	4143

fig4.1

Below in fig5, plotting the bar graph to see if check the null records in Author, Title and Text -

- Around 1957 records are null for Author
- Around 558 records are null for Title




fig5

To handle the Null values, replaced Author and Title column as NA and dropped all the NA records. Also removed any text, which has less than 45 characters. Finally we are having 20563 records and 5 attributes.

As the dataset is ready, we have split the data between training and test data with 70:30 ratio. Created the Count Vector Training and Test dataset. Created the TFIDF train and test dataset for later in modeling section.

Data Visualization -

A new additional attribute is created to capture the sentiments from the text, used the sentiment polarity API to calculate the values. The values are calculated to -1 to 1, being 1 as positive sentiments and -1 as negative sentiments, as shown in fig6.

	label		title	author		text	textlen	sentiment
0	1		House Dem Aide: We Didn't Even See Comey's Let...	Darrell Lucus		House Dem Aide: We Didn't Even See Comey's Let...	4886	0.001796
1	0		FLYNN: Hillary Clinton, Big Woman on Campus - ...	Daniel J. Flynn		Ever get the feeling your life circles the rou...	4143	0.100880
2	1		Why the Truth Might Get You Fired	Consortiumnews.com		Why the Truth Might Get You Fired October 29, ...	7670	0.056258
3	1		15 Civilians Killed In Single US Airstrike Hav...	Jessica Purkiss		Videos 15 Civilians Killed In Single US Aistr...	3223	0.017497
4	1		Iranian woman jailed for fictional unpublished...	Howard Portnoy		Print An Iranian woman has been sentenced to s...	934	-0.012500

fig6

In fig7, Plotted the distribution of the sentiments score, it has close to normal distribution, as it seems, it has both positive and negative sentiments almost equally.




fig7

In fig8, Below is the PIE chart for fake and real news; it is almost same number records classified as fake and real news.




fig8

Next in fig9, is the correlation matrix, describing the relation between the attributes, the values of the correlation are between -1 and 1, showing positive and negative correlation. There is not strong correlation between any attributes, but there is a negative correlation of -0.12 between length and label.

[illegible]

fig10

Creating the n-Gram plots for Unigram, Bigram and Trigram, in the unigram, the most common words after stopword are “said”, “mr” and “trump”. In the Bigram, we can see “mr trump”, “united states” and “donald trump”. In the trigram, we can see the common words are “new york times”, “president Donald trump” and “mr trump said” as shown in fig11.




fig11

Creating the n-Gram plots for Unigram, Bigram and Trigram, in the unigram, the most common words after stopword and updating stopword, are "trump", "will" and "one". In the Bigram, we can see "united states" and "donald trump" and "new york". In the trigram, we can see the common words are "new york times", "president Donald trump" and "new york city", as shown in fig12.




fig12

Inferential statistics techniques -

The dataset has 10385 fake news articles and legit/ valid news articles are 10178, out of total articles of 20563 records.

Calculate the T-Statistics of two independent **sentiments** sample from the population of fake news articles and real news articles. We have the below hypothesis –

Null Hypothesis – Both of the sample are same and equal, there is no difference in their sentiments analysis.

Alternate Hypothesis – Both of the samples are different and not equal and have difference in their sentiments analysis.

T-Statistics helps explain if the means from two samples are different from each other, by calculating the stand error in difference between two means. The critical value is calculated using degree of freedom and significance level with percent point function (PPF), if the critical value is greater than t-statistics, we reject the null hypothesis, else we accept the null hypothesis.

Another method is to calculate the p-value from the cumulative distribution function (CDF) from t-distribution, this p-values is compared to the alpha (significance level). If it is more than alpha, we accept the null hypothesis and if it is less, then reject the null hypothesis.

Values calculated from the t-distribution as –

The t-distribution left quartile range is: -1.9600793684470008. The t-distribution right quartile range is: 1.9600793684470004, as shown in fig14

- T-stats =3.249, degree of freedom=20561, cv=1.645, p=0.001, alpha = 0.05.
- Comparing the critical values to the t-stat, reject the null hypothesis that the means are equal.
- Comparing the p-value to alpha, reject the null hypothesis that the means are equal.

```
Values of t=3.249, df=20561, cv=1.645, p=0.001
Reject the null hypothesis that the means are equal.
Reject the null hypothesis that the means are equal.
The t-distribution left quartile range is: -1.9600793684470008
The t-distribution right quartile range is: 1.9600793684470004
Values of using API is t=3.264, p=0.001
```

fig14

Based, on the above details, the sentiments of fake and real news are different from each other. The p-value is less than 5% chance that both sentiments sample are same, so reject the null hypothesis.