

Rajalakshmi Engineering College

Name: Arilli Jagadeesh A
Email: 241901502@rajalakshmi.edu.in
Roll no: 241901502
Phone: 9361250488
Branch: REC
Department: CSE (CS) - Section 2
Batch: 2028
Degree: B.E - CSE (CS)

Scan to verify results



2024_28_III_OOPS Using Java Lab

2028_REC_OOPS using Java_Week 10_Q4

Attempt : 1
Total Mark : 10
Marks Obtained : 10

Section 1 : COD

1. Problem Statement

In a ticket reservation system, you store the available seat numbers in a TreeSet. Users input their desired seat number, and the program checks whether the chosen seat is available.

Using a TreeSet ensures quick and efficient verification of seat availability, ensuring a smooth and organized ticket booking process.

Input Format

The first line of input contains a single integer n , representing the number of available seats.

The second line contains n space-separated integers, representing the available seat numbers.

The third line contains an integer m , representing the seat number that needs to be searched.

Output Format

The output displays "[m] is present!" if the given seat is available. Otherwise, it displays "[m] is not present!"

Refer to the sample output for the formatting specifications.

Sample Test Case

Input: 4

2 4 5 6

5

Output: 5 is present!

Answer

```
import java.util.*;
```

```
public class Main
```

```
{
```

```
    public static void main(String[] args)
```

```
    {
```

```
        Scanner sc = new Scanner(System.in);
```

```
        int n = sc.nextInt(); // number of available seats
```

```
        TreeSet<Integer> seats = new TreeSet<>();
```

```
        for (int i = 0; i < n; i++)
```

```
        {
```

```
            seats.add(sc.nextInt());
```

```
}  
    int m = sc.nextInt(); // seat to be searched  
    if (seats.contains(m))  
    {  
        System.out.println(m + " is present!");  
    } else  
    {  
        System.out.println(m + " is not present!");  
    }  
    sc.close();  
}  
}
```

Status : Correct

Marks : 10/10