

Nkululeko 1.0: A Python package to predict speaker characteristics with a high-level interface

Felix Burkhardt ^{1,2*} and Bagus Tris Atmaja ^{3*}

¹ audEERING GmbH, Germany ² TU Berlin, Germany ³ National Institute of Advanced Industrial Science and Technology (AIST), Japan * These authors contributed equally.

DOI: [10.xxxxxx/draft](https://doi.org/10.xxxxxx/draft)

Software

- [Review](#) 
- [Repository](#) 
- [Archive](#) 

Editor: [Open Journals](#) 

Reviewers:

- [@openjournals](#)

Submitted: 01 January 1970

Published: unpublished

License

Authors of papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License ([CC BY 4.0](#)).

Summary

Nkululeko (Burkhardt, Wagner, et al., 2022) is open-source software written in Python and hosted on GitHub. It is predominantly a framework for audio-based machine learning explorations without the need to write Python code, and is strongly based on machine learning packages like sklearn (Pedregosa et al., 2011) and pytorch (Chaudhary et al., 2020). The main features are: training and evaluation of labelled speech databases with state-of-the-art machine learning approach and acoustic feature extractors, a live demonstration interface, and the possibility to store databases with predicted labels. Based on this, the framework can also be used to check on bias in databases by exploring correlations of target labels, like, e.g. depression or diagnosis, with predicted, or additionally given, labels like age, gender, signal distortion ratio or mean opinion score.

Design choices

The program is intended for **novice** people interested in speaker characteristics detection (e.g., emotion, age, and gender) without being proficient in (Python) programming language. Its main target is for **education** and **research** with the main features as follows:

- Finding good combinations of variables, e.g., acoustic features, models (classifier or regressor), feature standardization, augmentation, etc., for speaker characteristics detection (e.g., emotion);
- Characteristics of the database, such as distribution of gender, age, emotion, duration, data size, and so on with their visualization;
- Inference of speaker characteristics from a given audio file or streaming audio (can be said also as “weak” labeling for semi-supervised learning).

Hence, one should be able to use Nkululeko after installing and preparing/downloading their data in the correct format in a single line.

```
$ nkululeko.MODULE_NAME --config CONFIG_FILE.ini
```

How does it work?

nkululeko is a command line tool written in Python, best used in conjunction with the Visual Studio Code editor (but can be run stand-alone). To use it, a text editor is needed to edit the experiment configuration. You would then run nkululeko like this:

```
$ nkululeko.explore --config conf.ini
```

34 and inspect the results afterward; they are represented as images, texts, and even a fully
35 automatically compiled PDF report written in latex.

36 nkululeko's data import format is based on a simple CSV formalism, or alternatively, for
37 a more detailed representation including data schemata, audformat.¹ Basically, to be used
38 by nkululeko, the data format should include the audio file path and a task-specific label.
39 Optionally, speaker ID and gender labels help with speech data. An example of a database
40 labelled with emotion is

```
file, speaker, gender, emotion
x/sample.wav, s1, female, happy
...
```

41 As the main goal of nkululeko is to avoid the need to learn programming, experiments are
42 specified by means of a configuration file. The functionality is encapsulated by software
43 *modules* (interfaces) that are to be called on the command line. We list the most important
44 ones here:

- 45 ■ **nkululeko**: do machine learning experiments combining features and learners
- 46 ■ **demo**: demo the current best model on the command line or some files
- 47 ■ **test**: run the current best model on a specified test set
- 48 ■ **explore**: perform data exploration (used mainly in this paper)
- 49 ■ **augment**: augment the current training data. This could also be used to reduce bias
50 in the data, for example, by adding noise to audio samples that belong to a specific
51 category.
- 52 ■ **aug_train**: augment the training data and train the model with the augmented data.
- 53 ■ **predict**: predict features like speaker diarization, signal distortion ratio, mean opinion
54 score, arousal/valence, age/gender (for databases that miss this information), with deep
55 neural nets models, e.g. as a basis for the *explore* module.
- 56 ■ **segment**: segment a database based on VAD (voice activity detection)
- 57 ■ **ensemble**: ensemble several models to improve performance

58 The configuration (INI) file consists of a set of key-value pairs that are organised into several
59 sections. Almost all keys have default values, so they do not have to be specified.

60 Here is a sample listing of an INI file (`conf.ini`) with a database section:

```
[EXP]
name = explore-androids
[DATA]
databases = ['androids']
androids = /data/androids/androids.csv
target = depression
labels = ['depressed', 'control']
samples_per_speaker = 20
min_length = 2
[PREDICT]
sample_selection = all
targets = ['pesq', 'sdr', 'stoi', 'mos']
[EXPL]
value_counts = [['gender'], ['age'], ['est_sdr'], ['est_pesq'], ['est_mos']]
[REPORT]
latex = androids-report
```

61 As can be seen, some of the values simply contain Python data structures like arrays or
62 dictionaries. Within this example, an experiment is specified with the name *explore-androids*,

¹<https://audeering.github.io/audformat/>

63 and a result folder with this name will be created, containing all figures and textual results,
64 including an automatically generated Latex and PDF report on the findings.

65 The *DATA* section sets the location of the database and specifies filters on the sample, in this
66 case limiting the data to 20 samples per speaker at most and at least 2 seconds long. In this
67 section, the split sets (training, development, and test) are also specified. There is a special
68 feature named *balance splits* that lets the user specify criteria that should be used to stratify
69 the splits, for example, based on signal distortion ratio.

70 With the *predict* module, specific features like, for example, signal distortion ratio or mean
71 opinion score are to be predicted by deep learning models. The results are then used by a
72 following call to the *explore* module to check whether these features, as well as some ground
73 truth features (*age* and *gender*), correlate with the target variable (*depressed* in the given
74 example) in any way.

75 The *nkululeko* configuration can specify further sections:

- 76 ▪ **FEATS** to specify acoustic features (e.g. *opensmile* (Eyben et al., 2010) or deep learning
77 embeddings; e.g. *wav2vec 2.0* (Baevski et al., 2020)) that should be used to represent
78 the audio files.
- 79 ▪ **MODEL** to specify statistical models for regression or classification of audio data.

80 Example of usage

81 In the previous section, we have seen how to specify an experiment in an INI file that can
82 be run with, for instance, *explore* and *segment* modules. Here, we show how to run the
83 experiment (*nkululeko.nkululeko*) with built-in dataset (Polish Speech Emotions dataset)
84 from the installation until getting the results.

85 First, novices could clone the GitHub repository of *nkululeko*.

```
$ git clone https://github.com/felixbur/nkululeko.git
$ cd nkululeko
```

86 Then, install *nkululeko* with *pip*. It is recommended that a virtual environment be used to
87 avoid conflicts with other Python packages.

```
$ python -m venv .env
$ source .env/bin/activate
$ pip install nkululeko
```

88 Next, extract *polish_speech_emotions.zip* inside the *nkululeko* data folder (*nkululeko/data/polish*)
89 with right click regardless of the operating system (or using *unzip* command in the terminal
90 like below). Then, run the following command in the terminal:

```
$ cd data/polish
$ unzip polish_speech_emotions.zip
$ python3 process_database.py
$ cd ../..
$ nkululeko.nkululeko --config data/polish/exp.ini
```

91 That's it! The results will be stored in the *results/exp_polish_os* folder as stated in *exp.ini*.
92 Below is an example of the debug output of the command:

```
DEBUG: nkululeko: running exp_polish_os from config data/polish/exp.ini,
nkululeko version 0.91.0
...
DEBUG: reporter:
           precision    recall  f1-score   support
```

anger	0.6944	0.8333	0.7576	30
neutral	0.5000	0.4333	0.4643	30
fear	0.6429	0.6000	0.6207	30
accuracy			0.6222	90
macro avg	0.6124	0.6222	0.6142	90
weighted avg	0.6124	0.6222	0.6142	90

```
DEBUG: reporter: labels: ['anger', 'neutral', 'fear']
DEBUG: reporter: result per class (F1 score): [0.758, 0.464, 0.621]
from epoch: 0
DEBUG: experiment: Done, used 7.439 seconds
DONE
```

Statement of need

Open-source tools are believed to be one of the reasons for accelerated science and technology. They are more secure, easy to customise, and transparent. There are several open-source tools that exist for acoustic, sound, and audio analysis, such as librosa (McFee et al., 2015), TorchAudio (Yang et al., 2021), pyAudioAnalysis (Giannakopoulos, 2015), ESPNET (Watanabe et al., 2018), and SpeechBrain (Ravanelli et al., 2021). However, none of them are specialised in speech analysis with high-level interfaces for novices in the speech processing area.

One exception is Spotlight (Suwelack, 2023), an open-source tool that visualises metadata distributions in audio data. An existing interface between nkululeko and Spotlight can be used to combine the visualisations of Spotlight with the functionalities of Nkululeko.

Nkululeko follows these principles:

- *Minimum programming skills*: The only programming skills required are preparing the data in the correct (CSV) format and running the command line tool. For AUDFORMAT, no preparation is needed.
- *Standardised data format and label*: The data format is based on CSV and AUDFORMAT, which are widely used formats for data exchange. The standard headers are like 'file', 'speaker', 'emotion', 'age', and 'language' and can be customised. Data could be saved anywhere on the computer, but the recipe for the data preparation is advised to be saved in nkululeko/data folder (and/or make a soft link to the original data location).
- *Replicability*: the experiments are specified in a configuration file, which can be shared with others including the splitting of training, development, and test partition. All results are stored in a folder with the same name as the experiment.
- *High-level interface*: the user specifies the experiment in an INI file, which is a simple text file that can be edited with any text editor. The user does not need to write Python code for experiments.
- *Transparency*: as CLI, nkululeko *always output debug*, in which info, warning, and error will be obviously displayed in the terminal (and should be easily understood). The results are stored in the experiment folder for further investigations and are represented as images, texts, and even a fully automatically compiled PDF report written in latex.

Usage in existing research

Nkululeko has been used in several research projects since its first appearance in 2022 (Burkhardt, Wagner, et al., 2022). The following list gives an overview of the research papers that have used Nkululeko:

- 126 ▪ (Burkhardt, Eyben, et al., 2022): this paper reported a database development of
127 synthesized speech for basic emotions and its evaluation using the Nkululeko toolkit.
- 128 ▪ (Burkhardt et al., 2024): this paper shows how to use Nkululeko for bias detection.
129 The findings on two datasets, UACorpus and Androids, show that some features are
130 correlated with the target label, e.g., depression, and can be used to detect bias in the
131 database.
- 132 ▪ (Atmaja et al., 2024): this paper shows Nkululeko's capability for ensemble learning with
133 a focus on uncertainty estimation.
- 134 ▪ (Atmaja & Sasou, 2025): in this paper, evaluations of different handcrafted acoustic
135 features and SSL approaches for pathological voice detection tasks were reported,
136 highlighting the ease of using Nkululeko to perform extensive experiments including
137 combinations of different features at different levels (early and late fusions).
- 138 ▪ (Atmaja et al., 2025): this paper extends the previous ensemble learning evaluations
139 with performance weighting (using weighted and unweighted accuracies) on five tasks
140 and ten datasets.

141 Changes

142 Nkululeko has been described in three papers so far, we give a short overview on the updates
143 since then.

- 144 ▪ **2022 Paper:** F. Burkhardt, Johannes Wagner, Hagen Wierstorf, Florian Eyben and Björn
145 Schuller: Nkululeko: A Tool For Rapid Speaker Characteristics Detection, Proc. Proc.
146 LREC, 2022. **New features:** First version mainly focussing on basic machinelearning
147 experiments that combine *expert* acoustic features (like Praat or opensmile features)
148 with traditional learning approaches.
- 149 ▪ **2023 Paper:** F. Burkhardt, Florian Eyben and Björn Schuller: Nkululeko: Machine
150 Learning Experiments on Speaker Characteristics Without Programming, Proc. Inter-
151 speech, 2023. **New features:** Mainly extending the acoustic features to deep-learning
152 based (like TRILL, Hubert or wav2vec2) and the models by neural net architectures like
153 MLP or CNN.
- 154 ▪ **2024 Paper:** F. Burkhardt, Bagus Tris Atmaja, Anna Derington, Florian Eyben and
155 Björn Schuller: Check Your Audio Data: Nkululeko for Bias Detection, Proc. Oriental
156 COCOSDA, 2024. **New features:** Introducing the concept of interfaces (or *modules*),
157 focusing on the *explore-module* that features automatic data statistics and and bias
158 analysis.
- 159 ▪ **Since then:** Besides many minor enhancements; ensemble learning, Wav2vec2 model
160 finetuning, adding automatic speaker identification, extending augmentation and seg-
161 mentation.

162 Acknowledgements

163 We acknowledge support from these various projects:

- 164 ▪ European SHIFT (*MetamorphoSis of cultural Heritage Into augmented hypermedia*
165 *assets For enhanced accessibiliTy and inclusion*) project (Grant Agreement number:
166 101060660);
- 167 ▪ European EASIER (*Intelligent Automatic Sign Language Translation*) project (Grant
168 Agreement number: 101016982);

- 169 ▪ Project JPNP20006 commissioned by the New Energy and Industrial Technology Development
170 Organization (NEDO), Japan;
- 171 ▪ Project 24K02967 from the Japan Society for the Promotion of Science (JSPS).
- 172 We thank audEERING GmbH for partial funding.

173 References

- 174 Atmaja, B. T., Burkhardt, F., & Sasou, A. (2025). Performance-weighted Ensemble Learning for
175 Speech Classificatio. *2025 International Conference on Artificial Intelligence in Information
176 and Communication (ICAIIIC)*.
- 177 Atmaja, B. T., & Sasou, A. (2025). Pathological voice detection from sustained vowels:
178 Handcrafted vs. Self-supervised learning. *2025 IEEE International Conference on Acoustics,
179 Speech, and Signal Processing Workshops (ICASSPW)*.
- 180 Atmaja, B. T., Sasou, A., & Burkhardt, F. (2024). Uncertainty-based ensemble learning for
181 speech classification. *2024 27th Conference of the Oriental COCOSDA International Com-
182 mittee for the Co-Ordination and Standardisation of Speech Databases and Assessment Tech-
183 niques (o-COCOSDA)*, 1–6. <https://doi.org/10.1109/O-COCOSDA64382.2024.10800111>
- 184 Baevski, A., Zhou, Y., Mohamed, A., & Auli, M. (2020). wav2vec 2.0: A framework for
185 self-supervised learning of speech representations. In H. Larochelle, M. Ranzato, R. Hadsell,
186 M. F. Balcan, & H. Lin (Eds.), *Advances in neural information processing systems* (Vol.
187 33, pp. 12449–12460). Curran Associates, Inc. [https://proceedings.neurips.cc/paper/
188 2020/file/92d1e1eb1cd6f9fba3227870bb6d7f07-Paper.pdf](https://proceedings.neurips.cc/paper/2020/file/92d1e1eb1cd6f9fba3227870bb6d7f07-Paper.pdf)
- 189 Burkhardt, F., Atmaja, B. T., Derington, A., & Eyben, F. (2024). Check your audio data: Nkululeko
190 for bias detection. *2024 27th Conference of the Oriental COCOSDA International Com-
191 mittee for the Co-Ordination and Standardisation of Speech Databases and Assessment Tech-
192 niques (o-COCOSDA)*, 1–6. <https://doi.org/10.1109/O-COCOSDA64382.2024.10800580>
- 193 Burkhardt, F., Eyben, F., & Schuller, W. (2022). SyntAct : A Synthesized Database of Basic
194 Emotions. In Jonne Sälevä & C. Lignos (Eds.), *Proc. Work. Dataset creat. Low. Lang.
195 Within 13th lang. Resour. Eval. conf.* European Language Resources Association.
- 196 Burkhardt, F., Wagner, J., Wierstorf, H., Eyben, F., & Schuller, B. (2022). Nkululeko: A
197 tool for rapid speaker characteristics detection. *2022 Language Resources and Evaluation
198 Conference, LREC 2022*, 1925–1932. ISBN: 9791095546726
- 199 Chaudhary, A., Chouhan, K. S., Gajrani, J., & Sharma, B. (2020). *Deep learning with PyTorch*.
200 <https://doi.org/10.4018/978-1-7998-3095-5.ch003>
- 201 Eyben, F., Wöllmer, M., & Schuller, B. (2010). openSMILE – the munich versatile and fast
202 open-source audio feature extractor. *MM'10 - Proceedings of the ACM Multimedia 2010
203 International Conference*, 1459–1462. <https://doi.org/10.1145/1873951.1874246>
- 204 Giannakopoulos, T. (2015). pyAudioAnalysis: An open-source python library for audio signal
205 analysis. *PLoS One*, 10(12), 1–17. <https://doi.org/10.1371/journal.pone.0144610>
- 206 McFee, B., Raffel, C., Liang, D., Ellis, D., McVicar, M., Battenberg, E., & Nieto, O. (2015).
207 librosa: Audio and Music Signal Analysis in Python. *Proc. 14th Python Sci. Conf., Scipy*,
208 18–24. <https://doi.org/10.25080/majora-7b98e3ed-003>
- 209 Pedregosa, F., Varoquaux, G., Gramfort, A., Michel, V., Thirion, B., Grisel, O., Blondel, M.,
210 Prettenhofer, P., Weiss, R., Dubourg, V., Vanderplas, J., Passos, A., Cournapeau, D.,
211 Brucher, M., Perrot, M., & Duchesnay, E. (2011). Scikit-learn: Machine learning in Python.
212 *Journal of Machine Learning Research*, 12, 2825–2830.
- 213 Ravanelli, M., Parcollet, T., Plantinga, P., Rouhe, A., Cornell, S., Lugosch, L., Subakan, C.,

- 214 Dawalatabad, N., Heba, A., Zhong, J., Chou, J.-C., Yeh, S.-L., Fu, S.-W., Liao, C.-F.,
215 Rastorgueva, E., Grondin, F., Aris, W., Na, H., Gao, Y., ... Bengio, Y. (2021). *SpeechBrain:*
216 *A general-purpose speech toolkit*. <https://arxiv.org/abs/2106.04624>
- 217 Suwelack, S. (2023). Spotlight. In *GitHub repository*. [https://github.com/Renumics/](https://github.com/Renumics/spotlight/)
218 [spotlight/](https://github.com/Renumics/spotlight/); GitHub.
- 219 Watanabe, S., Hori, T., Karita, S., Hayashi, T., Nishitoba, J., Unno, Y., Soplin, N. E. Y.,
220 Heymann, J., Wiesner, M., Chen, N., Renduchintala, A., & Ochiai, T. (2018). ESPNet:
221 End-to-end speech processing toolkit. *Proc. Annu. Conf. Int. Speech Commun. As-*
222 *soc. INTERSPEECH, 2018-Sept*(September), 2207–2211. [https://doi.org/10.21437/](https://doi.org/10.21437/Interspeech.2018-1456)
223 [Interspeech.2018-1456](https://doi.org/10.21437/Interspeech.2018-1456)
- 224 Yang, S., Chi, P.-H., Chuang, Y.-S., Lai, C.-I. J., Lakhota, K., Lin, Y. Y., Liu, A. T., Shi,
225 J., Chang, X., Lin, G.-T., Huang, T.-H., Tseng, W.-C., Lee, K., Liu, D.-R., Huang,
226 Z., Dong, S., Li, S.-W., Watanabe, S., Mohamed, A., & Lee, H. (2021). SUPERB:
227 Speech Processing Universal PERformance Benchmark. *Interspeech 2021*, 1194–1198.
228 <https://doi.org/10.21437/Interspeech.2021-1775>

DRAFT