

1 Probability distribution functions

The two-dimensional probability distribution functions (PDFs) for all parameters and all lipids are given in Figures 1-8




Figure 1: The multi-parameter PDFs for the chemically-relevant model of DLPC reflectometry data at the second-highest concentration. Figure files are available under MIT License.¹

References

- [1] A. McCluskey, *Figures*, 2018, https://figshare.com/articles/_/6661784/0.




Figure 2: The multi-parameter PDFs for the chemically-relevant model of DLPC reflectometry data at the highest concentration. Figure files are available under MIT License.¹




Figure 3: The multi-parameter PDFs for the chemically-relevant model of DMPC reflectometry data at the second-highest concentration. Figure files are available under MIT License.¹




Figure 4: The multi-parameter PDFs for the chemically-relevant model of DMPC reflectometry data at the highest concentration. Figure files are available under MIT License.¹




Figure 5: The multi-parameter PDFs for the chemically-relevant model of DPPC reflectometry data at the second-highest concentration. Figure files are available under MIT License.¹




Figure 6: The multi-parameter PDFs for the chemically-relevant model of DPPC reflectometry data at the highest concentration. Figure files are available under MIT License.¹




Figure 7: The multi-parameter PDFs for the chemically-relevant model of DMPG reflectometry data at the second-highest concentration. Figure files are available under MIT License.¹




Figure 8: The multi-parameter PDFs for the chemically-relevant model of DMPG reflectometry data at the highest concentration. Figure files are available under MIT License.¹