4. Regression and Causality

- Recall: Regressions give us an approximation to Conditional Expectations
- Conditional Expectations predict the outcome of a variable on the basis of other variables
- If we know E[Y|X] we can tell the following:
 - If you tell me a value of X (say x), what is the average value of Y we can expect when X = x?
 - "Which job satisfaction can we expect in firms with performance pay as opposed to firms without?"
- While this is a powerful property, it does not necessarily tell you:
 - If you change the value of X (say from x_1 to x_2) for objects in the population how is their average value of Y affected by this?
 - "When we introduce performance pay, how would this change job satisfaction, on average?"
- Typical reason: there are other variables affecting both X and Y

Counterfactuals and Causality

- The question whether a regression is causal boils down to the question whether the conditional expectation is causal
- If the CEF is causal we can estimate causal effects with a regression analysis
- To answer this question it is very useful to think about potential outcomes or counterfactuals
 "What would have happened, when a different decision had been made?"
- This seems hard to answer!
 (But it is often still a useful thought experiment in real life)
- But we sometimes can say something about the counterfactual using data
- When this is the case empirical research becomes very powerful!

4.1 Thinking about Potential Outcomes

- Suppose we want to investigate whether
 - a certain management practice
 (performance pay, wage increase, training,...)
 - causally affects some outcome variable Y_i (job satisfaction, performance,...)
- Let $C_i \in \{0,1\}$ be a dummy variable indicating whether the practice is implemented for person i
- What we would like to know is: what is the value of Y_i
 - if $C_i = 1$ ("person i is treated")
 - if $C_i = 0$ ("person i is not treated")
- Let this potential outcome be

$$Y_{C_i i} = \begin{cases} Y_{1i} & if \quad C_i = 1 \\ Y_{0i} & if \quad C_i = 0 \end{cases}$$

• The causal effect of C_i on Y_i is now $Y_{1i} - Y_{i0}$

The problem is:

- when we implement the practice we only observe Y_{1i}
- when we do not implement the practice we only observe Y_{0i}

In real life we do not observe the counterfactual

- What would have happened if we had decided differently?
- The *observed outcome* is Y_i where

$$Y_i = Y_{0i} + (Y_{1i} - Y_{0i}) \cdot C_i$$

- Running a simple regression (or comparing means) in a sample yields
 - $E[Y_i|C_i = 1]$ and
 - $E[Y_i|C_i=0]$
- Here, one may be tempted to interpret

$$E[Y_i|C_i = 1] - E[Y_i|C_i = 0]$$

as the causal effect of C on Y

But note that

$$E[Y_i|C_i = 1] - E[Y_i|C_i = 0]$$

$$= E[Y_{1i}|C_i = 1] - E[Y_{0i}|C_i = 0]$$

$$= E[Y_{1i}|C_i = 1] - E[Y_{0i}|C_i = 1] + E[Y_{0i}|C_i = 1] - E[Y_{0i}|C_i = 0]$$

$$= E[Y_{1i} - Y_{0i}|C_i = 1] + E[Y_{0i}|C_i = 1] - E[Y_{0i}|C_i = 0]$$

• The causal effect of C on the group that is treated (C = 1) is

$$E[Y_{1i} - Y_{0i} | C_i = 1]$$

- It is called the average treatment effect on the treated (ATT)
- Very often this is what we want to know
- "Has job satisfaction increased in a group of employees because this group now receives performance pay?"
- But: the regression coefficient may not estimate the ATT
 - It includes $E[Y_{0i}|C_i = 1] E[Y_{0i}|C_i = 0]$
 - This is the selection bias

We can thus decompose:

$$\underbrace{E[Y_i|C_i=1] - E[Y_i|C_i=0]}_{\text{Observed difference in outcome}}$$

$$=\underbrace{E[Y_{1i}-Y_{0i}|C_i=1]}_{\text{Average treatment effect}} + \underbrace{E[Y_{0i}|C_i=1]-E[Y_{0i}|C_i=0]}_{\text{Selection bias}}$$

- If $E[Y_{0i}|C_i=1]$ differs from $E[Y_{0i}|C_i=0]$
 - Treated and untreated individuals differ
 - $-E[Y_{0i}|C_i=0]$ is not the counterfactual outcome for the treated
- Then the regression estimates are biased estimates of the causal effect!

Example: Does a university education increase earnings?

- $E[Y_{0i}|C_i=1]$ is the wage somebody who attended a university would earn when not having attended university
- It is very likely that $E[Y_{0i}|C_i=1] > E[Y_{0i}|C_i=0]$
- Hence, we would overestimate the true returns to a university education

Your Task

Simulated data set: Evaluation of a sales training

Write a script that generates a fictitious data set with 10000 observations

```
n=10000
df=pd.DataFrame(index=range(n))
```

- Generate a normally distributed random variable ability with mean 100 and std. deviation 15: df['ability']=np.random.normal(100,15,n)
- Generate a dummy variable *training*:

```
df['training']=(df.ability+np.random.normal(0,10,n)>=100)
(Hence, more able people have a higher likelihood to be trained)
```

• Generate a variable sales:

```
df['sales']= 10000 + df.training*5000 + df.ability*100
+ np.random.normal(0,4000,n)
```

- This is the true causal relationship: the training increases sales by 5000
- But suppose we as researchers cannot observe *ability*
- Run a regression of sales on training & interpret the results (& save the notebook as SalesSim1)

Recall:

- A regression estimates the Conditional Expectation Function
- The CEF gives us $E[Y_i|C_i=1]-E[Y_i|C_i=0]$
- It identifies a causal effect only if $E[Y_{0i}|C_i=1]-E[Y_{0i}|C_i=0]=0$

This is satisfied if C_i is independent of (Y_{0i}, Y_{1i})

- That is neither Y_{0i} nor Y_{1i} are systematically different for people with different realizations of C_i
- Let the symbol \(\mathbb{I} \) indicate independence
- If the condition

$$(Y_{0i}, Y_{1i}) \perp \!\!\! \perp C_i$$

is satisfied we can use simple regressions (or here mean comparisons) to identify causal effects

4.2 Why are Experiments so Important?

- Suppose we have a Randomized Controlled Trial (RCT, A/B Test)
 - That is C_i is randomly (that is exogenously) assigned to the individuals i
 - In turn, C_i is by construction independent of Y_{i0}
 - Hence, $E[Y_{0i}|C_i = 1] = E[Y_{0i}|C_i = 0]$
 - The selection bias is eliminated!
 - We obtain an unbiased estimator of the causal impact of ${\cal C}$ in the population
- In that case

$$E[Y_i|C_i = 1] - E[Y_i|C_i = 0] = E[Y_{i1} - Y_{i0}]$$

- A simple comparison between the averages of treatment and control yields an unbiased estimate of the causal effect
- The same holds for a regression on a treatment dummy

Implementing RCTs in Firms: Typical Project Timeline

Preparation months

- Analysis:
 - Detailed analysis of current design of HR practice
 - Collection of outcome data (i.e. KPI, performance evaluations, survey data)
 - Prior qualitative analysis of HR practice
 - Analysis of quantitative data
 - Statistical power analysis
- Design
 - Development for redesign of HR practice
 - Treatment design for A/B test
 - Survey design
 - Communication strategy

2. A/B Testing (3-12 months)

- Duration of A/B test and number of treatments fixed
- A/B Test implemented
 - Random assignment of units to treatment (stratified randomization)
 - Communication strategy implemented
- Posterior employee survey

3. Evaluation (1-3 months)

- Data collection
 - Outcome data for treatment and control units before and during the treatment time collected
- Analysis
 Estimate causal effect on
 - Performance outcomes
 - Employee attidudes (survey outcomes)
- Presentation & Choice
 - Present & discuss results
 - Proposal for roll-out

RCT in Retailing I: Sales Bonus

- Project by Manthei/Sliwka/Vogelsang (Management Science, 2021)
- Evaluate impact of a bonus based on the average receipt (revenue per customer) in a discount retail chain



- Experiment I:
 - Bonus for district managers in one region (Nov 2015-Jan 2016)
 - 25 district managers (152 stores) randomly assigned to the treatment
 - 24 district managers (148 stores) randomly assigned to the control
- Experiment II:
 - Bonus for store managers in the same region (Nov 2016-Jan 2017)
 - 99 store managers treatment "Norm. bonus"
 - 95 Manager im treatment "Simple bonus"
 - 95 Manager in control group

RCT in Retailing I: Sales Bonus

Table 1. Main Effects of Experiments I and II

	Experiment I—District level			Experiment II—Store level		
	(1)	(2)	(3)	(4)	(5)	(6)
	Sales per Customer	Sales per Customer	CI 90%	Sales per Customer	Sales per Customer	CI 90%
Treatment effect						
Norm. Bonus	0.0020	-0.0240	[-0.1037; 0.0556]	-0.0162	-0.0099	[-0.0902; 0.0703]
	(0.0464)	(0.0475)		(0.0437)	(0.0478)	
Simple Bonus				0.0328	0.0347	[-0.0649; 0.1343]
•				(0.0504)	(0.0594)	
Time FE	Yes	Yes		Yes	Yes	
Store/district FE	Yes	Yes		Yes	Yes	
District manager FE	No	Yes		No	Yes	
Store manager FE	No	No		No	Yes	
No. of observations	637	637		3,822	3,473	
Level of observations	District	District		Store	Store	
No. of districts/stores	49	49		294	294	
Cluster	49	49		50	50	
Within R^2	0.9427	0.9478		0.8473	0.8476	
Overall R^2	0.1043	0.1185		0.0497	0.0327	

Notes. The table reports results from a fixed effects regression with the sales per customer on the district/store level as the dependent variable. The regression accounts for time and store district fixed effects and adds fixed effects for district managers in column (2) and fixed effects for district and store managers in column (5). For experiment I, the regressions compare pretreatment observations (January 2015–October 2015) with the observations during the experiment (November 2015–January 2016). For experiment II, the regressions compare pretreatment observations (January 2016–October 2016) with the observations during the experiment (November 2016–January 2017). "Treatment effect" thus refers to the difference-in-difference estimator. All regressions control for possible refurbishments of a store. Observations are excluded if a store manager switched stores during the treatment period. Robust standard errors are clustered on the district level of the treatment start and displayed in parentheses. Columns (3) and (6) display 90% confidence intervals of the specification in columns (2) and (5), respectively. CI, confidence interval; FE, fixed effects.

^{*}p < 0.1; **p < 0.05; ***p < 0.01.

RCT in Retailing I: Sales Bonus

Table 2. Heterogeneous Treatment Effects by Experience

	Sales per	Sales per Customer		
	(1)	(2)		
Treatment effect				
Norm. Bonus	0.270** (0.122)	0.324** (0.134)		
Norm. Bonus × Experience Proxy	-0.539** (0.206)	-0.632*** (0.233)		
Simple Bonus	0.260** (0.122)	0.338** (0.131)		
Simple Bonus × Experience Proxy	-0.435** (0.212)	-0.578** (0.235)		
Time FE × Experience Proxy	Yes	Yes		
Time FE	Yes	Yes		
Store FE	Yes	Yes		
District manager FE	No	Yes		
Store manager FE	No	Yes		
No. of observations	3,692	3,378		
No. of stores	284	284		
Within R ²	0.8474	0.8486		
Overall R ²	0.0514	0.0359		

Notes. The table reports results from a fixed effects regression with sales per customer on the store level as the dependent variable. The regression accounts for time and store fixed effects in column (1) and adds district manager and store manager fixed effects in column (2). The regressions compare pretreatment observations (January 2016-October 2016) with the observation during the experiment experimental treatment time (November 2016-January 2017). All regressions control for possible refurbishments of a store. Observations are excluded if a store manager switched stores during the treatment period. "Treatment effect" thus refers to the difference-indifference estimator. Experience Proxy (between 0 and 1) refers to the mean percentile of a store's age, manager's tenure, and manager's age of the respective manager/store. The regressions interact all time variables with Experience Proxy. Note that for 10 observations we do not have dates of job tenure. Robust standard errors are clustered on the district level of the treatment start and displayed in parentheses. FE, fixed effects.

p < 0.05; *p < 0.01.

RCT in Retailing II: Talking about Performance

Manthei/Sliwka/Vogelsang (2020): Four treatments

	Bonus	No Bonus
Review	N=63	N=51
No Review	N=50	N=60

- April 2017 June 2017 (3 Month)
- Performance Incentive:
 €0.05 for ever €1 profit above 80% of the planned value
- Monitoring/Performance Review:
 Biweekly reviews meetings with district managers

Protocol:


- What did the store manager do?
- Which problems did occur?
- What does he/she plan to do next?

RCT in Retailing II: Talking about Performance

	(1)	(2)	(3)	(4)
	FE	FE	Log FE	Log FE
Treatment Effect	-51.85	156.2	-0.00441	0.0141
BONUS	(607.3)	(710.5)	(0.0417)	(0.0569)
Treatment Effect	1370.2**	1492.3**	0.0732***	0.0858**
REVIEW	(559.0)	(666.2)	(0.0238)	(0.0411)
Treatment Effect	-376.3	-397.7	-0.00485	-0.00390
BONUS&REVIEW	(605.1)	(564.3)	(0.0351)	(0.0501)
Wald test REVIEW=BONUS&REVIEW	p=0.0162	p=0.0090	p=0.0218	p=0.0330
Time FE	Yes	Yes	Yes	Yes
Store FE	Yes	Yes	Yes	Yes
District Manager FE	No	Yes	No	Yes
Store Manager FE	No	Yes	No	Yes
Refurbishments	Yes	Yes	Yes	Yes
Planned Profits	Yes	Yes	Yes	Yes
N of Observations	3975	3777	3966	3768
N of Stores	224	224	224	224
Cluster	31	31	31	31
Within R^2	0.2370	0.2722	0.1621	0.1875
Overall R ²	0.7577	0.5955	0.6158	0.4316

Note: The table reports results from a fixed effects regression with the profits on the store level as the dependent variable. The regression accounts for time and store fixed effects and adds fixed effects for district manager and store managers in column 2&4. The regressions compare pre-treatment observations (January 2016 - March 2017) with the observations during the experiment (April 2017 – June 2017). *Treatment Effect* thus refers to the difference-in-difference estimator. All regressions control for possible refurbishments of a store and the companies planned value of profits. Observations are excluded when a store manager switched the store during the treatment period. Robust standard errors are clustered on the district level of the treatment start and displayed in parentheses. * p < 0.1, ** p < 0.05, *** p < 0.01.


- Field experiment in a multinational firm (Deversi/Alfitian/Sliwka (in progress)
- Starting point:
 - Managers have an annual budget for wage increases
 - Wages for a position tied to a salary band for that position
 - The firm wanted to reduce the variance of wages within the salary bands and promote pay equity for people on the same job
 - One issue:Gender pay gap



Key interventions randomly assigned to 622 teams with 8954 employees:

- Guidance value
 - Managers are nudged to provide more equitable increases
 - Managers see a "guidance value" for the increase of each employee
 - High guidance value for employees low in range (and vice versa)
 - Also budget adapted so that supervisors with more employees low in range have more budget (and vice versa)
- Budget
 - Budgets adapted as in guidance value
 - But no guidance value shown
- Guidance Range
 - Budgets adapted as in guidance value
 - Managers see a suggested interval


Control Group



Guidance Value



Guidance



		Dependent variable:	
_	Salary increase (normalized)		
_	(1)	(2)	(3)
Female	-7.29265** (3.39345)	-11.01783*** (3.45693)	-10.52834*** (3.55136)
Guidance Value	-2.04431 (2.89788)	-2.24322 (2.72308)	-2.31803 (2.77603)
Guidance Value × Female	11.23406*** (4.28916)	13.13205*** (4.23093)	13.10691*** (4.28609)
Guidance Range	0.98739 (3.04992)	0.90671 (2.79881)	0.96647 (2.84442)
<i>Guidance Range</i> × Female	8.23693** (4.13376)	7.80503* (4.10296)	7.72403* (4.18037)
Budget	1.29342 (2.87307)	0.98944 (2.69651)	0.99899 (2.76401)
$Budget \times Female$	8.29462* (4.38628)	8.18649* (4.28642)	8.07951* (4.34603)
Salary band	Yes	Yes	Yes
Position in salary band (poly.)	No	Yes	Yes
Employee controls	No	No	Yes
Teams	622	622	622
Observations	8570	8570	8570
R^2 (adj.)	0.049	0.178	0.188

Note: *, **, *** indicate significance on the 10%, 5% and 1% level, respectively.

Simulated data set: Evaluation of a sales training II

- Open your SalesSim1 notebook, save it as SalesSim2 to generate a different simulation, and run the whole notebook
- Now suppose that there is new training program which is randomly assigned
- Ass a cell at the end of the notebook to generate a dummy variable training2 which takes value 1 for 5% randomly chosen individuals df['training2']=np.random.binomial(1, 0.05, n)
- Note: np.random. binomial(1,0.05,n) generates a vector of n binomial random variables with 1 trial each (taking value 1 with 5% probability)
- Assume that this new program also raises sales by 5000:

- Run a regression of sales on training and training2
- Interpret the results & save the notebook

4.3 Control Variables & Omitted Variable Bias

- But what if we do not have an experiment?
- In multiple regression we "control for" other covariates X_i
- (When) does this help us to identify causal effects?
- We can write $E[Y_i|X_i,C_i=1]-E[Y_i|X_i,C_i=0]$

$$= E[Y_{1i} - Y_{0i}|X_i, C_i = 1] + E[Y_{0i}|X_i, C_i = 1] - E[Y_{0i}|X_i, C_i = 0]$$

The Conditional Independence Assumption (CIA)

If the conditional independence assumption holds, i.e.

$$Y_{ci} \perp \!\!\! \perp C_i \mid X_i$$
 for all values of c,

(conditional on X the treatment C_i is independent of potential outcomes), then

$$E[Y_i|X_i, C_i = 1] - E[Y_i|X_i, C_i = 0] = E[Y_{1i} - Y_{0i}|X_i, C_i = 1],$$

i.e. the difference in conditional expectations has a causal interpretation.

Note:

- This is a weaker property than the independence assumption $(Y_{0i}, Y_{1i}) \perp C_i$ above
- We do not need that C_i is independent from potential values
- But it needs to be independent for people who have the same values for a set of observable co-variates

The Conditional Independence Assumption is crucial in many applications

- Useful question: is C_i as good as randomly assigned conditional on X_i ?
- Or, in other words: are the variables in X_i the only reason why (Y_{0i}, Y_{1i}) are correlated with C_i ?
- This is also called the "selection on observables" assumption: i.e. selection into the treatment only depends on observable variables X_i ; beyond that it is random
- In that case a regression which controls for X_i (in a proper manner) has a causal interpretation

Analogously: Continuous "treatment" variable

- Think in terms of a causal model $Y_{si} \equiv f_i(s)$
 - $-f_i(s)$ describes how an object i (person, firm, ...) responds to changes in some variable s
 - or: determines the outcome for all potential realizations of s
- Now let $f_i(s) \equiv f(s, X_i)$
- Distinction between CEF $E[Y_i|S_i,X_i]$ (or regression as its approximation) and causal model $f(s,X_i)$
 - The CEF describes the mean of Y when I draw objects with the same values of (S_i, X_i) from the population (and regressions approximate these conditional expectations)
 - The causal model $f(s, X_i)$ describes how Y changes when I change s
- Regressions approximate the causal model when the CIA holds

A Note on Terminology: *Identifying Assumptions*

- When we use observational data (that is data that we observe but which
 has not been generated by an experiment), we can never be entirely sure
 that our regression captures the causal effect
- But still for many questions it is hard to design an appropriate field experiment
- We can (and should) still try to say something about causality
- In order to do so, we typically state so called *identifying assumptions*
 - That is: we make clear under what conditions our empirical approach would capture a causal effect
- The conditional independence assumption is an example for such an identifying assumption

Omitted Variable Bias

• Assume that the causal relationship between Y_i and C_i is determined by

$$Y_i = \alpha + \rho \cdot C_i + \gamma \cdot X_i + v_i$$

where v_i is uncorrelated with all regressors

- When the CIA holds, then ρ is equal to the coefficient in the linear regression of Y_i on C_i and X_i
- But assume that we cannot (or do not) include X_i and estimate

$$Y_i = \widetilde{\alpha} + \widetilde{\rho} \cdot C_i + \eta_i$$

The short regression yields (use the true causal relationship)

$$\widetilde{\rho} = \frac{Cov[C_i, Y_i]}{V[C_i]} = \frac{Cov[C_i, \alpha + \rho \cdot C_i + \gamma \cdot X_i + v_i]}{V[C_i]}$$

$$= \rho + \frac{Cov[C_i, \gamma \cdot X_i + v_i]}{V[C_i]}$$

$$= \rho + \gamma \cdot \frac{Cov[C_i, X_i]}{V[C_i]}$$

• If $Cov[C_i, X_i] \neq 0$ the coefficient is biased ("omitted variable bias")

$$\widetilde{\rho} = \rho + \gamma \cdot \frac{Cov[C_i, X_i]}{V[C_i]}$$

• But
$$\frac{Cov[C_i,X_i]}{V[C_i]}$$
 is the coefficient in a regression
$$\underbrace{X_i}_{Omitted\ variable} = \delta_0 + \delta_c * \underbrace{C_i}_{Included\ "endogenous"} + v_i$$

Then

$$\widetilde{\rho} = \frac{Cov[C_i, Y_i]}{V[C_i]} = \rho + \gamma \cdot \delta_c$$

Hence: If C_i is *endogenously* determined by X_i and we cannot observe X_i

- then the regression will yield a biased estimate of the causal effect
- the size of this *omitted variable bias* is $\gamma \cdot \delta_c$

Your Task

OVB (Simulated Sales Training Evaluation III)

- Open the SalesSim1 notebook
- Again regress
 - Sales on training
 - Sales on training and ability
- Regress ability on the "endogenous" variable training
 How do you interpret the coefficient of training in the last regression?
 (Note this is not causal! but think of CEF interpretation of regression)
- Compute the OVB using this coefficient
- Interpret the size of the OVB

4.4 Measurement Error

- The previous considerations suggest that multiple regressions come close to causal effects when there are proper control variables
- What if we can imperfectly measure variables, i.e. there is measurement error
- Suppose that we have a causal model $f_i(x) = \alpha + \gamma \cdot x + v_i$
- Suppose that
 - we cannot measure the X_i precisely,
 - but measure $\widetilde{X}_i = X_i + \eta_i$ where $\eta_i \sim N(0, \sigma_\eta^2)$
- If we run a regression

$$Y_i = \widetilde{\alpha} + \widetilde{\gamma} \cdot \widetilde{X}_i + \varepsilon_i$$

we obtain a coefficient

$$\widetilde{\gamma} = \frac{Cov[\widetilde{X}_i, Y_i]}{V[\widetilde{X}_i]} = \frac{Cov[X_i + \eta_i, \alpha + \gamma \cdot X_i + \nu_i]}{V[X_i + \eta_i]}$$

But

$$\frac{Cov[X_i + \eta_i, \alpha + \gamma \cdot X_i + v_i]}{V[X_i + \eta_i]}$$

$$= \gamma \cdot \frac{\sigma_x^2}{\sigma_x^2 + \sigma_\eta^2}$$

- This is strictly smaller than the true causal effect γ as $\frac{\sigma_\chi^2}{\sigma_\chi^2 + \sigma_\eta^2} < 1$
- This is called the *attenuation bias:*

If there is measurement error in a variable regressions underestimate its causal effect

- Note: If you still observe a positive and significant effect
 - you are safe to conclude that the variable measured with error has an impact
 - the true effect is even larger

Measurement Error in a Covariate

- However, measurement error can be more problematic, if it affects an important control variable
- Consider a causal population regression (i.e. the CIA holds $Y_{ci} \perp \!\!\! \perp C_i \mid X_i$)

$$Y_i = \alpha + \rho \cdot C_i + \gamma \cdot X_i + v_i$$

- Assume that we are interested in the effect of C
- But we measure only a "proxy" $\widetilde{X}_i = X_i + \eta_i$ for the omitted variable X_i

The problem is:

- measurement error leads to a (downward) biased estimate of γ
- we therefore do not properly condition on X
- we may get a biased estimate of C as the coefficient of C captures some of the remaining influence of X on Y