## EE24BTECH11006 - Arnay Mahishi

Q) Point P(5, -3) is one of the points of trisection of line segment joining the points A(7, -2) and B(1, -5)

Soln: Q and R trisects AB which means  $AQ = QR = AB = \frac{1}{3}AB$ Using section formula:

Point	X	Y
P	5	-3
A	7	-2
В	1	-5
R	3	-4

TABLE 0: Points in question

$$Q = \frac{1}{1 + \frac{1}{2}} \left( A + \frac{1}{2}B \right) = \frac{2}{3} \left( \binom{7}{-2} + \frac{1}{2} \binom{1}{-5} \right) = \binom{5}{-3}$$
 (0.1)

$$R = \frac{1}{1 + \frac{1}{2}} \left( B + \frac{1}{2} A \right) = \frac{2}{3} \left( \begin{pmatrix} 1 \\ -5 \end{pmatrix} + \frac{1}{2} \begin{pmatrix} 7 \\ -2 \end{pmatrix} \right) = \begin{pmatrix} 3 \\ -4 \end{pmatrix}$$
 (0.2)

One of the points i.e Q the same as P(5, -3) which means P trisects the line segment AB  $\therefore P$  is one of the two points that trisects the line segment AB




Fig. 0.1: Plot of trisection