Lecture 5 Vector Autoregressive Models

Lars A. Lochstoer

UCLA Anderson School of Management

Winter 2018

Outline

- Cross-covariances and cross-correlations
- Business cycles and bandpass filters
- Vector Autoregressive Models (VARs)
- Worked example of VAR analysis
 - Sims orthogonalization for Impulse-Response analysis
 - Out-of-sample performance

Cross-covariances and cross-correlations

Covariance (Weak) Stationarity

Definition

Consider a N-dimensional time series $\mathbf{r}_t = (r_{1t}, r_{2t}, \dots, r_{N,t})$.

The series is **covariance stationary** if its first and second moments are time-invariant. For a covariance stationary time series we can define its mean and $N \times N$ covariance matrix as

$$E[\mathbf{r}_t] = \mu, \qquad \qquad \Gamma_0 = E\left[(\mathbf{r}_t - \mu)(\mathbf{r}_t - \mu)'\right]$$

The *i*-th diagonal element of Γ_0 is the variance of r_{it} .

Cross-Correlation Matrix

Definition

The cross-correlation matrix is defined as

$$ho_0 = \mathbf{D}^{-1} \mathbf{\Gamma}_0 \mathbf{D}^{-1}$$

where
$$\boldsymbol{D} = \text{diag}[\sqrt{\Gamma_{11}(0)} \dots \sqrt{\Gamma_{\textit{NN}}(0)}].$$

The (i,j)-the element of ρ_0 is

$$\rho_{ij}(0) = \frac{\Gamma_{ij}(0)}{\sqrt{\Gamma_{ii}(0)\Gamma_{jj}(0)}}$$

Cross-Correlation Matrix

Definition

The lag k cross-covariance matrix is defined as

$$\Gamma_k = E[(\mathbf{r}_t - \mu)(\mathbf{r}_{t-k} - \mu)']$$

The (i,j)-the element of Γ_k is the covariance between r_{it} and $r_{j,t-k}$. The cross-correlation matrix is defined as

$$ho_k = \mathsf{D}^{-1} \Gamma_k \mathsf{D}^{-1}$$

where $\mathbf{D} = \mathrm{diag}[\sqrt{\Gamma_{11}(0)}\dots\sqrt{\Gamma_{NN}(0)}].$ The (i,j)-the element of $oldsymbol{
ho}_k$ is

$$\rho_{ij}(k) = \frac{\Gamma_{ij}(k)}{\sqrt{\Gamma_{ii}(0)\Gamma_{jj}(0)}} = \frac{\mathsf{Cov}(r_{it}, r_{j,t-k})}{\mathsf{Std}(r_{it})\mathsf{Std}(r_{jt})}$$

Properties of the Cross-Correlation Matrix

- ullet if $ho_{ij}(k)
 eq 0$ for k>0 , that means that r_{jt} leads r_{it} at lag k
- the covariance matrix Γ_k and the correlation matrix ρ_k are not symmetric because $\rho_{ii}(k) \neq \rho_{ii}(k)$
- note that

$$Cov(r_{it}, r_{j,t-k}) = Cov(r_{j,t-k}, r_{it}) = Cov(r_{j,t}r_{i,t-(-k)})$$

so that
$$\Gamma_{ij}(k) = \Gamma_{ji}(-k)$$

Taxonomy

- lacksquare r_{it} and r_{jt} have no linear relationship if $ho_{ij}(k)=
 ho_{ji}(k)=0$ for all $k\geq 0$
- ② r_{it} and r_{jt} are contemporaneously correlated if $ho_{ij}(0)
 eq 0$
- • r_{it} and r_{jt} have no lead-lag relationship if $\rho_{ij}(k)=0$ and $\rho_{ji}(k)=0$ for all k>0
- there is a unidirectional relationship from r_{it} to r_{jt} if $\rho_{ij}(k)=0$ for all k>0, but $\rho_{ji}(v)\neq 0$ for some v>0
- **9** there is a feedback relationship between r_{it} to r_{jt} if $\rho_{ij}(k) \neq 0$ for some k>0, and $\rho_{ii}(v) \neq 0$ for some v>0

Sample Cross-Correlation Matrix

• the cross-covariance matrix can be estimated by:

$$\hat{\mathbf{\Gamma}}_k = \frac{1}{T-1} \sum_{t=k+1}^T (\mathbf{r}_t - \overline{\mathbf{r}}) (\mathbf{r}_{t-k} - \overline{\mathbf{r}})', \qquad k \ge 0$$

where $\bar{\mathbf{r}} = \frac{1}{T} \sum_{t=1}^{T} \mathbf{r}_t$ is the vector of sample means

Multivariate Portmanteau test

in the multivariate case, the null hypothesis is

$$\rho_1 = \ldots = \rho_m = \mathbf{0}$$

and the alternative is $ho_i
eq 0$ for some i

• multivariate version of Q-test:

$$Q_N(m) = T^2 \sum_{j=1}^m rac{1}{T-j} \mathrm{tr} \left(\Gamma_j' \Gamma_0^{-1} \Gamma_j \Gamma_0^{-1}
ight)$$

where T is the sample size and N is the dimension of \mathbf{r}_t

ullet this Q-stat is asymptotically χ^2 with $\mathit{N}^2\mathit{m}$ degrees of freedom

Business Cycle Indicators

Business Cycle Indicators




Fig. 3.1. Contract and construction employment.




Fig. 3.2. Manufacturing employment.

The thick line in each figure is the cyclical component of the series described in the figure caption, and the thin line is the cyclical component of real GDP.

Source: Stock and Watson (1998)

Co-movements with GDP

Definition

The cross-correlation of the cyclical component of each series with the cyclical component of real GDP: the correlation between x_t and Y_{t+k} , where x_t is the bandpass filtered (transformed) series listed in the first column and Y_{t+k} is the k-quarter lead of the filtered logarithm of real GDP

- **①** A large **positive correlation** at k = 0 indicates procyclical behavior of the series;
- **②** a large **negative correlation** at k = 0 indicates countercyclical behavior;
- **1** and a maximum correlation at, for example, k=-i indicates that the cyclical component of the series tends to \log the aggregate business cycle by i quarters.

 $\label{eq:Table 2} \mbox{Table 2}$ Descriptive statistics for cyclical components of series, 1953–1996

Series	Std	Cross correlations with output $(corr(x_t, y_{t+k}))$												
	dev.	-6	-5	-4	-3	-2	-1	0	1	2	3	4	5	6
Gross Domestic Product	1.66	-0.29	-0.18	0.03	0.33	0.66	0.91	1.00	0.91	0.66	0.33	0.03	-0.18	-0.29
Sectoral employment														
1. Contract and construction employment	3.75	0.02	0.20	0.39	0.58	0.73	0.80	0.77	0.65	0.44	0.19	-0.04	-0.23	-0.35
2. Manufacturing employment	2.61	-0.06	0.14	0.40	0.67	0.87	0.94	0.84	0.59	0.26	-0.06	-0.30	-0.43	-0.45
3. Finance, insurance and real estate employment	1.01	0.25	0.35	0.43	0.49	0.50	0.46	0.38	0.28	0.15	0.02	-0.10	-0.20	-0.28
4. Mining employment	3.79	0.13	0.19	0.25	0.28	0.25	0.16	-0.00	-0.20	-0.40	-0.53	-0.58	-0.55	-0.45
5. Government employment	0.82	0.51	0.53	0.49	0.43	0.35	0.29	0.23	0.15	0.04	-0.08	-0.21	-0.31	-0.37
6. Service employment	0.83	0.20	0.33	0.49	0.63	0.71	0.69	0.55	0.34	0.08	-0.15	-0.33	-0.44	-0.50
7. Wholesale and retail trade employment	1.20	-0.01	0.21	0.45	0.68	0.83	0.87	0.79	0.60	0.35	0.10	-0.10	-0.24	-0.32
8. Transportation and public utility employment	1.54	0.23	0.42	0.61	0.77	0.83	0.76	0.56	0.26	-0.06	-0.33	-0.49	-0.53	-0.50
NIPA components														
9. Consumption (total)	1.26	-0.39	-0.28	-0.07	0.21	0.51	0.76	0.90	0.89	0.75	0.53	0.29	0.09	-0.06
10. Consumption (nondurables)	1.11	-0.36	-0.24	-0.02	0.25	0.52	0.74	0.83	0.80	0.65	0.43	0.21	0.02	-0.12
11. Consumption (services)	0.64	-0.13	-0.00	0.14	0.31	0.49	0.66	0.78	0.80	0.70	0.51	0.27	0.05	-0.12
12. Consumption (nondurables + services)	0.78	-0.28	-0.15	0.05	0.29	0.55	0.75	0.87	0.85	0.71	0.49	0.25	0.03	-0.13
13. Consumption (durables)	4.66	-0.46	-0.38	-0.19	0.09	0.42	0.70	0.85	0.86	0.73	0.53	0.32	0.15	0.03
14. Investment (total fixed)	4.97	-0.34	-0.19	0.04	0.32	0.61	0.82	0.89	0.83	0.65	0.41	0.18	-0.00	-0.13
15. Investment (equipment)	5.25	-0.06	0.16	0.41	0.65	0.84	0.92	0.88	0.73	0.49	0.23	-0.01	-0.20	-0.31
16. Investment (nonresidential structures)	4.67	0.20	0.40	0.58	0.70	0.74	0.67	0.52	0.30	0.07	-0.14	-0.30	-0.40	-0.44
17. Investment (residential structures)	10.04	-0.49	-0.48	0.37	~0.18	0.09	0.38	0.62	0.77	0.78	0.69	0.53	0.36	0.20
18. Change in bus. inventories (rel. to trend GDP)	0.38	-0.58	-0.50	-0.32	-0.04	0.28	0.57	0.73	0.72	0.56	0.32	0.08	-0.08	-0.15

continued on next page

Series	Std	(***********************													
	dev.	-6	-5	-4	-3	-2	-1	0	1	2	3	4	5	6	
19. Exports	4.76	0.33	0.42	0.47	0.50	0.48	0.40	0.27	0.09	-0.11	-0.29	-0.43	-0.50	-0.5	
20. Imports	4.42	-0.45	-0.28	-0.03	0.27	0.54	0.72	0.78	0.70	0.53	0.34	0.17	0.05	-0.0	
21. Trade balance (relative to trend GDP)	0.38	0.54	0.45	0.30	0.10	-0.11	-0.29	-0.42	-0.48	-0.49	-0.48	-0.45	-0.41	-0.3	
22. Government purchases	2.49	0.30	0.25	0.22	0.21	0.21	0.19	0.15	0.03	-0.10	-0.20	-0.23	-0.19	-0.0	
23. Government purchases (defense)	4.66	0.21	0.18	0.15	0.14	0.12	0.09	0.05	-0.06	-0.18	~0.26	-0.27	-0.20	-0.0	
24. Government purchases (non-defense)	1.35	0.21	0.12	0.07	0.08	0.13	0.19	0.22	0.23	0.21	0.18	0.13	0.08	0.0	
Aggregate employment, productivity and utilization															
25. Employment (total employees)	1.39	0.07	0.26	0.49	0.72	0.89	0.92	0.81	0.57	0.24	-0.07	-0.31	-0.44	-0.4	
26. Employment (total hours)	1.61	-0.06	0.13	0.37	0.63	0.85	0.94	0.88	0.67	0.36	0.03	-0.23	-0.39	-0.4	
 Employment (average weekly hours) 	0.37	-0.51	-0.44	-0.24	0.05	0.38	0.66	0.82	0.80	0.64	0.40	0.16	-0.03	-0.1	
28. Unemployment rate	0.76	0.13	-0.03	-0.27	-0.55	-0.80	-0.93	-0.89	-0.69	-0.39	-0.07	0.19	0.33	0.3	
29. Vacancies (Help Wanted index)	14.52	-0.25	-0.09	0.15	0.43	0.71	0.89	0.93	0.80	0.54	0.23	-0.06	-0.26	-0.3	
30. New Unemployment claims	13.19	0.47	0.43	0.27	-0.00	-0.35	-0.67	-0.86	-0.87	-0.71	-0.43	-0.14	0.08	0.2	
31. Capacity utilization	3.07	-0.37	-0.23	0.01	0.31	0.63	0.86	0.93	0.83	0.59	0.29	0.02	-0.16	-0.2	
32. Total factor productivity	2.29	-0.54	-0.46	-0.29	-0.03	0.27	0.56	0.77	0.86	0.82	0.68	0.50	0.31	0.1	
 Average labor productivity 	1.05	-0.49	-0.60	-0.58	0.41	-0.11	0.24	0.53	0.70	0.72	0.62	0.47	0.32	0.2	
Prices and wages															
34. Consumer price index (level)	1.35	0.34	0.24	0.12	-0.04	-0.21	-0.38	-0.51	-0.62	-0.68	-0.67	-0.59	-0.48	-0.3	
35. Producer price index (level)	2.26	0.36	0.33	0.27	0.18	0.05	-0.09	-0.24	-0.37	-0.47	-0.54	-0.56	-0.55	-0.5	
36. Oil prices	11.12	0.22	0.16	0.09	0.01	-0.08	-0.17	-0.26	-0.35	-0.41	-0.44	-0.42	-0.36	-0.2	
37. GDP price deflator (level)	0.91	0.23	0.12	-0.02	-0.18	-0.33	-0.46	-0.54	-0.60	-0.61	-0.59	-0.52	-0.42	-0.3	

continued on next page ...

Business Cycle Indicators

Table 2, continued

Series	Std	Cross correlations with output $(corr(x_t, y_{t+k}))$												
	dev.	-6	-5	-4	-3	-2	-1	0	1	2	3	4	5	6
57. Monetary base (real level)	1.53	-0.18	-0.11	-0.01	0.12	0.25	0.36	0.45	0.49	0.50	0.46	0.40	0.32	0.23
58. Money stock (M2, nominal rate of change)	2.07	-0.08	-0.22	-0.36	-0.48	-0.54	-0.50	-0.38	-0.19	0.01	0.19	0.31	0.37	0.38
59. Monetary base (nominal rate of change)	1.38	-0.01	-0.07	-0.14	-0.18	-0.19	-0.16	-0.08	-0.01	0.05	0.10	0.14	0.17	0.18
60. Consumer credit	3.29	0.30	0.50	0.67	0.75	0.74	0.63	0.46	0.25	0.06	-0.08	-0.15	-0.18	-0.18
Miscellaneous leading indicators														
61. Consumer expectations	9.15	-0.61	-0.64	-0.59	-0.46	-0.25	0.00	0.25	0.44	0.54	0.53	0.44	0.32	0.20
62. Building permits	16.19	-0.51	-0.54	-0.51	-0.41	-0.21	0.07	0.36	0.60	0.74	0.75	0.67	0.52	0.36
63. Vendor performance	10.87	-0.40	-0.40	-0.32	-0.14	0.09	0.34	0.53	0.61	0.58	0.43	0.23	0.04	-0.11
64. Mfrs' unfilled orders, durable goods industry	6.73	0.48	0.60	0.69	0.72	0.70	0.61	0.47	0.28	0.06	0.15	-0.32	-0.45	-0.50
65. Mfrs' new orders, non-defense capital goods	8.11	-0.09	0.09	0.30	0.53	0.72	0.83	0.83	0.71	0.51	0.26	0.02	-0.16	-0.27
International output														
66. Industrial production - Canada	3.43	-0.19	-0.03	0.19	0.45	0.68	0.84	0.87	0.77	0.56	0.29	0.04	-0.17	-0.30
67. Industrial production - France	2.58	0.03	0.20	0.35	0.44	0.46	0.39	0.26	0.12	-0.01	-0.11	-0.18	-0.21	-0.22
68. Industrial production - Japan	4.46	0.09	0.23	0.37	0.49	0.53	0.49	0.35	0.15	-0.06	-0.23	-0.33	-0.36	-0.33
69. Industrial production - UK	2.60	-0.04	0.11	0.27	0.42	0.51	0.53	0.47	0.39	0.28	0.18	0.10	0.03	-0.02
70. Industrial production - Germany	3.19	0.01	0.08	0.18	0.29	0.38	0.40	0.35	0.24	0.09	-0.07	-0.19	-0.27	-0.31

^a All statistics are computed using bandpass filtered data. The second column shows the standard deviation of the resulting estimate of the cyclical component. Other columns show the cross correlations of the cyclical component of each series with the cyclical component of GDP, led k periods.

Moving Average

 Note this data is band-pass filtered: apply a moving average representation of this series that focuses on business cycle frequencies (as opposed to lower frequencies)

Moving Average

Definition

Applying a moving average to series y_t produces:

$$y_t^* = \sum_{k=-K}^K a_k B^k y_t.$$

Applying a **symmetric** moving average to series y_t produces:

$$y_t^* = \sum_{k=-K}^K a_k B^k y_t,$$

where $a_k = a_{-k}$ for k = 1, ..., K. If the weights sum to zero, a moving average renders a series with a deterministic time trend stationary.

Bandpass Filter

• see, Baxter and King (1999) for a discussion of band-pass filters

Definition

A bandpass filter is a moving average that focuses on particular frequencies (e.g., business cycle frequencies)

$$y_t^* = \sum_{k=-K}^K a_k B^k y_t.$$

Vector Autoregressive Models (VARs)

Vector Autoregressive Models

Definition

A multivariate time series \mathbf{r}_t is a VAR process of order 1

$$\mathbf{r}_t = \mathbf{\Phi}_0 + \mathbf{\Phi}_1 \mathbf{r}_{t-1} + \mathbf{\varepsilon}_t, \qquad \mathbf{\varepsilon}_t \sim \mathsf{WN}(0, \mathbf{\Sigma})$$

where Φ_0 is $N \times 1$ and Φ_1 is a $N \times N$ matrix.

The covariance matrix Σ is required to be positive definite.

Bivariate Case

- stack two AR(1)'s on top of each other...
- as an example, we consider the bivariate case:

$$r_{1t} = \phi_{10} + \phi_{11}r_{1,t-1} + \phi_{12}r_{2,t-1} + \varepsilon_{1t}$$

$$r_{2t} = \phi_{20} + \phi_{21}r_{1,t-1} + \phi_{22}r_{2,t-1} + \varepsilon_{2t}$$

- ullet ϕ_{12} measures the conditional effect of $\emph{r}_{2,t-1}$ on \emph{r}_{1t} given $\emph{r}_{1,t-1}$
- ullet ϕ_{12} measures the linear dependence of $r_{1,t}$ on $r_{2,t-1}$ given $r_{1,t-1}$

Writing AR(p) models as VAR(1)

ullet Consider the following univariate AR(p) model

$$r_t = \phi_0 + \phi_1 r_{t-1} + \phi_2 r_{t-2} + \dots \phi_p r_{t-p} + \sigma \varepsilon_t$$

• We can write this as a VAR(1) as

• We can now analyze the AR(p) as a VAR(1), which is simple.

MA Representation

- condition for stationarity
- compute the mean

$$E[\mathbf{r}_t] = \mathbf{\Phi}_0 + \mathbf{\Phi}_1 E[\mathbf{r}_{t-1}]$$

which implies that

$$\boldsymbol{\mu} = (I_{N} - \boldsymbol{\Phi}_{1})^{-1} \boldsymbol{\Phi}_{0}$$

• rewrite this system in deviations from the mean:

$$\widetilde{\mathbf{r}}_t = \mathbf{\Phi}_1 \widetilde{\mathbf{r}}_{t-1} + \mathbf{\varepsilon}_t, \qquad \widetilde{\mathbf{r}}_t \equiv \mathbf{r}_t - \mu$$

by backward substitution:

$$\widetilde{\mathbf{r}}_t = \sum_{j=0}^\infty \mathbf{\Phi}_1^j \mathbf{arepsilon}_{t-j}$$

Stationarity

• the $MA(\infty)$ expression

$$\mathbf{r}_t = \mu + \sum_{j=0}^{\infty} \mathbf{\Phi}_1^j \boldsymbol{\varepsilon}_{t-j}$$

implies we need ${f \Phi}_1^j
ightarrow 0$ as $j
ightarrow \infty$ to get stationarity

ullet the N eigenvalues λ need to be less than one in modulus:

$$|\lambda \mathbf{I}_N - \mathbf{\Phi}_1| = 0$$

• for a complex number z = x + iy the **modulus** is defined as

$$|z| = \sqrt{x^2 + y^2}$$

VEC and Kronecker products

- The VEC operator stacks the columns of an $m \times n$ matrix A and turns it into a $mn \times 1$ vector.
- Consider a matrix A and the vec operator vec(A) given by

$$A = \begin{pmatrix} a_{11} & a_{12} \\ a_{21} & a_{22} \end{pmatrix} \quad \text{vec}(A) = \begin{pmatrix} a_{21} \\ a_{12} \\ a_{22} \end{pmatrix}$$

• If A is an $m \times n$ matrix and B is a $p \times q$ matrix, then the **Kronecker product** defined by $A \otimes B$ is the $mp \times nq$ block matrix:

$$A \otimes B = \begin{pmatrix} a_{11}B & \dots & a_{1n}B \\ \vdots & \ddots & \vdots \\ a_{m1}B & \dots & a_{mn}B \end{pmatrix}$$

VEC and Kronecker products

• Some useful properties of these operations:

$$\begin{aligned}
\operatorname{vec}(A+B) &= \operatorname{vec}(A) + \operatorname{vec}(B) \\
\operatorname{vec}(ABC) &= (C' \otimes A) \operatorname{vec}(B) \\
(A \otimes B)^{-1} &= A^{-1} \otimes B^{-1} \\
(A \otimes B)' &= A' \otimes B'
\end{aligned}$$

 More properties can be found in any matrix algebra book, see e.g. Abadir and Magnus (2005) (or Google it).

(Unconditional) variances

• compute the unconditional variance:

$$E[\widetilde{\mathbf{r}}_t\widetilde{\mathbf{r}}_t'] = \Phi_1 E[\widetilde{\mathbf{r}}_t\widetilde{\mathbf{r}}_t']\Phi_1' + \Sigma$$
,

or equivalently:

$$\Gamma_0 = \mathbf{\Phi}_1 \Gamma_0 \mathbf{\Phi}_1' + \mathbf{\Sigma}$$

- Solve this equation:
 - take the 'vec' of both sides

$$\mathsf{vec}(\Gamma_0) \ = \ \mathsf{vec}(\Phi_1\Gamma_0\Phi_1') + \mathsf{vec}(\Sigma)$$
,

use the Kronecker product

$$\mathsf{vec}(\Gamma_0) \ = \ [\Phi_1 \otimes \Phi_1] \mathsf{vec}(\Gamma_0) + \mathsf{vec}(\Sigma)$$
,

solve

$$\operatorname{\mathsf{vec}}(\Gamma_0) = [I_{N^2} - \Phi_1 \otimes \Phi_1]^{-1} \operatorname{\mathsf{vec}}(\Sigma),$$

Autocovariances

• compute the auto- covariances by taking expectations on the lhs and rhs:

$$E[\widetilde{\mathbf{r}}_{t}\widetilde{\mathbf{r}}_{t-k}'] = \mathbf{\Phi}_{1}E[\widetilde{\mathbf{r}}_{t-k}\widetilde{\mathbf{r}}_{t-k}']$$

which implies that:

$$\Gamma_k = \mathbf{\Phi}_1 \Gamma_{k-1}$$
, $k > 0$

where Γ_j is the lag j cross-covariance matrix

by repeated substitution, we obtain the following autocovariogram:

$$\Gamma_k = \Phi_1^k \Gamma_0, k > 0$$

Forecasting

• forecasting is very easy. Take the 1-step ahead conditional expectation:

$$E_t[\mathbf{r}_{t+1}] = (I_N - \mathbf{\Phi}_1^1)\mu + \mathbf{\Phi}_1^1\mathbf{r}_t$$

• doing this h steps ahead:

$$E_t[\mathbf{r}_{t+h}] = (I_N - \mathbf{\Phi}_1^h)\mu + \mathbf{\Phi}_1^h\mathbf{r}_t$$

• Notice that if we take the limit as $h \to \infty$, we get

$$\lim_{h\to\infty} E_t[\mathbf{r}_{t+h}] = \mu$$

Autocorrelations

auto-covariances:

$$\Gamma_k = \Phi_1 \Gamma_{k-1}$$
, $k > 0$

- let $\mathbf{D} = \mathrm{diag}[\sqrt{\Gamma_{11}(0)} \dots \sqrt{\Gamma_{NN}(0)}].$
- by pre-and post-multiplication with **D**:

$$\begin{array}{rcl} \rho_k & = & \mathbf{D}^{-1} \mathbf{\Phi}_1 \mathbf{\Gamma}_{k-1} \mathbf{D}^{-1} \\ & = & \mathbf{D}^{-1} \mathbf{\Phi}_1 \mathbf{D} \mathbf{D}^{-1} \mathbf{\Gamma}_{k-1} \mathbf{D}^{-1} \\ & = & \mathbf{Y} \rho_{k-1}, \quad k > 0 \end{array}$$

with $\mathbf{Y} = \mathbf{D}^{-1} \mathbf{\Phi}_1 \mathbf{D}$

Vector Autoregressive Models of order p

Definition

A multivariate time series \mathbf{r}_t is a VAR process of order p

$$\mathbf{r}_t = \mathbf{\Phi}_0 + \mathbf{\Phi}_1 \mathbf{r}_{t-1} + \ldots + \mathbf{\Phi}_p \mathbf{r}_{t-p} + \varepsilon_t, \qquad \varepsilon_t \sim \mathsf{WN}(0, \mathbf{\Sigma})$$

where Φ_0 is $N \times 1$, Φ_1, \ldots, Φ_p are $N \times N$ matrix and ε_t is a sequence of white noise random vectors.

The covariance matrix Σ is required to be positive definite.

VAR(p) Model

- condition for stationarity
- compute the mean

$$E[\mathbf{r}_t] = \mathbf{\Phi}_0 + \mathbf{\Phi}_1 E[\mathbf{r}_{t-1}] + \ldots + \mathbf{\Phi}_p E[\mathbf{r}_{t-p}]$$

which (under stationarity) implies that:

$$(I_{N}-\mathbf{\Phi}_{1}-\ldots-\mathbf{\Phi}_{p})\,\mu=\mathbf{\Phi}_{0}$$

and we can back out the mean provided that the inverse exists

• the autocovariances satisfy:

$$\Gamma_k = \Phi_1 \Gamma_{k-1} + \ldots + \Phi_p \Gamma_{k-p}, \qquad k > 0$$

Vector Autoregressive Models of order 4

Definition

A multivariate time series \mathbf{r}_t is a VAR process of order p=4 if

$$\mathbf{r}_t = \mathbf{\Phi}_0 + \mathbf{\Phi}_1 \mathbf{r}_{t-1} + \ldots + \mathbf{\Phi}_4 \mathbf{r}_{t-4} + \mathbf{\epsilon}_t, \qquad \mathbf{\epsilon}_t \sim \mathsf{WN}(0, \mathbf{\Sigma})$$

where Φ_0 is a N-dimensional vector, Φ_1, \ldots, Φ_4 are $N \times N$ matrices.

The variance covariance matrix is required to be positive definite.

Vector Autoregressive Models of order 4

• we can represent this VAR(4) as a VAR(1):

$$\begin{bmatrix} \mathbf{r}_{t+1} \\ \mathbf{r}_{t} \\ \mathbf{r}_{t-1} \\ \mathbf{r}_{t-2} \end{bmatrix} = \begin{bmatrix} \mathbf{\Phi}_{0} \\ 0 \\ 0 \\ 0 \end{bmatrix} + \begin{bmatrix} \mathbf{\Phi}_{1} & \mathbf{\Phi}_{2} & \mathbf{\Phi}_{3} & \mathbf{\Phi}_{4} \\ I_{N} & 0 & 0 & 0 & 0 \\ 0 & I_{N} & 0 & 0 & 0 \\ 0 & 0 & I_{N} & 0 & 0 \end{bmatrix} \begin{bmatrix} \mathbf{r}_{t} \\ \mathbf{r}_{t-1} \\ \mathbf{r}_{t-2} \\ \mathbf{r}_{t-3} \end{bmatrix} + \begin{bmatrix} I_{N} \\ 0 \\ 0 \\ 0 \end{bmatrix} \varepsilon_{t+1}$$

- much easier to handle!
- this is related to linear, state space models (get to this at end of class)

Estimation

• in this system

$$\mathbf{r}_t = \mathbf{\Phi}_0 + \mathbf{\Phi}_1 \mathbf{r}_{t-1} + \boldsymbol{\varepsilon}_t$$

- each equation can be estimated separately using OLS
 - errors are serially uncorrelated with constant variances
 - right hand side variables are predetermined (not exogenous)

Specification Test

- ullet the lag length p is an important part of VAR(p) modeling
- we can use the AIC to choose the lag length
- the AIC of a VAR(p) model is:

$$AIC(i) = \ln(|\Sigma_p|) + \frac{2N^2p}{T}$$

where
$$\Sigma_p = rac{1}{T-1} \sum_{t=p+1}^T arepsilon_t arepsilon_t'$$

- the lag length p should be chosen to minimize the AIC
- run a multi-variate Q-test on residuals

VARs: A worked example

Impulse-Responses and Sims shock orthogonalization

The data


We will fit a higher order VAR to the following quarterly data:

- Excess stock market returns (CRSP)
- The market Price-Dividend ratio (CRSP)
 - Market value divided by sum of last 12 months of dividends (to avoid seasonalities)
- Real, per capital quarterly log GDP growth

The sample is 1957Q1 through 2015Q4.

Step 1: Plot the data

- Always, if you can, plot the data you are using.
 - non-stationarities, outliers, data-errors, etc.?
- Note that the DP ratio is *very* persistent. Otherwise, returns and gdp growth both are pretty clearly stationary. No obvious data-errors.



MatLab code for previous slide

```
load VAR data
subplot(3,1,1)
plot(date, ExcessMktRet)
title('Excess Market Returns')
subplot(3,1,2)
plot(date, DP)
title('Market D/P-ratio')
subplot(3,1,3)
plot(date,D gdp)
title('Log GDP growth')
```

Model specification

We are interested in understanding how the equity risk premium varies with business conditions (GDP growth) and how GDP growth links to valuation ratios and stock returns

The choice of the number of lags in the VAR is a tricky one.

- You as few lags as you can while still capturing the main effects in the data (AIC, BIC). VAR(1) is a good start.
- Overall, model specification choice is a bit of an art

Having looked a bit at the return forecasting equation, and to illustrate some of the topics from Lecture 11, I have chosen a restricted VAR(2)

See next slide for specification

Model specification

Here are the forecasting equations I want embedded in the VAR:

$$\begin{array}{rcl} R_{t+1}^e & = & \phi_0^{(1)} + \phi_{11} R_t^e + \phi_{12} D P_t + \phi_{13} \Delta g d p_t + \phi_{14} \Delta g d p_{t-1} + \sigma_R \varepsilon_{R,t+1}, \\ D P_{t+1} & = & \phi_0^{(2)} + \phi_{21} R_t^e + \phi_{22} D P_t + \phi_{23} \Delta g d p_t + \phi_{24} \Delta g d p_{t-1} + \sigma_{DP} \varepsilon_{DP,t+1}, \\ \Delta g d p_{t+1} & = & \phi_0^{(3)} + \phi_{31} R_t^e + \phi_{32} D P_t + \phi_{33} \Delta g d p_t + \phi_{34} \Delta g d p_{t-1} + \sigma_{g d p} \varepsilon_{g d p,t+1}. \end{array}$$

How do I map this into a VAR(1)?

$$z_{t+1} = \phi_0 + \phi_1 z_t + \mathit{error}$$

• What is the z_t vector? What is ϕ_0 ? What is ϕ_1 ?

Model specification

So:

$$z_t = [R_t^e \ DP_t \ \Delta gdp_t \ \Delta gdp_{t-1}]'$$

and

$$\phi_0 = \begin{bmatrix} \phi_0^{(1)} & \phi_0^{(2)} & \phi_0^{(3)} & 0 \end{bmatrix}'$$

and

$$\phi_1 = \left[\begin{array}{ccccc} \phi_{11} & \phi_{12} & \phi_{13} & \phi_{14} \\ \phi_{21} & \phi_{22} & \phi_{23} & \phi_{24} \\ \phi_{31} & \phi_{32} & \phi_{33} & \phi_{34} \\ 0 & 0 & 1 & 0 \end{array} \right]$$

Model estimation

Simply estimate the parameters in each of the below using standard OLS regressions:

$$\begin{array}{rcl} R_{t+1}^e & = & \phi_0^{(1)} + \phi_{11} R_t^e + \phi_{12} D P_t + \phi_{13} \Delta g d p_t + \phi_{14} \Delta g d p_{t-1} + \sigma_R \varepsilon_{R,t+1}, \\ D P_{t+1} & = & \phi_0^{(2)} + \phi_{21} R_t^e + \phi_{22} D P_t + \phi_{23} \Delta g d p_t + \phi_{24} \Delta g d p_{t-1} + \sigma_{DP} \varepsilon_{DP,t+1}, \\ \Delta g d p_{t+1} & = & \phi_0^{(3)} + \phi_{31} R_t^e + \phi_{32} D P_t + \phi_{33} \Delta g d p_t + \phi_{34} \Delta g d p_{t-1} + \sigma_{g d p} \varepsilon_{g d p,t+1}. \end{array}$$

Save the residuals so you can estimate their variance-covariance matrix later

MatLab code for estimation

```
% estimate the restricted VAR(2), set it up as a VAR(1) phi0 = zeros(4,1); phi1 = zeros(4,4); out = LL_olsNW(ExcessMktRet(3:end),cat(2,ones(234,1),ExcessMktRet(2:end-1),DP(2:end-1),D_gdp(2:end-1),D_gdp(1:end-2)),0); phi0(1) = out.beta(1); phi1(1,:) = out.beta(2:end)'; eps1 = out.res;
```

MatLab code for estimation

```
out = LL olsNW(DP(3:end),cat(2,ones(234,1),ExcessMktRet(2:end-
1),DP(2:end-1),D gdp(2:end-1),D gdp(1:end-2)),0);
phi0(2) = out.beta(1);
phi1(2,:) = out.beta(2:end)';
eps2 = out.res;
out = LL olsNW(D gdp(3:end), cat(2,ones(234,1), ExcessMktRet(2:end-
1),DP(2:end-1),D gdp(2:end-1),D gdp(1:end-2)),0);
phi0(3) = out.beta(1);
phi1(3,:) = out.beta(2:end)';
eps3 = out.res;
% add element that corresponds to second lag of GDP
phi1(4,3) = 1;
display(phi0);
display(phi1);
```

MatLab code for estimation

phi0 =

• In general, you may want to display R^2 values and t-stat's, but we are keeping it simple here:

```
-0.0071
 0.0008
 0.0033
    0
phi1 =
 0.0813
          0.9028
                  0.1656 -1.1466
 -0.0034
          0.9624 -0.0078
                           0.0609
 0.0247 -0.0251
                  0.2744
                          0.1163
    0
          0
                  1.0000
                             0
```

Check for stationarity

How? Recall from Lecture 11 that all we need when we have a VAR(1) is that the Eigenvalues are less than one in modulus:

```
% check that the system is stationary eigenvalues = eig(phi1); modulus = sqrt(real(eigenvalues).^2 + imag(eigenvalues).^2) modulus = 0.3230  
0.3506  
0.3506  
0.9590
```

Demean system for easy manipulation

Recall that the unconditional mean of a VAR(1) is:

$$\mu = (\mathbf{I}_N - \boldsymbol{\phi}_1)^{-1} \, \boldsymbol{\phi}_0$$

So the MatLab code is:

% Calculate unconditional mean vector:

$$mu = (eye(4) - phi1) \phi0;$$

% demean all variables for simplicity $z_t = cat(2, ExcessMktRet(2:end), DP(2:end), D_gdp(2:end), D_gdp(1:end-1)) - kron(ones(length(DP)-1,1),mu');$


Expected value plot: 1 quarter ahead

```
The VAR gives you the expected value at any future date: E_t\left[\tilde{z}_{t+k}\right] = \phi_1^k z_t % plot the expected returns and the expected GDP growth series % one-period (a quarter) ahead expectations Et1 = (phi1 * z_t')' + kron(ones(length(DP)-1,1),mu'); plot(date(2:end),Et1(:,1),'r') hold on plot(date(2:end),Et1(:,3),'b') xlabel('Year') title('Expected quarterly excess return and gdp growth: one-quarter ahead');
```

Expected value plot: 1 quarter ahead

Notice that the 1-period ahead forecast is quite volatile

- GDP is in blue (less volatile), return is in red (more volatile)
- Note the negative correlation between expected GDP growth and expected returns: The risk premium appears to be counter-cyclical!




Expected value plot: 4 quarters ahead

```
% one year (4 quarters) ahead expectations  Et4 = (phi1^4 * z_t')' + kron(ones(length(DP)-1,1),mu'); \\ plot(date(2:end),Et4(:,1),'r') \\ hold on \\ plot(date(2:end),Et4(:,3),'b') \\ xlabel('Year') \\ title('Expected quarterly excess return and gdp growth: four quarters ahead');
```

Expected value plot: 4 quarters ahead

Notice that the 4-period ahead forecast is less volatile

- GDP is in blue (less volatile), return is in red (more volatile)
- Expected returns still vary a great deal, due to effect of persistent PD-ratio
 - ► Almost no forecasting power for GDP 4 quartes out...




Expected value plot: 20 quarters ahead

```
% 5 years (20 quarters) ahead expectations  Et20 = (phi1^20 * z_t')' + kron(ones(length(DP)-1,1),mu'); \\ plot(date(2:end),Et20(:,1),'r') \\ hold on \\ plot(date(2:end),Et20(:,3),'b') \\ xlabel('Year') \\ title('Expected quarterly excess return and gdp growth: twenty quarters ahead');
```

Expected value plot: 20 quarters ahead

Notice that the 20-period ahead forecast is even less volatile

- GDP is in blue (less volatile), return is in red (more volatile)
- Expected returns still vary a great deal, again due to effect of highly persistent PD-ratio
 - No forecasting power for GDP 20 quartes out, simply unconditional average



Impulse-Response Plots

Recall that the $MA(\infty)$ representation of a demeaned VAR(1) is:

$$z_t = \sum_{j=0}^{\infty} \phi_1^j \varepsilon_{t-j},$$

where ε_{t-j} is the, in our case, 4×1 vector of shocks at time t-j:

$$oldsymbol{arepsilon}_{t-j} = \left[egin{array}{c} \sigma_{R} arepsilon_{R,t-j} \ \sigma_{DP} arepsilon_{DP,t-j} \ \sigma_{gdp} arepsilon_{gdp,t-j} \ 0 \end{array}
ight]$$

Note that the last shock is always zero as it is the shock corresponding to the lagged GDP growth equation.

Impulse-Response Plots

The Impulse-Response (IR) function is the dynamic multiplier on a particular shock on a particular outcome at a particular lag

- The Impulse is a one-time one-standard deviation positive shock (typically), with all other shocks set to zero
- ullet The Response is how this shock affects future outcomes as a function of the lag j

Example 1: Get the response of returns (the first element of z_t) to a shock to Δgdp (the third element of z_t), 5 lags ago

- Get the (1,3) element of $\pmb{\phi}_1^5$. Multiply this number by the standard deviation of the shock, σ_{gdp} .
- \bullet The shock we are talking about is ε_{gdp}

Example 2: Get the response of log GDP growth (the third element of z_t) to a shock to returns (the first element of z_t), 20 lags ago

- Get the (3,1) element of ϕ_1^{20} . Multiply this number by the standard deviation of the shock, σ_R .
- ullet The shock we are talking about is $arepsilon_R$

Impulse-Response Plots: MatLab code

```
% create impulse responses (i.e., plot dynamic multipliers for each of the % three shocks (note, the fourth variable (the VAR(2) gdp term) does not % have a shock).

Sigma = cov(cat(2,eps1,eps2,eps3));

StDevs = sqrt(diag(Sigma));

% plot impulse-response (dynamic multipliers at different lags up to 20 % lags).

phi1_series = zeros(4,4,20);

for j = 1:21

phi1_series(:,:,j) = phi1^(j-1);
```

end


Impulse-Response Plots: MatLab code

% start with the IR for returns of a shock to returns, DP, and GDP.

```
% first, let the return shock happen at time t, with all other shocks set
% to zero, and trace out the response
plot((0:1:20)',StDevs(1)*squeeze(phi1 series(1,1,:)),'r')
hold on
% next. DP shock effect on returns
plot((0:1:20)',StDevs(2)*squeeze(phi1 series(1,2,:)),'k.-')
% next, GDP shock effect on returns
plot((0:1:20)',StDevs(3)*squeeze(phi1 series(1,3,:)),'b-')
hold off
ylim([-0.01 0.01]);
xlabel('quarters since shock')
ylabel('Impulse-Response')
legend('R shock', 'DP shock', 'D\ gdp shock')
title('Impulse-Response of returns from VAR shocks')
```

Impulse-Response Plot for Excess Market Returns

- Note the very persistent effect of the valuation ratio (DP-ratio) shock
 - ▶ (note: 0-th lag for returns is outside of plot limits, at about 0.08)
- Note that GDP growth has a negative effect after a lag
 - Good times means risk premium goes down




Impulse-Response Plots: MatLab code

% next, the IR for DP of a shock to returns, DP, and GDP. % first, let the return shock happen at time t, with all other shocks set % to zero, and trace out the response plot((0:1:20)',StDevs(1)*squeeze(phi1 series(2,1,:)),'r')hold on % next. DP shock effect on returns plot((0:1:20)', StDevs(2)*squeeze(phi1 series(2,2,:)), 'k.-') % next, GDP shock effect on returns plot((0:1:20)',StDevs(3)*squeeze(phi1 series(2,3,:)),'b-')hold off xlabel('quarters since shock') ylabel('Impulse-Response') legend('R shock', 'DP shock', 'D\ gdp shock') title('Impulse-Response of DP-ratio from VAR shocks')

Impulse-Response Plot for DP ratio

- Note the very persistent effect of the valuation ratio (DP-ratio) shock
- Note that GDP growth increase DP due to higher expected returns (higher discount rates)



63 / 76


Impulse-Response Plots: MatLab code

% the IR for Delta gdp of a shock to returns, DP, and GDP.

```
% first, let the return shock happen at time t, with all other shocks set
% to zero, and trace out the response
plot((0:1:20)',StDevs(1)*squeeze(phi1 series(3,1,:)),'r')
hold on
% next. DP shock effect on returns
plot((0:1:20)',StDevs(2)*squeeze(phi1 series(3,2,:)),'k.-')
% next, GDP shock effect on returns
plot((0:1:20)',StDevs(3)*squeeze(phi1 series(3,3,:)),'b-')
hold off
xlabel('quarters since shock')
ylabel('Impulse-Response')
legend('R shock', 'DP shock', 'D\ gdp shock')
title('Impulse-Response of D\ gdp from VAR shocks')
```

Impulse-Response Plot for D_gdp

- Note the DP-shock has no impact, thus no persistent predictions for GDP growth
- Note that returns positively forecast future GDP growth
- Also, significant positive autocorrelation in GDP growth



Sims VAR shock orthogonalization

The impulse responses just derived are a bit strange if the shocks in the VAR are correlated

• What does it mean to hold the other shocks constant at zero, when typically they would not be constant given non-zero shock correlations...?

A natural (and most common) approach is to write the (demeaned) VAR as:

$$\mathbf{z}_{t+1} = oldsymbol{\phi} \mathbf{z}_t + \Sigma_C arepsilon_{t+1}^O$$
 ,

where

- \bullet ϵ_{t+1}^{0} is a 3×1 vector of uncorrelated shocks with mean zero and unit variance.
- ② Let the variance covariance matrix of the original shocks be Σ . Then, let Σ_C be the Cholesky decomposition of this matrix
 - The Cholesky decomposition yields a lower triangular matrix with the property that

$$\Sigma_{\mathcal{C}} arepsilon_{t+1}^{\mathcal{O}} = arepsilon_{t+1}$$
 ,

where ε_{t+1} is the 3 \times 1 vector of original shocks estimated in the earlier OLS regressions, with mean zero and variance-covariance matrix Σ .

The Cholesky Decomposition

The Cholesky decomposition of the positive-definite variance-covariance matrix Σ satisifes:

$$\Sigma = \Sigma_{\mathcal{C}} \Sigma_{\mathcal{C}}'$$
,

where Σ_C is a lower-triangular matrix.

Concretely, in our case:

$$arepsilon_t = \Sigma_{\mathcal{C}} arepsilon_t^{\mathcal{O}}$$

means (using earlier notation)

$$\varepsilon_t = \begin{bmatrix} \sigma_R \varepsilon_{R,t} \\ \sigma_{DP} \varepsilon_{DP,t} \\ \sigma_{gdp} \varepsilon_{gdp,t} \\ 0 \end{bmatrix} = \begin{bmatrix} \Sigma_C^{(1,1)} \varepsilon_{1,t}^O \\ \Sigma_C^{(2,1)} \varepsilon_{1,t}^O + \Sigma_C^{(2,2)} \varepsilon_{2,t}^O \\ \Sigma_C^{(3,1)} \varepsilon_{1,t}^O + \Sigma_C^{(3,2)} \varepsilon_{2,t}^O + \Sigma_C^{(3,3)} \varepsilon_{3,t}^O \end{bmatrix}$$

- Now, each shock can be meaningfully considered in isolation
 - ▶ Note, however, that the ordering of variables in the VAR matters!

VAR variable ordering

When applying the Cholesky decomposition to get orthogonalized shocks, the ordering of variables matters.


 The first shock (top row) is the main shock, subsequent rows have additional shocks capturing the part of the other shocks that are orthogonal to the previous shocks

Thus, it is sensible to rank the shocks in terms of their perceived causality

- For instance, most models would imply that the GDP shock is the fundamental cash flow shock driving the economy
- Perhaps preference shocks (e.g., to risk aversion) affects the valuation ratio, so let the DP shock be second and then the return shock last?
 - ▶ I'm not so convinced by the ordering of these two...
- Order the original shock vector accordingly, get variance covariance matrix
- Oo Cholesky decomposition, make sure your routine delivers a lower-triangular matrix (MatLab's chol() commend delivers upper-triangular)
- Redo impulse-response. Look at effect of GDP shock on all three variables, then the DP shock, then the R shock.


Orthogonal IRs from our example

Effect of 1 st.dev. positive GDP shock on all variables




Orthogonal IRs from our example

Effect of 1 st.dev. positive DP shock (orthogonal to GDP shock) on all variables



Orthogonal IRs from our example

Effect of 1 st.dev. positive R shock (orthogonal to GDP and DP shocks) on all variables



VARs: Out-of-sample test

Out-of-sample test

Overfitting means we get 'too high' R^2 's in sample as we explain some of the true variation in actual residuals

• Out-of-sample performance can then be bad

Related, parameters may be unstable, varying over time in reality. In such cases, the out-of-sample performance will likely suffer.

Here, present a natural out-of-sample test

• Focus only on the 1-period ahead return forecasting equation

$$R_{t+1}^e = \phi_0^{(1)} + \phi_{11}R_t^e + \phi_{12}DP_t + \phi_{13}\Delta gdp_t + \phi_{14}\Delta gdp_{t-1} + \sigma_R \varepsilon_{R,t+1}$$

Out-of-sample test

- Choose an initial training sample, for instance covering the first 80% of the sample. This depends on overall sample length
 - ► Too short initial sample means the parameters are estimated with a lot of noise, which of course leads to low out-of-sample performance.
- $\textbf{ Using data up to an including time } \tau \text{ to estimate the model, get the model prediction for time } \tau+1 \text{ and compare with actual outcome at time } \tau+1$
- Natural metrics of fit (expectations are averages over the out-of-sample period used (e.g, the last 20% of sample)

$$MSPE = E\left[\left(\textit{predicted} - \textit{actual}\right)^2\right]$$

$$R_{out-of-sample}^{2} = 1 - \frac{E\left[\left(\textit{predicted} - \textit{actual}\right)^{2}\right]}{E\left[\left(\textit{actual} - E\left[\textit{actual}\right]\right)^{2}\right]}$$

MatLab code for out-of-sample tests

```
% first, set an initial training sample.
T = length(z t(:,1));
train = round(T*4/5);
pred = zeros(T-train-1,1);
actual = z t(train+1:T,1);
% do just return equation
for tt = train: T-1
out = LL olsNW(z t(2:tt,1),cat(2,ones(tt-1,1),z t(1:tt-1,1),z t(1:tt-1,2),
z t(1:tt-1,3), z t(1:tt-1,4)),0);
pred(1+tt-train) = out.beta' * cat(2,1,z t(tt,:))';
end
MSE = mean((pred - actual).^2);
RMSE = sqrt(MSE);
R2 outofsample = 1 - MSE / mean((actual - mean(actual)).^2);
```

Predicted vs Actual in out of sample period

- The out of sample R^2 is 1.71% for quarterly excess return forecasts
- The in-sample R^2 for the full sample is 1.61%
- While these numbers seem small, the predicted *quarterly* risk premium varies from about -2% to 3%!

