

# Cryptography and Network Security

## Chapter 3

Fifth Edition  
by William Stallings



# Modern Block Ciphers

- Block ciphers vs. Stream Ciphers
- Block ciphers operate on a block of data
  - entire block must be available before processing
- Stream ciphers process messages a bit or byte at a time when en/decrypting
  - need not wait the entire block
- Most ciphers are block ciphers
  - but it is possible to use a block cipher as a stream cipher (modes of operations)

# Block vs Stream Ciphers

## ➤ Stream cipher


- encrypt individual characters of plaintext message one at a time, using encryption transformation which varies with time.
- process plaintext in small blocks, and **the encryption function may vary** as plaintext is processed ⇒ have memory
- sometimes called state ciphers since encryption depends on not only the key and plaintext, but also on the current state.

# Block vs Stream Ciphers

## ➤ Block cipher

- processes the plaintext in relatively large blocks(e.g.  $n \geq 64$  bits)
- **The same function is used to encrypt** successive blocks  $\Rightarrow$  memory less
- This distinction between block and stream ciphers is not definitive
  - adding memory to a block cipher (as in CBC) results in a stream cipher


# Block vs Stream Ciphers



# Block Cipher Principles

- most symmetric block ciphers are based on a **Feistel Cipher Structure**
- needed since must be able to **decrypt** ciphertext to recover messages efficiently
- block ciphers look like an extremely large substitution
- would need table of  $2^{64}$  entries for a 64-bit block
- instead create from smaller building blocks
- using idea of a product cipher

# Ideal Block Cipher



# Claude Shannon and Substitution-Permutation Ciphers

- Claude Shannon introduced idea of substitution-permutation (S-P) networks in 1949 paper
- form basis of modern block ciphers
- S-P nets are based on the two primitive cryptographic operations seen before:
  - *substitution* (S-box)
  - *permutation* (P-box)
- provide *confusion & diffusion* of message & key


# Confusion and Diffusion

- cipher needs to completely obscure statistical properties of original message
- a one-time pad does this
- more practically Shannon suggested combining S & P elements to obtain:
- **diffusion** – dissipates statistical structure of plaintext over bulk of ciphertext
- **confusion** – makes relationship between ciphertext and key as complex as possible

# Feistel Cipher Structure

- Horst Feistel devised the **feistel cipher**
  - based on concept of invertible product cipher
- partitions input block into two halves
  - process through multiple rounds which
  - perform a substitution on left data half
  - based on round function of right half & subkey
  - then have permutation swapping halves
- implements Shannon's S-P net concept

# Feistel Cipher Structure



# Feistel Cipher Design Elements

- block size
- key size
- number of rounds
- subkey generation algorithm
- round function
- fast software en/decryption
- ease of analysis

# Data Encryption Standard

- Open DES

# DES Example

Round	$K_i$	$L_i$	$R_i$
IP		5a005a00	3cf03c0f
1	1e030f03080d2930	3cf03c0f	bad22845
2	0a31293432242318	bad22845	99e9b723
3	23072318201d0c1d	99e9b723	0bae3b9e
4	05261d3824311a20	0bae3b9e	42415649
5	3325340136002c25	42415649	18b3fa41
6	123a2d0d04262a1c	18b3fa41	9616fe23
7	021f120b1c130611	9616fe23	67117cf2
8	1c10372a2832002b	67117cf2	c11bf09
9	04292a380c341f03	c11bf09	887fb06c
10	2703212607280403	887fb06c	600f7e8b
11	2826390c31261504	600f7e8b	f596506e
12	12071c241a0a0f08	f596506e	738538b8
13	300935393c0d100b	738538b8	c6a62c4e
14	311e09231321182a	c6a62c4e	56b0bd75
15	283d3e0227072528	56b0bd75	75e8fd8f
16	2921080b13143025	75e8fd8f	25896490
IP <sup>-1</sup>		da02ce3a	89ecac3b

# Avalanche in DES

Round		$\delta$	Round		$\delta$
	02468aceeca86420 12468aceeca86420	1	9	c11bfc09887fbc6c 99f911532eed7d94	32
1	3cf03c0fbad22845 3cf03c0fbad32845	1	10	887fbc6c600f7e8b 2eed7d94d0f23094	34
2	bad2284599e9b723 bad3284539a9b7a3	5	11	600f7e8bf596506e d0f23094455da9c4	37
3	99e9b7230bae3b9e 39a9b7a3171cb8b3	18	12	f596506e738538b8 455da9c47f6e3cf3	31
4	0bae3b9e42415649 171cb8b3ccaca55e	34	13	738538b8c6a62c4e 7f6e3cf34bc1a8d9	29
5	4241564918b3fa41 ccaca55ed16c3653	37	14	c6a62c4e56b0bd75 4bc1a8d91e07d409	33
6	18b3fa419616fe23 d16c3653cf402c68	33	15	56b0bd7575e8fd8f 1e07d4091ce2e6dc	31
7	9616fe2367117cf2 cf402c682b2cefbc	32	16	75e8fd8f25896490 1ce2e6dc365e5f59	32
8	67117cf2c11bfc09 2b2cefbc99f91153	33	IP <sup>-1</sup>	da02ce3a89ecac3b 057cde97d7683f2a	32

# Avalanche Effect

- key desirable property of encryption alg
- where a change of **one** input or key bit results in changing approx **half** output bits
- making attempts to “home-in” by guessing keys impossible
- DES exhibits strong avalanche

# Strength of DES – Key Size

- 56-bit keys have  $2^{56} = 7.2 \times 10^{16}$  values
- brute force search looks hard
- recent advances have shown is possible
  - in 1997 on Internet in a few months
  - in 1998 on dedicated h/w (EFF) in a few days
  - in 1999 above combined in 22hrs!
- still must be able to recognize plaintext
- must now consider alternatives to DES

# Strength of DES – Analytic Attacks

- now have several analytic attacks on DES
- these utilise some deep structure of the cipher
  - by gathering information about encryptions
  - can eventually recover some/all of the sub-key bits
  - if necessary then exhaustively search for the rest
- generally these are statistical attacks
  - differential cryptanalysis
  - linear cryptanalysis
  - related key attacks

# Strength of DES – Timing Attacks

- attacks actual implementation of cipher
- use knowledge of consequences of implementation to derive information about some/all subkey bits
- specifically use fact that calculations can take varying times depending on the value of the inputs to it
- particularly problematic on smartcards

# Block Cipher Design

- basic principles still like Feistel's in 1970's
- number of rounds
  - more is better, exhaustive search best attack
- function f:
  - provides "confusion", is nonlinear, avalanche
  - have issues of how S-boxes are selected
- key schedule
  - complex subkey creation, key avalanche

# Summary

- have considered:
  - block vs stream ciphers
  - Feistel cipher design & structure
  - DES
    - details
    - strength
  - Differential & Linear Cryptanalysis
  - block cipher design principles