

Cucumber Report

24-Oct-2023, 11:26:32 am

Start : Oct 24, 11:24:49.175 am

End : Oct 24, 11:26:32.240 am

Duration : 1 m 43.065 s

Features



Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 7
FAILED - 2
SKIPPED - 0


PASSED - 86
FAILED - 2
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>User navigate to Queue data structure Page and try different operations on Queues</u>	1 m 43.065 s	9	7	2	0	88	86	2	0

#	Feature Name	Scenario Name
1	<u>User navigate to Queue data structure Page and try different operations on Queues</u>	<u>User navigate to queue data structure page and validate operations on queue page</u>
2		<u>User navigate to queue data structure page and validate operations on queue page for invalid code</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@queue	9	7	2	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	User navigate to Queue data structure Page and try different operations on Queues	9	7	2	0	1 m 43.065 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>User navigate to Queue data structure Page and try different operations on *</u>	<u>User navigate to queue data structure page and validate operations on queue page</u>	10	10	0	0	13.931 s
2		<u>User navigate to queue data structure page and validate operations on queue page</u>	10	10	0	0	11.674 s
3		<u>User navigate to queue data structure page and validate operations on queue page</u>	10	9	1	0	9.865 s
4		<u>User navigate to queue data structure page and validate operations on queue page</u>	10	10	0	0	12.918 s
5		<u>User navigate to queue data structure page and validate practice questions page</u>	8	8	0	0	6.764 s
6		<u>User navigate to queue data structure page and validate operations on queue page for invalid code</u>	10	10	0	0	9.495 s
7		<u>User navigate to queue data structure page and validate operations on queue page for invalid code</u>	10	9	1	0	13.031 s



* The feature name and/or scenario name has been cropped to fit in the available space.





#	Feature Name	Scenario Name	T	P	F	S	Duration
8	<u>User navigate to Queue data structure Page and try different operations on *</u>	<u>User navigate to queue data structure page and validate operations on queue page</u>	10	10	0	0	13.757 s
9		<u>User navigate to queue data structure page and validate operations on queue page</u>	10	10	0	0	11.421 s

* The feature name and/or scenario name has been cropped to fit in the available space.

User navigate to Queue data structure Page and try different operations on Queues

FAILED	DURATION - 1 m 43.065 s	Scenarios Total - 9 Pass - 7 Fail - 2 Skip - 0		Steps Total - 88 Pass - 86 Fail - 2 Skip - 0	
/ 11:24:49.175 am // 11:26:32.240 am /					

User navigate to queue data structure page and validate operations on queue page

<div>PASSED</div> <div>DURATION - 13.931 s</div>	<div></div>	<div>Steps</div> <div>Total - 10</div> <div>Pass - 10</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 11:24:49.180 am // 11:25:03.111 am /</div>			
<div>User navigate to Queue data structure Page and try different operations on Queues</div>			
<div>@queue</div>			

#	Step / Hook Details	Status	Duration
1	Given The user is on signin page	PASSED	2.361 s
2	When The user enter sheet "Sheet1" and 4	PASSED	0.720 s
3	And click login button	PASSED	0.822 s
4	When User click Get Started button for the queue card	PASSED	0.722 s
5	Then User should redirected to queue page	PASSED	0.020 s
6	When User click implementation of queue in python link	PASSED	0.681 s
7	And User click Try Here button	PASSED	4.959 s
8	Then User should be redirected to try Text Editor page	PASSED	0.042 s
9	When User enter python code "Sheet1" in tryEditor 4 and click run button	PASSED	0.227 s
10	Then User should see code executed successfully	PASSED	0.023 s

User navigate to queue data structure page and validate operations on queue page


PASSED	DURATION - 11.674 s		Steps Total - 10 Pass - 10 Fail - 0 Skip - 0	
/ 11:25:03.215 am // 11:25:14.889 am /				
User navigate to Queue data structure Page and try different operations on Queues				
@queue				

#	Step / Hook Details	Status	Duration
1	Given The user is on signin page	PASSED	1.952 s
2	When The user enter sheet "Sheet1" and 4	PASSED	0.265 s
3	And click login button	PASSED	0.836 s
4	When User click Get Started button for the queue card	PASSED	0.689 s
5	Then User should redirected to queue page	PASSED	0.009 s
6	When User click implementation using collections link	PASSED	0.720 s
7	And User click Try Here button	PASSED	5.123 s
8	Then User should be redirected to try Text Editor page	PASSED	0.037 s
9	When User enter python code "Sheet1" in tryEditor 4 and click run button	PASSED	0.189 s
10	Then User should see code executed successfully	PASSED	0.022 s



User navigate to queue data structure page and validate operations on queue page

FAILED	DURATION - 9.865 s		Steps Total - 10 Pass - 9 Fail - 1 Skip - 0	
/ 11:25:14.906 am // 11:25:24.771 am /				
User navigate to Queue data structure Page and try different operations on Queues				
@queue				

#	Step / Hook Details	Status	Duration
1	Given The user is on signin page	PASSED	2.053 s
2	When The user enter sheet "Sheet1" and 4	PASSED	0.194 s
3	And click login button	PASSED	0.822 s

#	Step / Hook Details	Status	Duration
4	When User click Get Started button for the queue card	PASSED	0.853 s
5	Then User should redirected to queue page	PASSED	0.009 s
6	When User click implementation using array link	PASSED	0.792 s
7	And User click Try Here button	PASSED	2.311 s
8	Then User should be redirected to try Text Editor page	PASSED	0.022 s
9	When User enter python code "Sheet1" in tryEditor 4 and click run button	PASSED	0.207 s
10	Then User should see code executed successfully	FAILED	0.033 s
	<pre>java.lang.AssertionError: expected [] but found [hello] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:656) at org.testng.Assert.assertEquals(Assert.java:666) at stepDefinitions.dataStructureSteps.user_should_see_code_executed_successfully(dataStructureSteps.java:136) at ?.User should see code executed successfully(file:///Users/praveenkumarsharma/eclipse-workspace/justdsalgo/src/test/resources/features/queue.feature:52) * Not displayable characters are replaced by '?'. </pre>		
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.848 s
	User navigate to queue data structure page and validate operations on queue page		
			

User navigate to queue data structure page and validate operations on queue page

PASSED	DURATION - 12.918 s		Steps Total - 10 Pass - 10 Fail - 0 Skip - 0	
/ 11:25:24.786 am // 11:25:37.704 am /				
User navigate to Queue data structure Page and try different operations on Queues				
@queue				

#	Step / Hook Details	Status	Duration
1	Given The user is on signin page	PASSED	2.008 s
2	When The user enter sheet "Sheet1" and 4	PASSED	0.200 s
3	And click login button	PASSED	0.874 s
4	When User click Get Started button for the queue card	PASSED	0.715 s
5	Then User should redirected to queue page	PASSED	0.014 s
6	When User click queue operations link	PASSED	0.683 s
7	And User click Try Here button	PASSED	6.316 s
8	Then User should be redirected to try Text Editor page	PASSED	0.026 s
9	When User enter python code "Sheet1" in tryEditor 4 and click run button	PASSED	0.208 s
10	Then User should see code executed successfully	PASSED	0.023 s

User navigate to queue data structure page and validate practice questions page

PASSED	DURATION - 6.764 s	<table border="1"><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>2.008</td></tr><tr><td>2</td><td>0.200</td></tr><tr><td>3</td><td>0.874</td></tr><tr><td>4</td><td>0.715</td></tr><tr><td>5</td><td>0.014</td></tr><tr><td>6</td><td>0.683</td></tr><tr><td>7</td><td>6.316</td></tr><tr><td>8</td><td>0.026</td></tr></tbody></table>	Step	Duration (s)	1	2.008	2	0.200	3	0.874	4	0.715	5	0.014	6	0.683	7	6.316	8	0.026	Steps Total - 8 Pass - 8 Fail - 0 Skip - 0	<div>8</div>
Step	Duration (s)																					
1	2.008																					
2	0.200																					
3	0.874																					
4	0.715																					
5	0.014																					
6	0.683																					
7	6.316																					
8	0.026																					
/ 11:25:37.719 am // 11:25:44.483 am /																						
User navigate to Queue data structure Page and try different operations on Queues																						
@queue																						

#	Step / Hook Details	Status	Duration
1	Given The user is on signin page	PASSED	1.931 s
2	When The user enter sheet "Sheet1" and 4	PASSED	0.191 s
3	And click login button	PASSED	0.874 s
4	When User click Get Started button for the queue card	PASSED	0.801 s
5	Then User should redirected to queue page	PASSED	0.012 s
6	When User click implementation of queue in python link	PASSED	0.740 s
7	Then User click practice questions link on implementation of queue in python page	PASSED	0.389 s
8	Then User validates the queue title	PASSED	0.012 s

User navigate to queue data structure page and validate operations on queue page for invalid code

PASSED	DURATION - 9.495 s		Steps Total - 10 Pass - 10 Fail - 0 Skip - 0	
/ 11:25:44.496 am // 11:25:53.991 am /				
User navigate to Queue data structure Page and try different operations on Queues				
@queue				


#	Step / Hook Details	Status	Duration
1	Given The user is on signin page	PASSED	1.933 s
2	When The user enter sheet "Sheet1" and 3	PASSED	0.187 s
3	And click login button	PASSED	0.868 s
4	When User click Get Started button for the queue card	PASSED	0.707 s
5	Then User should redirected to queue page	PASSED	0.012 s
6	When User click implementation of queue in python link	PASSED	0.655 s
7	And User click Try Here button	PASSED	3.073 s
8	Then User should be redirected to try Text Editor page	PASSED	0.036 s
9	When User enter invalid python code "Sheet1" in tryEditor 3 and click run button	PASSED	0.199 s
10	Then User should get error message alert window	PASSED	0.013 s

User navigate to queue data structure page and validate operations on queue page for invalid code



FAILED	DURATION - 13.031 s		Steps Total - 10 Pass - 9 Fail - 1 Skip - 0	
/ 11:25:54.003 am // 11:26:07.034 am /				
User navigate to Queue data structure Page and try different operations on Queues				
@queue				

#	Step / Hook Details	Status	Duration
1	Given The user is on signin page	PASSED	1.906 s
2	When The user enter sheet "Sheet1" and 3	PASSED	0.192 s
3	And click login button	PASSED	0.852 s

#	Step / Hook Details	Status	Duration
4	When User click Get Started button for the queue card	PASSED	0.828 s
5	Then User should redirected to queue page	PASSED	0.010 s
6	When User click implementation using collections link	PASSED	0.680 s
7	And User click Try Here button	PASSED	5.820 s
8	Then User should be redirected to try Text Editor page	PASSED	0.021 s
9	When User enter invalid python code "Sheet1" in tryEditor 3 and click run button	PASSED	0.169 s
10	Then User should get error message alert window	FAILED	0.009 s
	<p>org.openqa.selenium.NoAlertPresentException: no such alert (Session info: chrome=118.0.5993.88) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '13.5.1', java.version: '20.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5726a10e11d9abdfdc7950a75c6986ef, getAlertText {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 118.0.5993.88, chrome: {chromedriverVersion: 118.0.5993.70 (e52f33f30b91..., userDataDir: /var/folders/45/nx7hh1fx2qq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57858}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se.cdp: ws://localhost:57858/devtoo..., se.cdpVersion: 118.0.5993.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 20000, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5726a10e11d9abdfdc7950a75c6986ef</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteTargetLocator.alert(RemoteWebDriver.java:1191) at pageObjects.dataStructure.verifyEditorErrorMessage(dataStructure.java:78) at stepDefinitions.dataStructureSteps.user_should_get_error_message_alert_window(dataStructureSteps.java:96) at ?.User should get error message alert window(file:///Users/praveenkumarsharma/eclipse-workspace/justdsalgo/src/test/resources/features/queue.feature:122) * Not displayable characters are replaced by '?'. </p>		
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.891 s
	User navigate to queue data structure page and validate operations on queue page for invalid code		

#	Step / Hook Details	Status	Duration
			

User navigate to queue data structure page and validate operations on queue page

<div>PASSED</div>	<div>DURATION - 13.757 s</div>	<div></div>	<div>Steps</div> <div>Total - 10</div> <div>Pass - 10</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 11:26:07.048 am // 11:26:20.805 am /</div>				
<div>User navigate to Queue data structure Page and try different operations on Queues</div>				
<div>@queue</div>				

#	Step / Hook Details	Status	Duration
1	Given The user is on signin page	PASSED	1.897 s
2	When The user enter sheet "Sheet1" and 3	PASSED	0.201 s
3	And click login button	PASSED	0.807 s
4	When User click Get Started button for the queue card	PASSED	0.748 s
5	Then User should redirected to queue page	PASSED	0.015 s
6	When User click implementation using array link	PASSED	0.721 s
7	And User click Try Here button	PASSED	7.187 s
8	Then User should be redirected to try Text Editor page	PASSED	0.023 s
9	When User enter invalid python code "Sheet1" in tryEditor 3 and click run button	PASSED	0.199 s
10	Then User should get error message alert window	PASSED	0.011 s

User navigate to queue data structure page and validate operations on queue page

PASSED	DURATION - 11.421 s	<table border="1"> <caption>Step Durations (s)</caption> <thead> <tr> <th>Step</th> <th>Duration (s)</th> </tr> </thead> <tbody> <tr><td>1</td><td>1.874</td></tr> <tr><td>2</td><td>0.210</td></tr> <tr><td>3</td><td>0.837</td></tr> <tr><td>4</td><td>0.811</td></tr> <tr><td>5</td><td>0.011</td></tr> <tr><td>6</td><td>0.714</td></tr> <tr><td>7</td><td>4.940</td></tr> <tr><td>8</td><td>0.023</td></tr> <tr><td>9</td><td>0.188</td></tr> <tr><td>10</td><td>0.011</td></tr> </tbody> </table>	Step	Duration (s)	1	1.874	2	0.210	3	0.837	4	0.811	5	0.011	6	0.714	7	4.940	8	0.023	9	0.188	10	0.011	Steps Total - 10 Pass - 10 Fail - 0 Skip - 0	
Step	Duration (s)																									
1	1.874																									
2	0.210																									
3	0.837																									
4	0.811																									
5	0.011																									
6	0.714																									
7	4.940																									
8	0.023																									
9	0.188																									
10	0.011																									
/ 11:26:20.819 am // 11:26:32.240 am /																										
User navigate to Queue data structure Page and try different operations on Queues																										
@queue																										

#	Step / Hook Details	Status	Duration
1	Given The user is on signin page	PASSED	1.874 s
2	When The user enter sheet "Sheet1" and 3	PASSED	0.210 s
3	And click login button	PASSED	0.837 s
4	When User click Get Started button for the queue card	PASSED	0.811 s
5	Then User should redirected to queue page	PASSED	0.011 s
6	When User click queue operations link	PASSED	0.714 s
7	And User click Try Here button	PASSED	4.940 s
8	Then User should be redirected to try Text Editor page	PASSED	0.023 s
9	When User enter invalid python code "Sheet1" in tryEditor 3 and click run button	PASSED	0.188 s
10	Then User should get error message alert window	PASSED	0.011 s