

Cucumber Report

24-Oct-2023, 11:00:50 am

Start : Oct 24, 10:59:54.938 am

End : Oct 24, 11:00:49.528 am

Duration : 54.590 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 2
FAILED - 2
SKIPPED - 0


PASSED - 36
FAILED - 2
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>User navigate to Array data structure Page and try different operations on Arrays</u>	54.590 s	4	2	2	0	38	36	2	0

#	Feature Name	Scenario Name
1	<u>User navigate to Array data structure Page and try different operations on Arrays</u>	<u>User navigate to Array data structure page and try practice questions</u>
2		<u>User navigate to Array data structure page and try practice questions with invalid code</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@array	4	2	2	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	User navigate to Array data structure Page and try different operations on Arrays	4	2	2	0	54.590 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>User navigate to Array data structure Page and try different operations on *</u>	<u>User navigate to Array data structure page and try print valid python code</u>	10	10	0	0	17.331 s
2		<u>User navigate to Array data structure page and try practice questions</u>	9	8	1	0	14.945 s
3		<u>User navigate to Array data structure page and try print invalid python code</u>	10	10	0	0	9.563 s
4		<u>User navigate to Array data structure page and try practice questions with invalid code</u>	9	8	1	0	12.597 s

* The feature name and/or scenario name has been cropped to fit in the available space.

User navigate to Array data structure Page and try different operations on Arrays

FAILED	DURATION - 54.590 s	Scenarios Total - 4 Pass - 2 Fail - 2 Skip - 0		Steps Total - 38 Pass - 36 Fail - 2 Skip - 0	
/ 10:59:54.938 am // 11:00:49.528 am /					

User navigate to Array data structure page and try print valid python code

<div>PASSED</div>	<div>DURATION - 17.331 s</div>	<div></div>	<div>Steps</div> <div>Total - 10</div> <div>Pass - 10</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:59:54.945 am // 11:00:12.276 am /</div>				
<div>User navigate to Array data structure Page and try different operations on Arrays</div>				
<div>@array</div>				



#	Step / Hook Details	Status	Duration
1	Given The user is on signin page	PASSED	2.400 s
2	When The user enter sheet "Sheet1" and 4	PASSED	0.855 s
3	And click login button	PASSED	0.892 s
4	When User click Get Started button for Array card	PASSED	1.148 s
5	Then User should redirected to Array page	PASSED	0.010 s
6	When User click arrays in python link	PASSED	1.737 s
7	And User click Try Here button	PASSED	5.693 s
8	Then User should be redirected to try Text Editor page	PASSED	0.024 s
9	When User enter python code "Sheet1" in tryEditor 4 and click run button	PASSED	0.250 s
10	Then User should see code executed successfully	PASSED	0.022 s

User navigate to Array data structure page and try practice questions

FAILED	DURATION - 14.945 s	<table border="1"> <caption>Step Durations (s)</caption> <thead> <tr> <th>Step</th> <th>Duration (s)</th> </tr> </thead> <tbody> <tr><td>1</td><td>2.141</td></tr> <tr><td>2</td><td>0.366</td></tr> <tr><td>3</td><td>0.881</td></tr> <tr><td>4</td><td>0.930</td></tr> <tr><td>5</td><td>0.008</td></tr> <tr><td>6</td><td>0.741</td></tr> <tr><td>7</td><td>7.353</td></tr> <tr><td>8</td><td>0.261</td></tr> <tr><td>9</td><td>0.024</td></tr> </tbody> </table>	Step	Duration (s)	1	2.141	2	0.366	3	0.881	4	0.930	5	0.008	6	0.741	7	7.353	8	0.261	9	0.024	Steps Total - 9 Pass - 8 Fail - 1 Skip - 0	
Step	Duration (s)																							
1	2.141																							
2	0.366																							
3	0.881																							
4	0.930																							
5	0.008																							
6	0.741																							
7	7.353																							
8	0.261																							
9	0.024																							
/ 11:00:12.390 am // 11:00:27.335 am /																								
User navigate to Array data structure Page and try different operations on Arrays																								
@array																								

#	Step / Hook Details	Status	Duration
1	Given The user is on signin page	PASSED	2.141 s
2	When The user enter sheet "Sheet1" and 4	PASSED	0.366 s
3	And click login button	PASSED	0.881 s
4	When User click Get Started button for Array card	PASSED	0.930 s
5	Then User should redirected to Array page	PASSED	0.008 s
6	When User click arrays in python link	PASSED	0.741 s
7	Then User navigate to practice search the array question	PASSED	7.353 s
8	When User enter python code "Sheet1" in tryEditor 4 and click run button	PASSED	0.261 s
9	Then User should see code executed successfully	FAILED	0.024 s
	org.openqa.selenium.UnhandledAlertException: unexpected alert open: {Alert text : SyntaxError: bad input on line 3} (Session info: chrome=118.0.5993.88): SyntaxError: bad input on line 3 Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '13.5.1', java.version: '20.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b3edd64a378aa3c386b6624b96da5626, findElement {using=xpath, value=//*[@id='output']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 118.0.5993.88, chrome: {chromedriverVersion: 118.0.5993.70 (e52f33f30b91..., userDataDir: /var/folders/45/nx7hh1fx2qq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56894}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se.cdp: ws://localhost:56894/devtoo..., se.cdpVersion: 118.0.5993.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 20000, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b3edd64a378aa3c386b6624b96da5626 at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)		

User navigate to Array data structure page and try practice questions with invalid code

<div>FAILED</div> <div>DURATION - 12.597 s</div>	<div></div>	<div>Steps</div> <div>Total - 9</div> <div>Pass - 8</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 11:00:36.931 am // 11:00:49.528 am /</div>			
<div>User navigate to Array data structure Page and try different operations on Arrays</div>			
<div>@array</div>			

#	Step / Hook Details	Status	Duration
1	Given The user is on signin page	PASSED	1.944 s
2	When The user enter sheet "Sheet1" and 3	PASSED	0.179 s
3	And click login button	PASSED	0.796 s
4	When User click Get Started button for Array card	PASSED	1.005 s
5	Then User should redirected to Array page	PASSED	0.008 s
6	When User click arrays in python link	PASSED	1.080 s
7	Then User navigate to practice search the array question	PASSED	5.692 s
8	When User enter invalid python code "Sheet1" in tryEditor 3 and click run button	PASSED	0.321 s
9	Then User should get error message alert window	FAILED	0.011 s
	<pre>java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertTrue(Assert.java:57) at org.testng.Assert.assertTrue(Assert.java:67) at stepDefinitions.dataStructureSteps.user_should_get_error_message_alert_window(dataStructureSteps.java:96) at ?.User should get error message alert window(file:///Users/praveenkumarsharma/eclipse-workspace/justdsalgo/src/test/resources/features/array.feature:68) * Not displayable characters are replaced by '?'. </pre>		
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.006 s
	<pre>org.openqa.selenium.UnhandledAlertException: unexpected alert open: {Alert text : SyntaxError: bad input on line 3} (Session info: chrome=118.0.5993.88): SyntaxError: bad input on line 3 Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '13.5.1', java.version: '20.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [dbf354e8d2dcabbecc8f3a3c7299ac5c, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 118.0.5993.88, chrome: {chromedriverVersion: 118.0.5993.70 (e52f33f30b91..., userDataDir: /var/folders/45/nx7hh1fx2qq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56947}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:56947/devtoo..., se:cdpVersion: 118.0.5993.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 20000, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: </pre>		

#	Step / Hook Details	Status	Duration
	true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: dbf354e8d2dcabbecc8f3a3c7299ac5c at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:325) at stepDefinitions.Hooks.tearDown(Hooks.java:22)		