Cucumber Report

| *Start : Oct 23, 5:35:16.941 pm*	*End : Oct 23, 5:36:01.284 pm*	*Duration : 44.343 s*
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 2 FAILED - 2 SKIPPED - 0	PASSED - 36 FAILED - 2 SKIPPED - 0

Features: 1

Scenarios: 4

Steps: 38

Pass %: 0 %

Pass %: 50 %

Pass %: 94 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
User navigate to Array data structure Page and try different operations on Arrays	44.343 s	4	2	2	0	38	36	2	0

#	Feature Name	Scenario Name
1	*User navigate to Array data structure Page and try different operations on Arrays*	*User navigate to Array data structure page and try practice questions*
2		*User navigate to Array data structure page and try practice questions with invalid code*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@array	4	2	2	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	User navigate to Array data structure Page and try different operations on Arrays	4	2	2	0	44.343 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	*User navigate to Array data structure Page and try different operations on* *	*User navigate to Array data structure page and try print valid python code*	10	10	0	0	13.109 s
2		*User navigate to Array data structure page and try practice questions*	9	8	1	0	11.808 s
3		*User navigate to Array data structure page and try print invalid python code*	10	10	0	0	9.574 s
4		*User navigate to Array data structure page and try practice questions with invalid code*	9	8	1	0	9.733 s

* The feature name and/or scenario name has been cropped to fit in the available space.

User navigate to Array data structure Page and try different operations on Arrays

FAILED	DURATION - 44.343 s			
/ 5:35:16.941 pm // 5:36:01.284 pm /		Scenarios Total - 4 Pass - 2 Fail - 2 Skip - 0	4	Steps Total - 38 Pass - 36 Fail - 2 Skip - 0	38

User navigate to Array data structure page and try print valid python code

PASSED	DURATION - 13.109 s		
/ 5:35:16.946 pm // 5:35:30.055 pm /			
User navigate to Array data structure Page and try different operations on Arrays		Steps Total - 10 Pass - 10 Fail - 0 Skip - 0	10
@array			

| #	Step / Hook Details	Status	Duration
1	Given The user is on signin page	PASSED	2.346 s
2	When The user enter sheet "Sheet1" and 4	PASSED	0.935 s
3	And click login button	PASSED	0.946 s
4	When User click Get Started button for Array card	PASSED	0.989 s
5	Then User should redirected to Array page	PASSED	0.010 s
6	When User click arrays in python link	PASSED	1.222 s
7	And User click Try Here button	PASSED	2.586 s
8	Then User should be redirected to try Text Editor page	PASSED	0.028 s
9	When User enter python code "Sheet1" in tryEditor 4 and click run button	PASSED	0.254 s
10	Then User should see code executed successfully	PASSED	0.027 s

User navigate to Array data structure page and try practice questions

FAILED	DURATION - 11.808 s

/ 5:35:30.142 pm // 5:35:41.950 pm /

User navigate to Array data structure Page and try different operations on Arrays

@array

Steps
Total - 9
Pass - 8
Fail - 1
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given The user is on signin page	PASSED	1.987 s
2	When The user enter sheet "Sheet1" and 5	PASSED	0.199 s
3	And click login button	PASSED	0.820 s
4	When User click Get Started button for Array card	PASSED	1.069 s
5	Then User should redirected to Array page	PASSED	0.006 s
6	When User click arrays in python link	PASSED	0.821 s
7	Then User navigate to practice search the array question	PASSED	3.817 s
8	When User enter python code "Sheet1" in tryEditor 5 and click run button	PASSED	0.879 s
9	Then User should see code executed successfully	FAILED	0.025 s
	org.openqa.selenium.UnhandledAlertException: unexpected alert open: {Alert text : SyntaxError: bad input on line 8} (Session info: chrome=118.0.5993.88): SyntaxError: bad input on line 8 Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '13.5.1', java.version: '20.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [965852a0b19ddbbf960c53cf94b951df, findElement {using=xpath, value=//*[@id='output']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 118.0.5993.88, chrome: {chromedriverVersion: 118.0.5993.70 (e52f33f30b91..., userDataDir: /var/folders/45/nx7hh1fx2qq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53803}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:53803/devtoo..., se:cdpVersion: 118.0.5993.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 965852a0b19ddbbf960c53cf94b951df at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)		

#	Step / Hook Details	Status	Duration
	at pageObjects.dataStructure.getCodeExecuteResult(dataStructure.java:84) at stepDefinitions.dataStructureSteps.user_should_see_code_executed_successfully(dataStructureSteps.java:136) at ?.User should see code executed successfully(file:///Users/praveenkumarsharma/eclipse-workspace/justdsalgo/src/test/resources/features/array.feature:32) * Not displayable characters are replaced by '?'.		
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario) User navigate to Array data structure page and try practice questions 	PASSED	0.538 s

User navigate to Array data structure page and try print invalid python code

PASSED	DURATION - 9.574 s		
/ 5:35:41.965 pm // 5:35:51.539 pm /			
User navigate to Array data structure Page and try different operations on Arrays			
@array			

Steps
Total - 10
Pass - 10
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on signin page	PASSED	2.014 s
2	When The user enter sheet "Sheet1" and 3	PASSED	0.225 s
3	And click login button	PASSED	0.844 s
4	When User click Get Started button for Array card	PASSED	1.014 s
5	Then User should redirected to Array page	PASSED	0.007 s
6	When User click arrays in python link	PASSED	0.752 s
7	And User click Try Here button	PASSED	2.613 s
8	Then User should be redirected to try Text Editor page	PASSED	0.032 s
9	When User enter invalid python code "Sheet1" in tryEditor 3 and click run button	PASSED	0.226 s
10	Then User should get error message alert window	PASSED	0.014 s

User navigate to Array data structure page and try practice questions with invalid code

FAILED	DURATION - 9.733 s
/ 5:35:51.551 pm // 5:36:01.284 pm /	
User navigate to Array data structure Page and try different operations on Arrays	
@array	

Steps
Total - 9
Pass - 8
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on signin page	PASSED	1.822 s
2	When The user enter sheet "Sheet1" and 3	PASSED	0.200 s
3	And click login button	PASSED	0.835 s
4	When User click Get Started button for Array card	PASSED	1.054 s
5	Then User should redirected to Array page	PASSED	0.009 s
6	When User click arrays in python link	PASSED	0.831 s
7	Then User navigate to practice search the array question	PASSED	3.145 s
8	When User enter invalid python code "Sheet1" in tryEditor 3 and click run button	PASSED	0.225 s
9	Then User should get error message alert window	FAILED	0.013 s

	java.lang.AssertionError: expected [true] but found [false]
	    at org.testng.Assert.fail(Assert.java:111)
	    at org.testng.Assert.failNotEquals(Assert.java:1578)
	    at org.testng.Assert.assertTrue(Assert.java:57)
	    at org.testng.Assert.assertTrue(Assert.java:67)
	    at stepDefinitions.dataStructureSteps.user_should_get_error_message_alert_window(dataStructureSteps.java:96)
	    at ?.User should get error message alert window(file:///Users/praveenkumarsharma/eclipse-workspace/justdsalgo/src/test/resources/features/array.feature:68)
	* Not displayable characters are replaced by '?'.		

	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.008 s
	org.openqa.selenium.UnhandledAlertException: unexpected alert open: {Alert text : SyntaxError: bad input on line 3} (Session info: chrome=118.0.5993.88): SyntaxError: bad input on line 3 Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '13.5.1', java.version: '20.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e357790ff48f6b191df42957fa98aae7, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 118.0.5993.88, chrome: {chromedriverVersion: 118.0.5993.70 (e52f33f30b91..., userDataDir: /var/folders/45/nx7hh1fx2qq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53862}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:53862/devtoo..., se:cdpVersion: 118.0.5993.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,		

#	Step / Hook Details	Status	Duration

	webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e357790ff48f6b191df42957fa98aae7
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679)
	    at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:325)
	    at stepDefinitions.Hooks.tearDown(Hooks.java:22)		