





**Project Development Phase**  
**SPRINT-4**

Date	10 November 2022
Team ID	PNT2022TMID00975
Project Name	IoT Based Safety Gadget for Child Safety Monitoring & Notification

Sprint-2	US-1	Configure the connection security and create API keys that are used in the Node-RED	10
Sprint-2	US-2	Service for accessing the IBM IoT platform. Create a Node-RED service.	10





Node-RED interface showing the "Edit function node" configuration. The node is named "Longitude node". The code in the "On Message" tab is:

```
1 msg.payload = msg.payload.Longitude
2 return msg;
```

The debug console shows the following message payloads:

```
msg.payload: Object
* { Latitude: -16, Longitude: -70 }

05/11/2022, 01:47:16 node: msg payload
lat-2@type/LocationId/PNT2022TMD00975/ev/ev/ev_1.htmljson:
msg.payload: Object
* { Latitude: 63, Longitude: -33 }

05/11/2022, 01:47:19 node: msg payload
lat-2@type/LocationId/PNT2022TMD00975/ev/ev/ev_1.htmljson:
msg.payload: Object
* { Latitude: 45, Longitude: -96 }

05/11/2022, 01:47:22 node: msg payload
lat-2@type/LocationId/PNT2022TMD00975/ev/ev/ev_1.htmljson:
msg.payload: Object
* { Latitude: -81, Longitude: 167 }

05/11/2022, 01:47:25 node: msg payload
lat-2@type/LocationId/PNT2022TMD00975/ev/ev/ev_1.htmljson:
msg.payload: Object
* { Latitude: 44, Longitude: -107 }

05/11/2022, 01:47:28 node: msg payload
lat-2@type/LocationId/PNT2022TMD00975/ev/ev/ev_1.htmljson:
```

Node-RED interface showing the "Edit gauge node" configuration. The node is named "Longitude node". The configuration is as follows:

- Group: [Home] child safety
- Size: auto
- Type: Gauge
- Label: Longitude
- Value format: {{value}}
- Units: units
- Range: min 0, max 10
- Colour gradient: [Green, Yellow, Red]
- Sectors: 0, optional, optional, 10
- Name:

The debug console shows the following message payloads:

```
msg.payload: Object
* { Latitude: -16, Longitude: -70 }

05/11/2022, 01:47:16 node: msg payload
lat-2@type/LocationId/PNT2022TMD00975/ev/ev/ev_1.htmljson:
msg.payload: Object
* { Latitude: 63, Longitude: -33 }

05/11/2022, 01:47:19 node: msg payload
lat-2@type/LocationId/PNT2022TMD00975/ev/ev/ev_1.htmljson:
msg.payload: Object
* { Latitude: 45, Longitude: -96 }

05/11/2022, 01:47:22 node: msg payload
lat-2@type/LocationId/PNT2022TMD00975/ev/ev/ev_1.htmljson:
msg.payload: Object
* { Latitude: -81, Longitude: 167 }

05/11/2022, 01:47:25 node: msg payload
lat-2@type/LocationId/PNT2022TMD00975/ev/ev/ev_1.htmljson:
msg.payload: Object
* { Latitude: 44, Longitude: -107 }

05/11/2022, 01:47:28 node: msg payload
lat-2@type/LocationId/PNT2022TMD00975/ev/ev/ev_1.htmljson:
```

Node-RED interface showing the "Edit function node" configuration. The node is named "Latitude node" and is configured to run "On Message". The function code is:

```
1 msg.payload = msg.payload.Latitude
2 return msg;
```

The debug console shows the following log entries:

```
msg.payload : Object
  { Latitude: -16, Longitude: -70 }
05/11/2022, 01:47:16 node: msg payload
lat-2?type=LocationId/PNT2022TMD00975?event_1/fmt/json:
msg payload : Object
  { Latitude: 63, Longitude: -33 }
05/11/2022, 01:47:19 node: msg payload
lat-2?type=LocationId/PNT2022TMD00975?event_1/fmt/json:
msg payload : Object
  { Latitude: 45, Longitude: -96 }
05/11/2022, 01:47:22 node: msg payload
lat-2?type=LocationId/PNT2022TMD00975?event_1/fmt/json:
msg payload : Object
  { Latitude: -81, Longitude: 167 }
05/11/2022, 01:47:25 node: msg payload
lat-2?type=LocationId/PNT2022TMD00975?event_1/fmt/json:
msg payload : Object
  { Latitude: 44, Longitude: -107 }
05/11/2022, 01:47:28 node: msg payload
lat-2?type=LocationId/PNT2022TMD00975?event_1/fmt/json:
```

Node-RED interface showing the "Edit gauge node" configuration. The node is named "Latitude node" and is configured to run "On Message". The gauge is configured with the following properties:

- Group: [Home] child safety
- Size: auto
- Type: Gauge
- Label: Latitude
- Value format: {{value}}
- Units: units
- Range: min 0 max 10
- Colour gradient: [Green, Yellow, Red]
- Sectors: 0 optional optional 10
- Name: Latitude node

The debug console shows the following log entries:

```
msg.payload : Object
  { Latitude: -16, Longitude: -70 }
05/11/2022, 01:47:16 node: msg payload
lat-2?type=LocationId/PNT2022TMD00975?event_1/fmt/json:
msg payload : Object
  { Latitude: 63, Longitude: -33 }
05/11/2022, 01:47:19 node: msg payload
lat-2?type=LocationId/PNT2022TMD00975?event_1/fmt/json:
msg payload : Object
  { Latitude: 45, Longitude: -96 }
05/11/2022, 01:47:22 node: msg payload
lat-2?type=LocationId/PNT2022TMD00975?event_1/fmt/json:
msg payload : Object
  { Latitude: -81, Longitude: 167 }
05/11/2022, 01:47:25 node: msg payload
lat-2?type=LocationId/PNT2022TMD00975?event_1/fmt/json:
msg payload : Object
  { Latitude: 44, Longitude: -107 }
05/11/2022, 01:47:28 node: msg payload
lat-2?type=LocationId/PNT2022TMD00975?event_1/fmt/json:
```

Node-RED interface showing a function node configuration and debug console output.

**Edit function node**

Properties: Name: httpfunctionnode

Setup | On Start | **On Message** | On Stop

```
1 msg.payload={"longitude":global.get(long)
2
3 "latitude": global.get(lati)}
4 return msg;
```

**debug**

msg payload: Object

- { Latitude: -16, Longitude: -70 }

05/11/2022, 01:47:16 node: msg payload  
iot-2?type=locationId/PNT2022TMID00975/ev/evnt\_1/fmt/json :  
msg payload: Object

object

- Latitude: 63
- Longitude: -33

05/11/2022, 01:47:19 node: msg payload  
iot-2?type=locationId/PNT2022TMID00975/ev/evnt\_1/fmt/json :  
msg payload: Object

- { Latitude: 45, Longitude: -96 }

05/11/2022, 01:47:22 node: msg payload  
iot-2?type=locationId/PNT2022TMID00975/ev/evnt\_1/fmt/json :  
msg payload: Object

- { Latitude: -81, Longitude: 167 }

05/11/2022, 01:47:25 node: msg payload  
iot-2?type=locationId/PNT2022TMID00975/ev/evnt\_1/fmt/json :  
msg payload: Object

- { Latitude: 44, Longitude: -107 }

05/11/2022, 01:47:28 node: msg payload  
iot-2?type=locationId/PNT2022TMID00975/ev/evnt\_1/fmt/json :  
msg payload: Object

Node-RED interface showing a function node configuration and debug console output.

**Edit function node**

Properties: Name: httpfunctionnode

Setup | On Start | **On Message** | On Stop

```
1 msg.payload = msg.payload.command
2 return msg;
```

**debug**

msg payload: Object

- { Latitude: -16, Longitude: -70 }

05/11/2022, 01:47:16 node: msg payload  
iot-2?type=locationId/PNT2022TMID00975/ev/evnt\_1/fmt/json :  
msg payload: Object

object

- Latitude: 63
- Longitude: -33

05/11/2022, 01:47:19 node: msg payload  
iot-2?type=locationId/PNT2022TMID00975/ev/evnt\_1/fmt/json :  
msg payload: Object

- { Latitude: 45, Longitude: -96 }

05/11/2022, 01:47:22 node: msg payload  
iot-2?type=locationId/PNT2022TMID00975/ev/evnt\_1/fmt/json :  
msg payload: Object

- { Latitude: -81, Longitude: 167 }

05/11/2022, 01:47:25 node: msg payload  
iot-2?type=locationId/PNT2022TMID00975/ev/evnt\_1/fmt/json :  
msg payload: Object

- { Latitude: 44, Longitude: -107 }

05/11/2022, 01:47:28 node: msg payload  
iot-2?type=locationId/PNT2022TMID00975/ev/evnt\_1/fmt/json :  
msg payload: Object

Node-RED

Deploy

Flow 1

network

http in

http response

http request

connected

Lat

Lat

http

Edit http in node

DeleteCancelDone

Properties

MethodGET

URL/control

NameName

debug

all nodesall

msg.payload: Object

\* { Latitude: -16, Longitude: -70 }

05/11/2022, 01:47:16 node: msg payload

lat-2/type/LocationId/PNT2022TMID00975/evt/event\_1/fmt/json

msg.payload: Object

object

Latitude: 63

Longitude: -33

05/11/2022, 01:47:19 node: msg payload

lat-2/type/LocationId/PNT2022TMID00975/evt/event\_1/fmt/json

msg.payload: Object

\* { Latitude: 45, Longitude: -96 }

05/11/2022, 01:47:22 node: msg payload

lat-2/type/LocationId/PNT2022TMID00975/evt/event\_1/fmt/json

msg.payload: Object

\* { Latitude: -81, Longitude: 167 }

05/11/2022, 01:47:25 node: msg payload

lat-2/type/LocationId/PNT2022TMID00975/evt/event\_1/fmt/json

msg.payload: Object

\* { Latitude: 44, Longitude: -107 }

05/11/2022, 01:47:26 node: msg payload

lat-2/type/LocationId/PNT2022TMID00975/evt/event\_1/fmt/json

msg.payload: Object

