

Main Figures

Arthur M. Albuquerque


May 31, 2021

All figures and tables in this document regards the mortality outcome.

Table 1


Study	Control			Tocilizumab		
	Events	Total	Risk (%)	Events	Total	Risk (%)
Not using corticosteroids						
RECOVERY	127	367	35	139	357	39
COVACTA	10	65	15	29	188	15
REMAP-CAP	9	36	25	6	37	16
Using corticosteroids						
RECOVERY	600	1721	35	482	1664	29
COVACTA	18	79	23	29	106	27
REMAP-CAP	134	361	37	102	358	28
Simple oxygen only						
RECOVERY	214	933	23	180	935	19
COVACTA	2	44	5	9	78	12
CORIMUNO-19	8	67	12	7	63	11
Non-invasive ventilation						
RECOVERY	366	867	42	310	819	38
COVACTA	12	39	31	18	94	19
REMAP-CAP	82	273	30	53	242	22
Salvarini	1	63	2	2	60	3
Invasive mechanical ventilation						
RECOVERY	149	294	51	131	268	49
COVACTA	14	55	25	31	113	27
REMAP-CAP	60	124	48	45	108	42

Figure 1




Point estimates depict the median and interval bars depict 95% highest density intervals.

Figure 2



Panels A and C: Point estimates depict the median. Interval bars depict the 80 and 95% highest density intervals. Panels B and D: Cumulative posterior distributions correspond to the probabilities that the risk difference (RD) is greater than or equal to the effect size on the X-axis. The colors in Panels B and D match the ones used in Panels A and C.

Figure 3




Point estimates depict the median. Interval bars depict the 80 and 95% highest density intervals.

Table 2

Underlying Prior	Propability of Harm			Probability of Benefit			
	Pr(< -5%)	Pr(< -2%)	Pr(< -1%)	Pr(> 0%)	Pr(> 1%)	Pr(> 2%)	Pr(> 5%)
Evidence-based	1	9	15	77	67	56	22
Non-informative	5	18	25	67	58	48	22
Skeptical	3	18	26	63	51	40	12
Optimistic	1	6	10	83	75	64	30
Pessimistic	11	38	50	38	27	18	4

Figure 4



Sensitivity analyses using multiple different baseline risks for subgroups on respiratory support. Each line represents the posterior probability of benefit for a specific cutoff, such as risk difference greater or equal to 0%, 1%, 2% and 5%. Vertical dashed lines represent the respective baseline risk (Table 1) used in other analyses.

Panel A shows results for simple oxygen only; Panel B shows results for non-invasive ventilation; Panel C shows results for invasive mechanical ventilation.