

Logo detection and recognition using CNN

by

Artykbayev Kamalkhan Serzhanovich

Submitted to the Faculty of Engineering and Natural Science

in partial fulfillment of

the requirements for the degree of

Bachelor

in

Suleyman Demirel University

June, 2018

ABSTRACT

LOGO DETECTION AND RECOGNITION USING CNN

Artykbayev Kamalkhan Serzhanovich

B.A. Thesis, 2018

Thesis supervisor: Senior Lecturer MSc. Konstantin Latuta

Keywords: Logo detection, Logo recognition, Computer Vision, Machine Learning, Convolution Neural Network, Classification, Recurrent Neural Network, Pattern Recognition, Object Recognition, Data augmentation

Logo detection and recognition continues to be of great interest to the document retrieval community as it enables effective identification of the source of a document. This paper contributes the design of the system able to detect the logo of any product from the documents and images after that recognize it from the archive via the convolutional neural network. For detecting and recognize of logos implemented via convolutional neural network, which creates initial classification to determine the presence of the logo on the document or image. As regards to the former, a collection of logos was designed and implemented to train the classifier, to identify and to extract the logo features which were eventually used for logo detection and recognition. The latter regards the detection of logos from an input image. In particular, the experimental study aimed to detect if the input image contains one or more logos and to decide which logos are contained.

ACKNOWLEDGEMENTS

I thank the merciful and all-knowing, for sparing my life in sound health and giving me the opportunity to accomplish this thesis.

I wish to express my deepest gratitude to my supervisor Senior Lecturer MSc. Konstantin Latuta for his guidance, advice, criticism, encouragement and insight throughout the research.

I am highly indebted to my parents for their encouragement, support and unlimited love.

Finally, i wish to extend a special thanks to my colleagues for their valuable support and company. They really made my life a fabulous one.

TABLE OF CONTENTS

ABSTRACT	i
ACKNOWLEDGEMENTS	ii
LIST OF SYMBOLS/ABBREVIATIONS	v
1. INTRODUCTION	1
1.1. Overview	1
1.2. Related Work	1
2. PROBLEM STATEMENT AND THESIS ORGANIZATION	2
2.1. Introduction	2
2.2. Statement of the Problem	2
2.3. Our Contributions	3
2.4. Thesis Organization	4
3. REVIEW OF DEEP LEARNING AND PATTERN RECOGNITION ALGORITHMS	5
3.1. Introduction	5
3.2. Computer Vision and Pattern Recognition	5
3.3. Image Segmentation Methods	5
3.3.1. Thresholding	6
3.3.2. Clustering Methods	6
3.3.3. Compression-based methods	6
3.3.4. Histogram-based methods	6
3.3.5. Edge detection	7
3.3.6. Dual clustering method	7
3.4. Supervised Learning	7
3.5. Optimization	8
3.6. Backpropagation	8
3.7. Neural Networks	8
3.7.1. Vanilla Neural Networks	8
3.7.2. Convolutional Neural Networks	9
3.7.3. Recurrent Neural Networks	9

3.7.4. Capsules Neural Networks	9
3.8. Summary	10
4. PROPOSED METHOD	11
4.1. Introduction	11
4.2. Review of Pipeline	11
4.2.1. Object Segmentation Method	11
4.2.2. Logo Recognition Training Framework	12
4.2.3. Logo Recognition Testing Framework	12
4.3. Review of Logos Dataset	12
4.4. Concept of Technologies and Frameworks	12
4.5. Summary	13
5. SIMULATION RESULTS	14
5.1. Introduction	14
5.2. Logos Dataset Preparing	14
5.3. Checking Image Segmentation and Object Proposal	14
5.4. Experiments on Training CNN	14
5.5. Evaluating CNN Performance for Segmented Images	15
5.6. Application Creating	15
5.7. Summary	15
6. CONCLUSIONS AND FUTURE WORK	16
6.1. Conclusion	16
6.2. Further work	17
REFERENCES	18

LIST OF SYMBOLS/ABBREVIATIONS

MSE	Mean-square-error
CNN	Convolutional neural network
RNN	Recurrent Neural Network
CV	Computer Vision
ML	Machine Learning
LRT	Learning Rate
Conv	Convolutional layer
Pool	Pooling layer
ReLU	Rectified Linear Unit
Softmax	Normalized Exponential Function
Sigm	Special case of logistic function

CHAPTER 1

INTRODUCTION

1.1. Overview

Object recognition and object detection are ones of the lasting and most important goals in the computer vision. Because this problem in a wide range of applications. For example, in copyright detection, contextual advertise placement, vehicle logo for intelligent AI-based traffic-control system and brand detecting in social medias. As well as these algorithms have many applications in location recognition, advertisement and marketing. [2], [3].

Praesent faucibus interdum posuere. Vivamus laoreet dolor sit amet purus aliquet, at scelerisque lorem dapibus. Nunc consequat sollicitudin lacinia. Phasellus dolor massa, vestibulum ac hendrerit at, pulvinar a nunc. Sed aliquam blandit sodales. Sed eget pellentesque elit, convallis sagittis felis. In ut nulla vitae justo mollis feugiat. Ut quis augue vel metus pharetra varius.

1.2. Related Work

Praesent faucibus interdum posuere. Vivamus laoreet dolor sit amet purus aliquet, at scelerisque lorem dapibus. Nunc consequat sollicitudin lacinia. Phasellus dolor massa, vestibulum ac hendrerit at, pulvinar a nunc. Sed aliquam blandit sodales. Sed eget pellentesque elit, convallis sagittis felis. In ut nulla vitae justo mollis feugiat. Ut quis augue vel metus pharetra varius.

CHAPTER 2

PROBLEM STATEMENT AND THESIS ORGANIZATION

2.1. Introduction

This chapter states the specific challenges that are mostly encountered in logo detection and logo recognition and our possible solution to overcome and solve some of challenges and problems. Below briefly explained the available methods and their consequence and then our most possible solution.

2.2. Statement of the Problem

Among the various applications of adaptive filtering techniques, echo cancellation is well known to be the most tricky one. This is so because its explicit nature represent a lot of challenges for any adaptive filter. There are quite a lot of issues related to this crucial application, among which a few are as follows. First, it is well known that the echo paths can have excessive lengths in time, e.g., up to or even more than hundreds of milliseconds. For instance, in network echo cancellation, the usual lengths are in the range between 32 and 128 milliseconds, while in acoustic echo cancellation, these lengths can be even higher [7]. As a result, long length adaptive filters are readily required (with hundreds or even thousands of coefficients), affecting the convergence rate of the adaptive algorithm. Alongside, the echo paths are time-variant systems, requiring efficient tracking abilities for the echo canceller. Second, the undesired echo signal is usually combined with the near-end signal; conceptually, the function of the adaptive filter here is to segregate this mixture and offer an estimate of the echo at its output along with an estimate of the near-end from the error signal. This is quite a difficult task since the near-end signal may include either or both the background noise and the near-end speech; this noise can also be variant and powerful while the near-end speech can be like a big disturbance. Also, the input of the adaptive filter is a times speech sequence, which is a time-varying and highly correlated signal that can affect the whole performance of adaptive algorithms. In addition, the echo path is sparse in nature, requiring adaptive algorithms with good sparsity exploitation properties.

Over the paste decades, numerous types of adaptive filters have been used for echo cancellation. The normalized least-mean-square (NLMS) algorithm is one of the most popular among them, due to its numerical stability and moderate computational complexity. However, its use of a uniform step-size across all filter

coefficients limits its convergence speed when estimating a sparse signal [16]. To overcome this problem, Duttweiler in [7] proposed a proportionate updating technique by assigning different step-sizes across filter taps independently to promote sparsity exploitation. Other approaches for sparsity exploitation apply subset selection scheme during the filtering process through statistical detection of active taps or sequential partial updating [34], [35]. However, both of these approaches are somewhat tricky and computationally complex whose performances degrade with the variation of sparseness level of the echo path. In addition, the aforementioned techniques fail to provide a satisfactory performance in a high correlated environment. The problem of identifying sparse echo paths has gained increasing interest due to the recently introduced framework of Compressive Sensing (CS) [26], [30], [32]. As a result, the LMS algorithm was modified to exploit sparsity property of a signal by employing l_0 -norm or l_1 -norm constraint into the cost function of the standard LMS [22], [29], [36], [37], [38]. The norm constraints accelerate the convergence of small active taps for identification of sparse echo path. Unfortunately, the resulting modified LMS filters suffer from the norm constraint adaptation during filtering process and produce estimation bias for identifying systems with a variety of sparseness levels due to lack of adjustable factor. To limit the estimation bias and enable the quantitative adjustment of the norm constraint adaptation, a non-uniform norm constraint (NNCLMS) was proposed in [40] which employs a p -norm like constraint to modify the cost function of LMS filter. The main challenge of this approach is its inability to maintain its performance when the input signal is highly correlated such as speech signal [41]. The variable step-size LMS (VSSLMS) was proposed by Harris et. al. [42] to stabilize the performance of the conventional LMS, but still has limited ability to exploit sparsity of the system due to its no use of sparsity characteristics [43], [56].

2.3. Our Contributions

In this thesis, we propose a new approach of identifying a sparse echo path. The proposed approach will be shown to overcome some of the above mentioned limitations. The approach combines a VSSLMS and a p -norm constraint. The variable step-size portion stabilizes the sparse system when the input signal is correlated where as the p -norm constraint exploits the system's sparsity by imposing a zero attraction of the filter coefficients according to the relative value of each filter coefficient among all the entries which, in turn, leads to an improved performance when the system is sparse. It would be shown to have a superior performance compared to the conventional approaches. We also carry out the convergence analysis and establish a stability condition of the proposed algorithm. The performance of the proposed algorithm is compared with diverse l_1 -norm and p -norm based sparse adaptive filters in AEC settings using two noise types; Additive White Gaussian Noise (AWGN) and Additive Correlated Gaussian Noise (ACGN) and

using acoustic echo paths of length $N = 256$ and $N = 512$ respectively. Also, the performance of the proposed algorithm has been extensively investigated in other sparse systems with a variety of sparseness degree. Simulation results demonstrate that the proposed algorithm outperforms different l_1 -norm and p -norm based sparse filters in a sparse system identification.

2.4. Thesis Organization

The structure of the thesis is organized as follows:

- In Chapter 3, a general review of the most important adaptive filters used for echo cancellation application is presented.
- In Chapter 4, the proposed algorithm is presented. A review of the VSSLMS algorithm and a broad concept of the p -norm constraint are provided. The mean square convergence analysis and a stability criterion of the proposed algorithm are also carried out and presented.
- In Chapter 5, an experimental study is provided in order to compare the performance of the proposed filter with other l_1 -norm and p -norm based sparse adaptive filters in the context of AEC.
- In Chapter 6, conclusions and a discussion on possibilities for future work are provided.

CHAPTER 3

REVIEW OF DEEP LEARNING AND PATTERN RECOGNITION ALGORITHMS

3.1. Introduction

This chapter provides a brief review of the well known sparse adaptive filters used for echo cancellation. Firstly, we present the proportionate-based adaptive algorithms as background for estimating a sparse impulse response, we then subsequently discussed the zero attracting sparse adaptive filters used in the field due to their robustness and efficiency in performance. These filters operate based on l_1 -norm optimization such as used in CS techniques [26] rather than proportionate updating based approach [7].

3.2. Computer Vision and Pattern Recognition

Lorem ipsum dolor sit amet, consectetur adipiscing elit. In aliquam nisl in purus mattis, eget bibendum nisi ornare. Nunc quam felis, efficitur molestie posuere gravida, aliquam ut purus. Nulla scelerisque luctus nunc nec viverra. Nunc vel hendrerit lacus. Sed mauris enim, porttitor scelerisque felis et, elementum dignissim sem. Vivamus ac velit orci. Vestibulum quis elit convallis erat placerat aliquet. Vivamus ut fringilla nunc, quis sodales elit. Donec volutpat mi at auctor laoreet. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Praesent ac vestibulum lacus. Nulla facilisi. Morbi accumsan convallis molestie. Etiam ac lacinia turpis, a commodo orci.

3.3. Image Segmentation Methods

Lorem ipsum dolor sit amet, consectetur adipiscing elit. In aliquam nisl in purus mattis, eget bibendum nisi ornare. Nunc quam felis, efficitur molestie posuere gravida, aliquam ut purus. Nulla scelerisque luctus nunc nec viverra. Nunc vel hendrerit lacus. Sed mauris enim, porttitor scelerisque felis et, elementum dignissim sem. Vivamus ac velit orci. Vestibulum quis elit convallis erat placerat aliquet. Vivamus ut fringilla nunc, quis sodales elit. Donec volutpat mi at auctor laoreet. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Praesent ac vestibulum lacus. Nulla facilisi. Morbi accumsan convallis molestie. Etiam ac lacinia turpis, a commodo orci.

3.3.1. Thresholding

Lorem ipsum dolor sit amet, consectetur adipiscing elit. In aliquam nisl in purus mattis, eget bibendum nisi ornare. Nunc quam felis, efficitur molestie posuere gravida, aliquam ut purus. Nulla scelerisque luctus nunc nec viverra. Nunc vel hendrerit lacus. Sed mauris enim, porttitor scelerisque felis et, elementum dignissim sem. Vivamus ac velit orci. Vestibulum quis elit convallis erat placerat aliquet. Vivamus ut fringilla nunc, quis sodales elit. Donec volutpat mi at auctor laoreet. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Praesent ac vestibulum lacus. Nulla facilisi. Morbi accumsan convallis molestie. Etiam ac lacinia turpis, a commodo orci.

3.3.2. Clustering Methods

Lorem ipsum dolor sit amet, consectetur adipiscing elit. In aliquam nisl in purus mattis, eget bibendum nisi ornare. Nunc quam felis, efficitur molestie posuere gravida, aliquam ut purus. Nulla scelerisque luctus nunc nec viverra. Nunc vel hendrerit lacus. Sed mauris enim, porttitor scelerisque felis et, elementum dignissim sem. Vivamus ac velit orci. Vestibulum quis elit convallis erat placerat aliquet. Vivamus ut fringilla nunc, quis sodales elit. Donec volutpat mi at auctor laoreet. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Praesent ac vestibulum lacus. Nulla facilisi. Morbi accumsan convallis molestie. Etiam ac lacinia turpis, a commodo orci.

3.3.3. Compression-based methods

Lorem ipsum dolor sit amet, consectetur adipiscing elit. In aliquam nisl in purus mattis, eget bibendum nisi ornare. Nunc quam felis, efficitur molestie posuere gravida, aliquam ut purus. Nulla scelerisque luctus nunc nec viverra. Nunc vel hendrerit lacus. Sed mauris enim, porttitor scelerisque felis et, elementum dignissim sem. Vivamus ac velit orci. Vestibulum quis elit convallis erat placerat aliquet. Vivamus ut fringilla nunc, quis sodales elit. Donec volutpat mi at auctor laoreet. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Praesent ac vestibulum lacus. Nulla facilisi. Morbi accumsan convallis molestie. Etiam ac lacinia turpis, a commodo orci.

3.3.4. Histogram-based methods

Lorem ipsum dolor sit amet, consectetur adipiscing elit. In aliquam nisl in purus mattis, eget bibendum nisi ornare. Nunc quam felis, efficitur molestie posuere gravida, aliquam ut purus. Nulla scelerisque luctus nunc nec viverra. Nunc vel hendrerit lacus. Sed mauris enim, porttitor scelerisque felis et, elementum dignissim sem. Vivamus ac velit orci. Vestibulum quis elit convallis erat placerat aliquet. Vivamus ut fringilla nunc,

quis sodales elit. Donec volutpat mi at auctor laoreet. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Praesent ac vestibulum lacus. Nulla facilisi. Morbi accumsan convallis molestie. Etiam ac lacinia turpis, a commodo orci.

3.3.5. Edge detection

Lorem ipsum dolor sit amet, consectetur adipiscing elit. In aliquam nisl in purus mattis, eget bibendum nisi ornare. Nunc quam felis, efficitur molestie posuere gravida, aliquam ut purus. Nulla scelerisque luctus nunc nec viverra. Nunc vel hendrerit lacus. Sed mauris enim, porttitor scelerisque felis et, elementum dignissim sem. Vivamus ac velit orci. Vestibulum quis elit convallis erat placerat aliquet. Vivamus ut fringilla nunc, quis sodales elit. Donec volutpat mi at auctor laoreet. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Praesent ac vestibulum lacus. Nulla facilisi. Morbi accumsan convallis molestie. Etiam ac lacinia turpis, a commodo orci.

3.3.6. Dual clustering method

Lorem ipsum dolor sit amet, consectetur adipiscing elit. In aliquam nisl in purus mattis, eget bibendum nisi ornare. Nunc quam felis, efficitur molestie posuere gravida, aliquam ut purus. Nulla scelerisque luctus nunc nec viverra. Nunc vel hendrerit lacus. Sed mauris enim, porttitor scelerisque felis et, elementum dignissim sem. Vivamus ac velit orci. Vestibulum quis elit convallis erat placerat aliquet. Vivamus ut fringilla nunc, quis sodales elit. Donec volutpat mi at auctor laoreet. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Praesent ac vestibulum lacus. Nulla facilisi. Morbi accumsan convallis molestie. Etiam ac lacinia turpis, a commodo orci.

3.4. Supervised Learning

Lorem ipsum dolor sit amet, consectetur adipiscing elit. In aliquam nisl in purus mattis, eget bibendum nisi ornare. Nunc quam felis, efficitur molestie posuere gravida, aliquam ut purus. Nulla scelerisque luctus nunc nec viverra. Nunc vel hendrerit lacus. Sed mauris enim, porttitor scelerisque felis et, elementum dignissim sem. Vivamus ac velit orci. Vestibulum quis elit convallis erat placerat aliquet. Vivamus ut fringilla nunc, quis sodales elit. Donec volutpat mi at auctor laoreet. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Praesent ac vestibulum lacus. Nulla facilisi. Morbi accumsan convallis molestie. Etiam ac lacinia turpis, a commodo orci.

3.5. Optimization

Lorem ipsum dolor sit amet, consectetur adipiscing elit. In aliquam nisl in purus mattis, eget bibendum nisi ornare. Nunc quam felis, efficitur molestie posuere gravida, aliquam ut purus. Nulla scelerisque luctus nunc nec viverra. Nunc vel hendrerit lacus. Sed mauris enim, porttitor scelerisque felis et, elementum dignissim sem. Vivamus ac velit orci. Vestibulum quis elit convallis erat placerat aliquet. Vivamus ut fringilla nunc, quis sodales elit. Donec volutpat mi at auctor laoreet. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Praesent ac vestibulum lacus. Nulla facilisi. Morbi accumsan convallis molestie. Etiam ac lacinia turpis, a commodo orci.

3.6. Backpropagation

Lorem ipsum dolor sit amet, consectetur adipiscing elit. In aliquam nisl in purus mattis, eget bibendum nisi ornare. Nunc quam felis, efficitur molestie posuere gravida, aliquam ut purus. Nulla scelerisque luctus nunc nec viverra. Nunc vel hendrerit lacus. Sed mauris enim, porttitor scelerisque felis et, elementum dignissim sem. Vivamus ac velit orci. Vestibulum quis elit convallis erat placerat aliquet. Vivamus ut fringilla nunc, quis sodales elit. Donec volutpat mi at auctor laoreet. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Praesent ac vestibulum lacus. Nulla facilisi. Morbi accumsan convallis molestie. Etiam ac lacinia turpis, a commodo orci.

3.7. Neural Networks

Lorem ipsum dolor sit amet, consectetur adipiscing elit. In aliquam nisl in purus mattis, eget bibendum nisi ornare. Nunc quam felis, efficitur molestie posuere gravida, aliquam ut purus. Nulla scelerisque luctus nunc nec viverra. Nunc vel hendrerit lacus. Sed mauris enim, porttitor scelerisque felis et, elementum dignissim sem. Vivamus ac velit orci. Vestibulum quis elit convallis erat placerat aliquet. Vivamus ut fringilla nunc, quis sodales elit. Donec volutpat mi at auctor laoreet. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Praesent ac vestibulum lacus. Nulla facilisi. Morbi accumsan convallis molestie. Etiam ac lacinia turpis, a commodo orci.

3.7.1. Vanilla Neural Networks

Lorem ipsum dolor sit amet, consectetur adipiscing elit. In aliquam nisl in purus mattis, eget bibendum nisi ornare. Nunc quam felis, efficitur molestie posuere gravida, aliquam ut purus. Nulla scelerisque luctus nunc nec viverra. Nunc vel hendrerit lacus. Sed mauris enim, porttitor scelerisque felis et, elementum dignissim sem. Vivamus ac velit orci. Vestibulum quis elit convallis erat placerat aliquet. Vivamus ut fringilla nunc,

quis sodales elit. Donec volutpat mi at auctor laoreet. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Praesent ac vestibulum lacus. Nulla facilisi. Morbi accumsan convallis molestie. Etiam ac lacinia turpis, a commodo orci.

3.7.2. Convolutional Neural Networks

Lorem ipsum dolor sit amet, consectetur adipiscing elit. In aliquam nisl in purus mattis, eget bibendum nisi ornare. Nunc quam felis, efficitur molestie posuere gravida, aliquam ut purus. Nulla scelerisque luctus nunc nec viverra. Nunc vel hendrerit lacus. Sed mauris enim, porttitor scelerisque felis et, elementum dignissim sem. Vivamus ac velit orci. Vestibulum quis elit convallis erat placerat aliquet. Vivamus ut fringilla nunc, quis sodales elit. Donec volutpat mi at auctor laoreet. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Praesent ac vestibulum lacus. Nulla facilisi. Morbi accumsan convallis molestie. Etiam ac lacinia turpis, a commodo orci.

3.7.3. Recurrent Neural Networks

Lorem ipsum dolor sit amet, consectetur adipiscing elit. In aliquam nisl in purus mattis, eget bibendum nisi ornare. Nunc quam felis, efficitur molestie posuere gravida, aliquam ut purus. Nulla scelerisque luctus nunc nec viverra. Nunc vel hendrerit lacus. Sed mauris enim, porttitor scelerisque felis et, elementum dignissim sem. Vivamus ac velit orci. Vestibulum quis elit convallis erat placerat aliquet. Vivamus ut fringilla nunc, quis sodales elit. Donec volutpat mi at auctor laoreet. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Praesent ac vestibulum lacus. Nulla facilisi. Morbi accumsan convallis molestie. Etiam ac lacinia turpis, a commodo orci.

3.7.4. Capsules Neural Networks

Lorem ipsum dolor sit amet, consectetur adipiscing elit. In aliquam nisl in purus mattis, eget bibendum nisi ornare. Nunc quam felis, efficitur molestie posuere gravida, aliquam ut purus. Nulla scelerisque luctus nunc nec viverra. Nunc vel hendrerit lacus. Sed mauris enim, porttitor scelerisque felis et, elementum dignissim sem. Vivamus ac velit orci. Vestibulum quis elit convallis erat placerat aliquet. Vivamus ut fringilla nunc, quis sodales elit. Donec volutpat mi at auctor laoreet. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Praesent ac vestibulum lacus. Nulla facilisi. Morbi accumsan convallis molestie. Etiam ac lacinia turpis, a commodo orci.

3.8. Summary

Lorem ipsum dolor sit amet, consectetur adipiscing elit. In aliquam nisl in purus mattis, eget bibendum nisi ornare. Nunc quam felis, efficitur molestie posuere gravida, aliquam ut purus. Nulla scelerisque luctus nunc nec viverra. Nunc vel hendrerit lacus. Sed mauris enim, porttitor scelerisque felis et, elementum dignissim sem. Vivamus ac velit orci. Vestibulum quis elit convallis erat placerat aliquet. Vivamus ut fringilla nunc, quis sodales elit. Donec volutpat mi at auctor laoreet. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Praesent ac vestibulum lacus. Nulla facilisi. Morbi accumsan convallis molestie. Etiam ac lacinia turpis, a commodo orci.

CHAPTER 4

PROPOSED METHOD

4.1. Introduction

This chapter provides a brief review of the well known sparse adaptive filters used for echo cancellation. Firstly, we present the proportionate-based adaptive algorithms as background for estimating a sparse impulse response, we then subsequently discussed the zero attracting sparse adaptive filters used in the field due to their robustness and efficiency in performance. These filters operate based on l_1 -norm optimization such as used in CS techniques [26] rather than proportionate updating based approach [7].

4.2. Review of Pipeline

Lorem ipsum dolor sit amet, consectetur adipiscing elit. In aliquam nisl in purus mattis, eget bibendum nisi ornare. Nunc quam felis, efficitur molestie posuere gravida, aliquam ut purus. Nulla scelerisque luctus nunc nec viverra. Nunc vel hendrerit lacus. Sed mauris enim, porttitor scelerisque felis et, elementum dignissim sem. Vivamus ac velit orci. Vestibulum quis elit convallis erat placerat aliquet. Vivamus ut fringilla nunc, quis sodales elit. Donec volutpat mi at auctor laoreet. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Praesent ac vestibulum lacus. Nulla facilisi. Morbi accumsan convallis molestie. Etiam ac lacinia turpis, a commodo orci.

4.2.1. Object Segmentation Method

Lorem ipsum dolor sit amet, consectetur adipiscing elit. In aliquam nisl in purus mattis, eget bibendum nisi ornare. Nunc quam felis, efficitur molestie posuere gravida, aliquam ut purus. Nulla scelerisque luctus nunc nec viverra. Nunc vel hendrerit lacus. Sed mauris enim, porttitor scelerisque felis et, elementum dignissim sem. Vivamus ac velit orci. Vestibulum quis elit convallis erat placerat aliquet. Vivamus ut fringilla nunc, quis sodales elit. Donec volutpat mi at auctor laoreet. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Praesent ac vestibulum lacus. Nulla facilisi. Morbi accumsan convallis molestie. Etiam ac lacinia turpis, a commodo orci.

4.2.2. Logo Recognition Training Framework

Lorem ipsum dolor sit amet, consectetur adipiscing elit. In aliquam nisl in purus mattis, eget bibendum nisi ornare. Nunc quam felis, efficitur molestie posuere gravida, aliquam ut purus. Nulla scelerisque luctus nunc nec viverra. Nunc vel hendrerit lacus. Sed mauris enim, porttitor scelerisque felis et, elementum dignissim sem. Vivamus ac velit orci. Vestibulum quis elit convallis erat placerat aliquet. Vivamus ut fringilla nunc, quis sodales elit. Donec volutpat mi at auctor laoreet. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Praesent ac vestibulum lacus. Nulla facilisi. Morbi accumsan convallis molestie. Etiam ac lacinia turpis, a commodo orci.

4.2.3. Logo Recognition Testing Framework

Lorem ipsum dolor sit amet, consectetur adipiscing elit. In aliquam nisl in purus mattis, eget bibendum nisi ornare. Nunc quam felis, efficitur molestie posuere gravida, aliquam ut purus. Nulla scelerisque luctus nunc nec viverra. Nunc vel hendrerit lacus. Sed mauris enim, porttitor scelerisque felis et, elementum dignissim sem. Vivamus ac velit orci. Vestibulum quis elit convallis erat placerat aliquet. Vivamus ut fringilla nunc, quis sodales elit. Donec volutpat mi at auctor laoreet. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Praesent ac vestibulum lacus. Nulla facilisi. Morbi accumsan convallis molestie. Etiam ac lacinia turpis, a commodo orci.

4.3. Review of Logos Dataset

Lorem ipsum dolor sit amet, consectetur adipiscing elit. In aliquam nisl in purus mattis, eget bibendum nisi ornare. Nunc quam felis, efficitur molestie posuere gravida, aliquam ut purus. Nulla scelerisque luctus nunc nec viverra. Nunc vel hendrerit lacus. Sed mauris enim, porttitor scelerisque felis et, elementum dignissim sem. Vivamus ac velit orci. Vestibulum quis elit convallis erat placerat aliquet. Vivamus ut fringilla nunc, quis sodales elit. Donec volutpat mi at auctor laoreet. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Praesent ac vestibulum lacus. Nulla facilisi. Morbi accumsan convallis molestie. Etiam ac lacinia turpis, a commodo orci.

4.4. Concept of Technologies and Frameworks

Lorem ipsum dolor sit amet, consectetur adipiscing elit. In aliquam nisl in purus mattis, eget bibendum nisi ornare. Nunc quam felis, efficitur molestie posuere gravida, aliquam ut purus. Nulla scelerisque luctus nunc nec viverra. Nunc vel hendrerit lacus. Sed mauris enim, porttitor scelerisque felis et, elementum dignissim sem. Vivamus ac velit orci. Vestibulum quis elit convallis erat placerat aliquet. Vivamus ut fringilla nunc,

quis sodales elit. Donec volutpat mi at auctor laoreet. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Praesent ac vestibulum lacus. Nulla facilisi. Morbi accumsan convallis molestie. Etiam ac lacinia turpis, a commodo orci.

4.5. Summary

Lorem ipsum dolor sit amet, consectetur adipiscing elit. In aliquam nisl in purus mattis, eget bibendum nisi ornare. Nunc quam felis, efficitur molestie posuere gravida, aliquam ut purus. Nulla scelerisque luctus nunc nec viverra. Nunc vel hendrerit lacus. Sed mauris enim, porttitor scelerisque felis et, elementum dignissim sem. Vivamus ac velit orci. Vestibulum quis elit convallis erat placerat aliquet. Vivamus ut fringilla nunc, quis sodales elit. Donec volutpat mi at auctor laoreet. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Praesent ac vestibulum lacus. Nulla facilisi. Morbi accumsan convallis molestie. Etiam ac lacinia turpis, a commodo orci.

CHAPTER 5

SIMULATION RESULTS

5.1. Introduction

This chapter provides a brief review of the well known sparse adaptive filters used for echo cancellation. Firstly, we present the proportionate-based adaptive algorithms as background for estimating a sparse impulse response, we then subsequently discussed the zero attracting sparse adaptive filters used in the field due to their robustness and efficiency in performance. These filters operate based on l_1 -norm optimization such as used in CS techniques [26] rather than proportionate updating based approach [7].

5.2. Logos Dataset Preparing

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nulla vel blandit purus. Praesent aliquam cursus tincidunt. Vivamus mi est, commodo ut accumsan eu, aliquam vitae sem. Fusce pulvinar leo vitae quam posuere, non convallis ligula vehicula. Praesent dignissim et nulla eget rhoncus. Vivamus cursus magna id pharetra lobortis. Donec molestie tortor eu lectus accumsan ultrices. Cras suscipit turpis quis tellus laoreet, sit amet cursus velit volutpat.

5.3. Checking Image Segmentation and Object Proposal

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nulla vel blandit purus. Praesent aliquam cursus tincidunt. Vivamus mi est, commodo ut accumsan eu, aliquam vitae sem. Fusce pulvinar leo vitae quam posuere, non convallis ligula vehicula. Praesent dignissim et nulla eget rhoncus. Vivamus cursus magna id pharetra lobortis. Donec molestie tortor eu lectus accumsan ultrices. Cras suscipit turpis quis tellus laoreet, sit amet cursus velit volutpat.

5.4. Experiments on Training CNN

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nulla vel blandit purus. Praesent aliquam cursus tincidunt. Vivamus mi est, commodo ut accumsan eu, aliquam vitae sem. Fusce pulvinar leo vitae quam posuere, non convallis ligula vehicula. Praesent dignissim et nulla eget rhoncus. Vivamus cursus magna id

pharetra lobortis. Donec molestie tortor eu lectus accumsan ultrices. Cras suscipit turpis quis tellus laoreet, sit amet cursus velit volutpat.

5.5. Evaluating CNN Performance for Segmented Images

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nulla vel blandit purus. Praesent aliquam cursus tincidunt. Vivamus mi est, commodo ut accumsan eu, aliquam vitae sem. Fusce pulvinar leo vitae quam posuere, non convallis ligula vehicula. Praesent dignissim et nulla eget rhoncus. Vivamus cursus magna id pharetra lobortis. Donec molestie tortor eu lectus accumsan ultrices. Cras suscipit turpis quis tellus laoreet, sit amet cursus velit volutpat.

5.6. Application Creating

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nulla vel blandit purus. Praesent aliquam cursus tincidunt. Vivamus mi est, commodo ut accumsan eu, aliquam vitae sem. Fusce pulvinar leo vitae quam posuere, non convallis ligula vehicula. Praesent dignissim et nulla eget rhoncus. Vivamus cursus magna id pharetra lobortis. Donec molestie tortor eu lectus accumsan ultrices. Cras suscipit turpis quis tellus laoreet, sit amet cursus velit volutpat.

5.7. Summary

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nulla vel blandit purus. Praesent aliquam cursus tincidunt. Vivamus mi est, commodo ut accumsan eu, aliquam vitae sem. Fusce pulvinar leo vitae quam posuere, non convallis ligula vehicula. Praesent dignissim et nulla eget rhoncus. Vivamus cursus magna id pharetra lobortis. Donec molestie tortor eu lectus accumsan ultrices. Cras suscipit turpis quis tellus laoreet, sit amet cursus velit volutpat.

CHAPTER 6

CONCLUSIONS AND FUTURE WORK

6.1. Conclusion

In this thesis, Some of the challenges caused by undesired acoustic echoes that occur in communication devices are addressed. The research concentrates on the development of a new adaptive filtering algorithm that enables us to identify the sparse echo path of the acoustic room system. Some of the available sparse adaptive algorithms have been reviewed. A new p -norm constraint adaptive algorithm has been proposed. The convergence analysis of the proposed algorithm has been presented and its stability condition is derived. The performances of the proposed algorithm have been investigated through extensive simulation experiments and evaluated in terms of the convergence rate and MSD estimate.

An acoustic echo path of fixed sparsity was simulated in AWGN and a better MSD estimate of the proposed algorithm compared to the best performer among the NLMS, PNLMS, IPNLMS, NNCLMS, ZA-LMS and RZA-LMS algorithms is obtained. Where as in the ACGN, it has been noticed that, even with highly correlated Gaussian noise, the proposed algorithm still much better than the other algorithms in terms of convergence rate and/or MSD. The NLMS, PNLMS and IPNLMS algorithms failed to provide good performance compared to NNCLMS, RZA-LMS and ZA-LMS algorithms. This is due to their lack of available parameters to effectively track sparse impulse responses.

The proposed algorithm was furtherly investigated in identifying an unknown system having a variety of sparsity ratios (ranging from 75%, 50% and 25% sparsity ratios). It has been shown to be performing more robust than the NNCLMS, RZA-LMS and ZA-LMS algorithms in both AWGN and ACGN environments. This is due to the virtue of the variable step-size parameters in addition to p -norm constraint associated with the proposed algorithm.

6.2. Further work

Despite the fact that the results of this work are adequate and satisfactory, there still other works which need to be conducted in the future in order improve the quality of this approach. All our investigations on the performance of the proposed algorithm are limited to only two types of noise environments; AWGN and ACGN. Therefore, one of possible future works could be investigating its performance in other types of noise environments such as additive white impulsive noise, additive correlated impulsive noise, etc. Another area of investigation could be applying the proposed algorithm in other scenarios different from echo cancellation, such as channel equalization, adaptive beam forming, etc. In addition, the performance of the proposed algorithm may also be inspected using a longer length echo paths of about 1024 coefficients and greater.

REFERENCES

- [1] Deniz, P. S. R., Adaptive Filtering Algorithms and Practical Implementation, 2008, Third Ed., LLC, NY, Springer.
- [2] Haykin, S., Adaptive Filter Theory, 2002, Prentice Hall, Upper Saddle River, NJ.
- [3] Hayes, M. H., Statistical Digital Signal Processing and Modeling, 1996, John Wiley & Sons. Inc., New York.
- [4] Sondhi, M. M., The History of Echo Cancellation, IEEE Signal Processing Magazine, 2006, 23, 95-102.
- [5] Gay, S. L., An Efficient Fast Converging Adaptive Filter for Network Echo Cancellation, Presented at the Thirty-Second Asilomar Conference on Signal, System and Amplifier, California, USA, November 1998, 394-398.
- [6] Gilloire, A., Experiments with Sub-Band Acoustic Echo Cancellers for Teleconferencing, IEEE International Conference on Acoustic, Speech and Signal Processing (ICASSP1987), April 1987, 2141-2144.
- [7] Duttweiler, D. L., Proportionate Normalised Least Mean Square Adaptation in Echo Cancelers, IEEE Transactions on Speech and Audio Processing, 2000, 5, 508-518.
- [8] Romesburg, E. D., Echo Canceller for Non-Linear Circuits, U.S. Patent, 5, August 1998, 796-819.
- [9] Benesty, J., Gansler, T., Morgan, D. R., Sondhi, M. M., Gay, S. L., Advances in Network and Acoustic Echo Cancellation. Berlin, Germany: Springer-Verlag, 2001. DOI: 10.1007/978-3-662-04437-7.
- [10] Naylor, P. A., Cui, J., Brookes, M., Adaptive Algorithms for Sparse Echo Cancellation. Signal Processing, June 2006, 6, 1182-1192.
- [11] Salman, M. S., Kukrer, O., Hocanin, A., Adaptive Filtering Fundamentals and Applications, 2011, LAP LMBERT, U.S.A.
- [12] Sayed, A. H., Adaptive Filters, 2008, John Wiley, Hoboken, New Jersey, 163-167.
- [13] Bellanger, M. G., Adaptive Digital Filters, 2001, Second Ed., Marcel Dekker, New York.

- [14] Mathews, V. J., Zhenhua X., Stochastic Gradient Adaptive Filters with Gradient Adaptive Step-Sizes, International Conference on Acoustics, Speech, and Signal Processing (ICASSP1990), April 1990, 1385-1388.
- [15] Widrow, B., Glover, J. R., McCool, J. M., Kaunitz, J., Williams, C. S., Hearn, R. H., Zeidler, J. R., Eugene Dong, Jr., Goodlin, R. C., Adaptive Noise Cancelling: Principles and Applications, Proceedings of the IEEE, December 1975, 1692-1716.
- [16] Li, Y., Gu, Y., Tang, K., Parallel NLMS Filters with Stochastic Active Taps and Step-Sizes for Sparse System Identification, IEEE International Conference on Acoustic, Speech and Signal Processing (ICASSP2006), May 2006, 3.
- [17] Pelekanakis, K., Chitre, M., Comparison of Sparse Adaptive Filters for Underwater Acoustic Channel Equalization/Estimation, IEEE International Conference on Communication Systems (ICCS2010), November 2010, 17, 395-399.
- [18] Gui, G., Peng, W., Adachi, F., Improved Adaptive Sparse Channel Estimation Based on the Least Mean Square Algorithm, IEEE Wireless Communications and Networking Conference (WCNC), Shanghai, China, April 2013, 3105-3109.
- [19] Gay, S. L., Douglas, S. C., Normalized Natural Gradient Adaptive Filtering for Sparse and Non-Sparse Systems, IEEE International Conference on Acoustic, Speech and Signal Processing (ICASSP2002), Orlando, Florida, March 2002, 2, 1405-1408.
- [20] Chen, Y., Gu, Y., Hero, A. O., Sparse LMS for System Identification, IEEE International Conference on Acoustic, Speech and Signal Processing (ICASSP2009), Taipei, Taiwan, April 2009, 3125-3128.
- [21] Jin, J., Qing, Q., Yuantao, G., Robust Zero-Point Attraction LMS Algorithm on Near Sparse System Identification, IET Signal Processing, 2013, 3, 210-218.
- [22] Gu, Y., Jin, J., Mei, S., l_0 -Norm Constraint LMS for Sparse System Identification, IEEE Signal Processing Letters, 1985, 9, 774-777.
- [23] Christina, B., Control of a Hands-Free Telephone Set, Signal Processing, ScienceDirect, 1997, 61, 131-143.
- [24] Elko, G. W., Diethorn, E., Gansler, T., Room Impulse Response Variation Due to Thermal Fluctuation and its Impact on Acoustic Echo Cancellation, International Workshop on Acoustic Echo Noise Control (IWAENC2003), Kyoto, Japan, September 2003, 67-70.

- [25] Peterson, P. M., Simulating the Response of Multiple Microphones to a Single Acoustic Source in a Reverberant Room, *Journal Of the Acoustical Society of America*, Nov. 1986, 5, 1527-1529.
- [26] Donoho, D. L., Compressed Sensing, *IEEE Transactions on Speech and Audio Processing*, 2006, 4, 1289-1306.
- [27] Widrow, B., Stearn, S. D., *Adaptive Signal Processing*, 1985, Printice Hall, New Jersey.
- [28] Mandic, D. P., A Generalized Normalized Gradient Descent Algorithm, *IEEE Signal Process Letters*, February 2004, 11, 115-118.
- [29] Cheng Y. F., Etter, D. M., Analysis of an Adaptive Technique for Modeling Sparse Systems, *IEEE Transaction on Acoustics, Speech, and Signal Processing*, February 1989, 2, 254-264.
- [30] Candes, E. J., Wakin, M., An Introduction To Compressive Sampling, *IEEE Signal Processing Magazine*, March 2008, 2, 21-30.
- [31] Salman, M. S., Sparse Leaky-LMS Algorithm for System Identification and its Convergence Analysis, *International Journal of Adaptive Control and Signal Processing*, 2008, DOI:10.1002/acs. 2428.
- [32] Rey, V. L., Rey, H., Benesty, J., Tressens, S., A Family of Robust Algorithms Exploiting Sparsity in Adaptive Filters, *IEEE Transactions on Audio, Speech, and Language Processing*, May 2009, 4, 572-581.
- [33] Etter, D. M., Identification of Sparse Impulse Response System Using an Adaptive Delay Filter, *IEEE International Conference on Acoustic, Speech and Signal Processing (ICASSP1985)*, April 1985, 10, 1169-1172.
- [34] Khong, A. W. H., Xiang, L., Doroslovacki, M., Naylor, P. A., Frequency Domain Selective Tap Adaptive Algorithm for Sparse System Identification, *IEEE International Conference on Acoustic, Speech and Signal Processing (ICASSP2008)*, Las Vegas, Nevada, March 2008, 229-232.
- [35] Kawamuri, S., Hatori, M., A Tap Selection Algorithm for Adaptive Filters, *IEEE International Conference on Acoustic, Speech and Signal Processing (ICASSP1986)*, April 1986, 11, 2979-2982.
- [36] Su, G., Jin, J., Gu, Y., Wang, J., Performance Analysis of l_0 -Norm Constraint Least Mean Square Algorithm, *IEEE Transactions on Signal Processing*, 2011, 6, 2223-2235.

- [37] Gu, Y., Jin, J., Mei, S., 2010. A Stochastic Gradient Approach on Compressive Sensing Signal Reconstruction Based on Adaptive Filtering Framework, *IEEE Journal of Selected Topics in Signal Processing*, 2011, 2, 409-420.
- [38] Shi, K., Shi, P., Convergence Analysis of Sparse LMS Algorithms with l_1 -norm Penalty Based on White Input Signal, *Signal Image and Video Processing*, Springer, May 2010, 12, 3289-3293.
- [39] Slavakis, K., Kopsinis, Y., Theodoridis, S., Adaptive Algorithm for Sparse System Identification Using Projections onto Weighted l_1 -Balls, *IEEE International Conference on Acoustics Speech and Signal Processing (ICASSP2012)*, March 2010, 3742-3745.
- [40] Wu, F. Y., Tong, F., Non-Uniform Norm Constraint LMS Algorithm for Sparse System Identification, *IEEE Communications Letters* 2013, 2, 385-388.
- [41] Martin, R. K., Sethares, W. A., Williamson, R. C., Johnson, C. R., Exploiting Sparsity in Adaptive Filters, *IEEE Transactions on Signal Processing*, August 2002, 8, 1883-1894.
- [42] Harris, R. W., Chabries D. M., Bishop, F. A., A Variable Step (VS) Adaptive Filter Algorithm, *IEEE Transactions on Acoustics, Speech and Signal Processing* 1986, 2, 309-316.
- [43] Kwong, R. H., Johnson, E. W., A Variable Step-Size LMS Algorithm, *IEEE Transactions on Signal Processing*, 1992, 7, 1633-1642.
- [44] Cui, J., Naylor, P. A. Brown, D. T., An Improved PNLMS Algorithm for Echo Cancellation in Packet-Switched Networks, *IEEE International Conference on Acoustic, Speech and Signal Processing (ICASSP2004)*, Toulouse, France, 3, May 2004, 141-144.
- [45] Deng, H., Doroslovacki, M., Improving Convergence of the PNLMS Algorithm for Sparse Impulse Response Identification, *IEEE Signal Processing Letters*, 2005, 3, 181-184.
- [46] Benesty, J., Morgan, D. R., Sondhi, M. M., A Better Understanding and an Improved Solution to the Specic Problems of Stereophonic Acoustic Echo Cancellation, *IEEE International Conference on Acoustic, Speech and Signal Processing (ICASSP1998)*, 2, 156-165.
- [47] Salman, M. S., Jahromi, N., Hocanin, A., Kukrer, O., A Zero-Attracting Variable Step-Size LMS Algorithm for Sparse System Identification, *IX International Symposium on Telecommunications (BI-HTEL2012)*, Sarajevo, Bosnia and Herzegovina, October 2012, 1-4.

- [48] Chartrand, R., Exact Reconstruction of Sparse Signals Via Non-Convex Minimization, IEEE Signal Processing Letters, 2007, 10, 707-710.
- [49] Rao, B. D., Delgado, K. K., An Affine Scaling Methodology for Best Basis Selection, IEEE Transaction on Signal Processing, January 1999, 1, 187-200.
- [50] Rao, B. D., Bongyong S., Adaptive Filtering Algorithms for Promoting Sparsity, IEEE International Conference on Acoustic, Speech and Signal Processing (ICASSP2003), June 2003, 6, 361-364.
- [51] Aliyu, M. L., Alkassim, M. A., Salman, M.S., A p -Norm Variable Step-Size LMS Algorithm for Sparse System Identification, Signal Image and Video Processing, Springer, DOI: 10.1007/s11760-013-0610-7.
- [52] Gwadabe T. R., Aliyu M. L., Alkassim, M.A., Salman M. S., Haddad H., A New Sparse Leaky LMS Type Algorithm. IEEE 22nd Signal Processing and Communications Applications Conference (SIU 2014), Trabzon, Turkey, April 2014.
- [53] Loganathan P., Sparseness-Controlled Adaptive Algorithms for Supervised and Unsupervised System Identification, Ph.D. Thesis, 2011, Imperial College, London.
- [54] Gui, G., Adachi, F., Improved Adaptive Sparse Channel Estimation Using Least Mean Square Algorithm, EURASIP Journal on Wireless Communications and Networking, March 2013, 1, 1-18.
- [55] Kenney, J.F., Keeping, E.S., In Mathematics of Statistics, 1962, Third Ed. Van Nostrand, Princeton.
- [56] Evans, J. B., Xue p., Liu, B., Analysis and Implementation of Variable Step-Size Adaptive Algorithms, IEEE Transaction on Signal Processing, 8, 2517-2535.
- [57] Mader, A., Puder, H., Schmidt, G. U., Step-Size Control for Acoustic Echo Cancellation Filters-An Overview. Signal Processing, September 2000, 9, 1697-1719.
- [58] Reddy, V. U., Shan, T. J., Kailath, T., Application of Modified Least-Squares Algorithms to Adaptive Echo Cancellation, IEEE International Conference on Acoustic, Speech and Signal Processing (ICASSP1983), April 1983, 8, 53-56.
- [59] Mayyas, K., Aboulnasr, T., Leaky LMS Algorithm: MSE Analysis for Gaussian Data, IEEE Transactions on Signal Processing, April 1997, 4, 927-934.
- [60] Candes, E. J., Wakin, M., Boyd. S., Enhancing Sparsity By Reweighted l_1 -Minimization, Journal of Fourier Analysis and Applications, October 2008, 14, 877-905.

- [61] Claasen, T., Mecklenbrauker, W., Comparison of the Convergence of Two Algorithms for Adaptive FIR Digital Filters, IEEE Transactions on Acoustics, Speech and Signal Processing, 3, June 1981, 670-678.
- [62] Hill, S.I., Williamson, R.C., Convergence of Exponentiated Gradient Algorithms, IEEE Transactions Signal Processing, Jun 2001, 6, 1208-1215.