



RED HAT® JBOSS®
MIDDLEWARE

Refactoring your Java EE applications using Microservices and Containers

Arun Gupta, Red Hat




Arun Gupta


Director, Technical Marketing
& Developer Advocacy

@arungupta
blog.arungupta.me
arungupta@redhat.com

Monolith Application




Monolith Application



Advantages of Monolith Application



- Typically packaged in a single .ear
- Easy to test (all required services are up)
- Simple to develop

Monolith Application



Disadvantages of Monolith Application

- Difficult to deploy and maintain
- Obstacle to frequent deployments
- Makes it difficult to try out new technologies/ framework






An **architectural approach**, that emphasizes the **decomposition of applications** into **single-purpose, loosely coupled** services managed by **cross-functional teams**, for delivering and maintaining **complex software systems** with the velocity and quality required by today's **digital business**.



I DONT ALWAYS
BUILD EVERYTHING



imgflip.com






“Any ***organization*** that designs a system
(defined more broadly here than just information
systems) will inevitably produce a design
whose structure is a ***copy of the***
organization's communication structure.”

–Melvin Conway

Teams around business capability



Single Responsibility Principle

DO
1
THING

Explicitly Published interface



Independently replaceable and upgradeable





**With great
power, comes great
responsibility**

“you build it, you run it!”

Designed for failure



Fault tolerance is a requirement, not a feature



Characteristics



Scala



ORACLE
D A T A B A S E



PostgreSQL



Couchbase



redis



cassandra



100% automated

WELLS FARGO  

Sign Off | Home | Locations | Contact Us | Open Account

Accounts Bill Pay Transfers Brokerage Account Services Messages & Alerts

Bill Pay Overview Payments Payees eBills Reports Notices User Profile

Bill Pay Overview [Help](#) [Unviewed Notices \(2\)](#) [Unpaid eBills \(3\)](#) [Pending Payments \(6\)](#)

Make Payment

Note: Delivery time for payment varies by payee. See number of business days in Send On column.

Payee Add a Payee	Pending Payment	Last Paid	Amount	Send On
AMERICAN EXPRESS	\$2,053.50 06/30/2004	\$1,349.93 05/24/2004	\$ <input type="text"/>	mm/dd/yyyy 3 Business Days
BANK OF AMERICA  Receiving eBills View eBill	\$198.80 06/30/2004	\$92.17 05/25/2004	\$ <input type="text"/>	mm/dd/yyyy 3 Business Days
BANK ONE / FIRST	\$55.00 06/25/2004	\$55.00 05/22/2004†	\$ <input type="text"/>	mm/dd/yyyy 3 Business Days
CHARLES SCHWAB			\$ <input type="text"/>	mm/dd/yyyy 5 Business Days
CITIBANK VISA  Pending activation	\$63.50 06/30/2004*	\$198.80 05/25/2004*	\$ <input type="text"/>	mm/dd/yyyy 5 Business Days
DIRECT TV  Activate eBills		\$63.50 05/25/2004	\$ <input type="text"/>	mm/dd/yyyy 3 Business Days
SBC-PACIFIC BELL		\$45.80 05/25/2004	\$ <input type="text"/>	mm/dd/yyyy 5 Business Days
SPRINT PCS  Activate eBills	\$49.78 06/30/2004	\$63.50 06/26/2004	\$ <input type="text"/>	mm/dd/yyyy 5 Business Days
SFPUC-WATER DE			\$ <input type="text"/>	mm/dd/yyyy 3 Business Days
WF HOME MORTGAGE		\$1,349.93 05/25/2004	\$ <input type="text"/>	mm/dd/yyyy 5 Business Days



Make Payment

[Home](#) | [Locations](#) | [Contact Us](#) | [Open Account](#) | [Sign Off](#)
© 2001-2005 Wells Fargo. All rights reserved.

Sync or Async Messaging



REST vs Pub/Sub



“Smart endpoints Dumb pipes”



SOA

- SOA 2.0
- Hipster SOA
- SOA done right
- SOA++

SOA 2.0?



Arun Gupta
@arungupta

- Conway's Law
- Service Discovery
- Immutable VM

Microservices = SOA -ESB -SOAP -
Centralized governance/persistence -
Vendors +REST/HTTP +CI/CD +DevOps
+True Polyglot +Containers +PaaS WDYT?



RETWEETS FAVORITES
72 **63**



5:07 PM - 27 May 2015


Strategies for decomposing




Strategies for decomposing

- Verb or usecase - e.g. Checkout UI
- Noun - e.g. Catalog product service
- Single Responsible Principle - e.g. Unix utilities


Towards microservices




Aggregator Pattern #1




Proxy Pattern #2




Chained Pattern #3




Branch Pattern #4



Shared Resources #5



Async Messaging #5



SAY MICROSERVICE



ONE MORE TIME

memegenerator.net

Advantages of microservices


- Easier to develop, understand, maintain
- Starts faster than a monolith, speeds up deployments
- Local change can be easily deployed, great enabler of CD
- Each service can scale on X- and Z-axis
- Improves fault isolation
- Eliminates any long-term commitment to a technology stack
- Freedom of choice of technology, tools, frameworks


“If you can't build a [well-structured] monolith, what makes you think microservices are the answer?”



“If your monolith is a big ball of mud, your microservice will be a bag of dirt”

Arun Gupta





Service Registry/Discovery

- ZooKeeper and Curator
- Snoop
- ...
- Kubernetes
- etcd
- Consul
- OSGi

Monolith vs Microservice

	Monolith	Microservice
Archives	1	5 (Contracts, Order, User, Catalog, Web)
Web pages	8	8
Config Files	4 (persistence.xml, web.xml, load.sql, template.xhtml)	12 (3 per archive)
Classes	12	26 (Service registration/discovery, Application)
Archive Size	24 KB	~52 KB total

Design Considerations


- UI and Full stack
 - Client-side composition (JavaScript?)
 - Server-side HTML generation (JSF?)
 - One service, one UI
- REST Services
- Compensating transactions instead of 2PC

NoOps

- Service replication (Kubernetes)
- Dependency resolution (Nexus)
- Failover (Circuit Breaker)
- Resiliency (Circuit Breaker)
- Service monitoring, alerts and events (ELK)

2013: A bright NoOps future

So where does this all lead? The end-game is NoOps. Where building and running an app is purely a developer process — and where developers are not having to spend time doing Ops work.




Drawbacks of microservices

- Additional complexity of distributed systems
- Significant operational complexity, need high-level of automation
- Rollout plan to coordinate deployments
- Slower ROI, to begin with

Microservice Premium

for less-complex systems, the extra baggage required to manage microservices reduces productivity




“don’t even consider microservices unless you have a system that’s too complex to manage as a monolith”

but remember the skill of the team will outweigh any monolith/microservice choice




What is Docker?

- Open source project and company




A screenshot of the Docker GitHub repository page (<https://github.com/docker/docker>). The page shows the repository's statistics: 13,113 commits, 10 branches, 86 releases, and 765 contributors. It also displays a merge pull request from petervo/10473-available-space, a commit by vbatts, and the latest commit f4dc496d36. The right sidebar shows code navigation, issues (903), pull requests (106), and a pulse summary.

- Used to create containers for software applications
- Package Once Deploy Anywhere (PODA)



Virtual Machines

Each virtualized application includes not only the application - which may be only 10s of MB - and the necessary binaries and libraries, but also an entire guest operating system - which may weigh 10s of GB.



Docker

The Docker Engine container comprises just the application and its dependencies. It runs as an isolated process in userspace on the host operating system, sharing the kernel with other containers. Thus, it enjoys the resource isolation and allocation benefits of VMs but is much more portable and efficient.


Underlying Technology

- Written in Go



- Uses several Linux features
 - **Namespaces** to provide isolation
 - **Control groups** to share/limit hardware resources
 - **Union File System** makes it light and fast
 - **libcontainer** defines container format

Docker Workflow





Build

Develop an app using Docker containers with
any language and any toolchain.

- Image defined in text-based **Dockerfile**
- List of commands to build the image

```
FROM fedora:latest
```

```
CMD echo "Hello world"
```

```
FROM jboss/wildfly
```

```
RUN curl -L https://github.com/javaee-samples/javaee7-hol/raw/master/solution/  
movieplex7-1.0-SNAPSHOT.war -o /opt/jboss/wildfly/standalone/deployments/  
movieplex7-1.0-SNAPSHOT.war
```

Advantages of Containers

- Faster deployments
- Isolation
- Portability - “it works on my machine”
- Snapshotting
- Security sandbox
- Limit resource usage
- Simplified dependency
- Sharing

Docker: Pros and Cons

- PROS
 - Extreme application portability
 - Very easy to create and work with derivative
 - Fast boot on containers
- CONS
 - Machine, Swarm, Compose not ready for production
 - No usage tracking/reporting

Kubernetes



- Open source orchestration system for Docker containers
- Provide declarative primitives for the “desired state”
 - Self-healing
 - Auto-restarting
 - Schedule across hosts
 - Replicating

Collect statistics about who wrote kubernetes

gitdm (git data mine) is a tool written by Jonathan Corbet at LWN which he uses to do his 'who wrote the kernel' articles. I spent a couple of minutes to run it against kube. Some interesting results...

...

Developers with the most changesets

Brendan Burns	643 (10.3%)
Daniel Smith	485 (7.8%)
Clayton Coleman	453 (7.3%)
Tim Hockin	312 (5.0%)
derekwayne	carr 209 (3.4%)

Developers with the most changed lines

Brendan Burns	455888 (18.0%)
Nan Monnand Deng	379610 (15.0%)
Yifan Gu	219191 (8.7%)
Patrick	169265 (6.7%)
nikhiljindal	124915 (4.9%)



Top changeset contributors by employer

"Google"	2562 (58.2%)
"Red Hat"	1252 (20.5%)
(Unknown)	899 (14.7%)
"CoreOS"	144 (2.4%)
"FathomDB"	142 (2.3%)




Concepts

- **Pods**: collocated group of Docker containers that share an IP and storage volume
- **Service**: Single, stable name for a set of pods, also acts as LB
- **Label**: used to organize and select group of objects




Kubernetes Architecture




Replication Controller

- Ensures that a specified number of pod "replicas" are running at any one time
- Recommended to wrap a Pod in a RC
- Only appropriate for Pods with **Restart=Always** policy (default)


Replication Controller



Replication Controller: Automatic Rescheduling



Replication Controller: Scaling



Kubernetes Config

```
1 apiVersion: v1
2 kind: Pod
3 metadata:
4   name: wildfly-pod
5   labels:
6     name: wildfly
7 spec:
8   containers:
9     - image: jboss/wildfly
10    name: wildfly-pod
11    ports:
12      - containerPort: 8080
```

```
1 apiVersion: v1
2 kind: ReplicationController
3 metadata:
4   name: wildfly-rc
5   labels:
6     name: wildfly
7 spec:
8   replicas: 2
9   template:
10  metadata:
11    labels:
12      name: wildfly
13
14  spec:
15    containers:
16      - name: wildfly-rc-pod
17        image: jboss/wildfly
18        ports:
19          - containerPort: 8080
```




Kubernetes: Pros and Cons

- PROS
 - Manage related Docker containers as a unit
 - Container communication across hosts
 - Availability and scalability through automated deployment and monitoring of pods and their replicas, across hosts

Kubernetes: Pros and Cons

- CONS
 - Lifecycle of applications - build, deploy, manage, promote
 - Port existing source code to run in Kubernetes
 - DevOps: Dev -> Test -> Production
 - No multi-tenancy
 - On-premise (available on GCE)
 - Assumes inter-pod networking as part of infrastructure
 - Requires explicit load balancer





redhat.

Applications

xPaaS
VERT.X

RED HAT® JBOSS®
MIDDLEWARE
node.js™

PaaS

openshift

Containers & Orchestration

kubernetes

docker

Container Host



RED HAT®
ENTERPRISE LINUX®
ATOMIC HOST

IaaS

openstack™

jboss.org



VERT.X



FEEDHENRY™

Infinispan



Qhawtio

