12.13.1.41

EE22BTECH11010 - Aryan Bubna

question: Three bags contains a no of red and white balls as follows:

 B_1 : 3 red balls, B_2 : 2 red balls and 1 white ball, B_3 : 3 white balls

The probability that bag i will be chosen and a ball is selected is i/6, i=1,2,3.

what is the probability that

- (i) a red ball will be selected?
- (ii) a white ball will be selected?

Solution:

object	RV	values	description
bag	X	1	bag-1 is selected
		2	bag-2 is selected
		3	bag-3 isselected
ball	Y	0	white ball is selected
		1	red ball is selected

TABLE 0: random variables of objects

$$Pr(X = 1) = \frac{1}{6}$$

$$Pr(X = 2) = \frac{2}{6}$$

$$Pr(X = 3) = \frac{3}{6}$$
(2)
(3)

we know that that the conditional probability is defined as $\Pr(A|B) = \frac{\Pr(A,B)}{\Pr(B)}$

1) The probability that a red ball will be selected is:

$$\Pr(Y = 1) = \Pr(Y = 1, X = 1) + \Pr(Y = 1, X = 2) + \Pr(Y = 1, X = 3)$$

$$= \Pr(X = 1) \times \Pr(Y = 1 | X = 1) + \Pr(X = 2) \times \Pr(Y = 1 | X = 2) + \Pr(X = 3) \times \Pr(Y = 1 | X = 3)$$

$$= \frac{1}{6} \times \frac{3}{3} + \frac{2}{6} \times \frac{2}{3} + \frac{3}{6} \times 0$$

$$= \frac{7}{18}$$
(7)

2) The probability that a white ball will be selected is:

$$\Pr(Y = 0) = \Pr(Y = 0, X = 1) + \Pr(Y = 0, X = 2) + \Pr(Y = 0, X = 3)$$

$$(8)$$

$$= \Pr(X = 1) \times \Pr(Y = 0 | X = 1) + \Pr(X = 2) \times \Pr(Y = 0 | X = 2) + \Pr(X = 3) \times \Pr(Y = 0 | X = 3)$$

$$(9)$$

$$= \frac{1}{6} \times 0 + \frac{2}{6} \times \frac{1}{3} + \frac{3}{6} \times \frac{3}{3}$$

$$= \frac{11}{18}$$

$$(11)$$