

EXAM OF STATISTICS (DESCRIPTIVE STATISTICS AND REGRESSION)

2nd Physiotherapy

Version A

June, 06 2022

Name:

DNI:

Group:

Duration: 1 hour.

- (5 pts.) 1. The patients of a physiotherapy clinic were asked to assess their satisfaction in a scale from 0 to 10. The assessments are summarized in the table below.

Assessment	Patients
0 – 2	3
2 – 4	12
4 – 6	9
6 – 8	18
8 – 10	22

- Compute the interquartile range of the assessment and interpret it.
- If it is required an assessment greater than 5 in more than 50% of patients for the clinic to remain open, will the clinic remain open?
- Is the assessment mean representative?
- Compute the coefficient of kurtosis of the assessment and interpret it. Is the kurtosis normal?
- If the assessment mean of another clinic is 6.8 and the standard deviation is 2.6, which assessment is relatively higher 6 in the first clinic or 6.2 in the second?

Use the following sums for the computations:

$$\sum x_i n_i = 408, \sum x_i^2 n_i = 3000, \sum (x_i - \bar{x})^3 n_i = -548.25 \text{ and } \sum (x_i - \bar{x})^4 n_i = 5140.45.$$

- (5 pts.) 2. A study tries to determine the effectiveness a training program to increase the grip strength. The table below shows the grip strength in Kg in some weeks of the training program.

Week	1	3	6	9	14	17	21	24
Grip strength	15	22	29	34	36	39	40	41

- Compute the regression coefficient of the grip strength on the weeks and interpret it.
- According to the logarithmic regression model, what is the expected grip strength after 5 and 25 weeks. Are these predictions reliable? Would these predictions be more reliable with the linear regression model?
- According to the exponential regression model, how many weeks are required to have a grip strength of 25 Kg?
- What percentage of the total variability of the weeks is explained by the exponential model?

Use the following sums (X =Weeks and Y =Grip strength):

$$\begin{aligned} \sum x_i &= 95, \sum \log(x_i) = 16.7824, \sum y_j = 256, \sum \log(y_j) = 27.3423, \\ \sum x_i^2 &= 1629, \sum \log(x_i)^2 = 43.606, \sum y_j^2 = 8804, \sum \log(y_j)^2 = 94.3237, \\ \sum x_i y_j &= 3552, \sum x_i \log(y_j) = 342.9642, \sum \log(x_i) y_j = 608.4186, \sum \log(x_i) \log(y_j) = 60.047. \end{aligned}$$