## EXAM OF STATISTICS (PROBABILITY AND RANDOM VARIABLES)

Pharmacy/Biotechnology 1st year	Version A	November, 18 2019
Name:	DNI:	Group:

**Duration**: 1 hour and 15 minutes.

- (2 pts.) 1.In a population where the prevalence of a disease is 10% we apply a diagnostic test with a sensitivity 85%. What must be the minimum specificity of the test to diagnose the disease when the outcome of the test is positive?
- (2.5 pts.) 2. In a stretch of a road there is an average of 2 accidents per day.
  - (a) Compute the probability of having more than 2 accidents a random day.
  - (b) Compute the probability of having more than 2 accidents a random day, knowing that there is at least one accident that day.
  - (c) Compute the probability of having 14 accidents a random week.
- (2.5 pts.) 3. In a study about the efectiveness of two flu drugs A and B it has been observed in a clinical trial that in 12% of cases only drug A is effective, in 24% of cases only drug B is effective and in 80% of cases where drug A was effective, also was effective the drug B.
  - (a) What is the probability that both drugs are efective at the same time?
  - (b) What is the probability that only one of the drugs is effective?
  - (c) What is the probability that none of the drugs are effective?
  - (d) Are the effectiveness of the two drugs independent?
- (3 pts.) 4. It is known that the annual rainfall in a region follows a normal probability distribution. If the statistics show that 15% of the years the annual rainfall has been greater than 45 cm and 3% of the years less than 30 cm,
  - (a) Compute the mean and the stantdard deviation of the annual rainfall. **Remark**: Use  $\mu = 40$  cm y  $\sigma = 3$  cm for the next part if you do not know how to compute them
  - (b) What is the probability that in the next 5 years at least one year the annual rainfall was above  $50~\mathrm{cm}$ ?