

Name: _____

ID: _____

Exam: php(ch1 to 18) Date: 22-05-2023

1. <?php

```
$a = false;    $b = true;    $c = false;
```

```
if ($a ? $b : $c) {    echo "false";    }
```

```
    else {    echo "true";    } ?>
```

- a. True b. false c. Nothing d. An error

2. What can you use to replace 'like' with 'hate' in 'I like Regular Expressions'?

- a. preg_replace("/like/", "/hate/", "I like Regular Expressions")
b. preg_replace("/hate/", "/like/", "I like Regular Expressions")
c. preg_replace("/like/", "hate", "I like Regular Expressions")
d. preg_replace("/hate/", "like", "I like Regular Expressions")

3. What function sends mail:

- a. mail() b. mailto() c. None of them d. Both of them

4. <?php

```
class T
```

```
{public $m = "a";
```

```
function __construct($r){
```

```
    $this->m = $r;}}
```

```
$t = new T("z");    $p = $t->m;    $p = "c";
```

```
echo $t->m;    ?>
```

- a.a b.b c.z

5. A constructor is a special kind of ...

- a. object b. class c. function d.. method

6. \$4bears = \$bears->getFirst4(); is this a valid code?

- a. true b. fasle

7.<?php \$dog = "Dogzilla"; \$dragon = &\$dog; \$dragon = "Dragonzilla";

```
echo $dog." "; echo $dragon;?> what is the output?
```

- a. Dogzilla Dragonzilla b. Dogzilla Dogzilla
c. Dragonzilla Dragonzilla d. Dragonzilla Dogzilla

8. <?php function my_func(\$variable){

```
    return (is_numeric($variable) && $variable % 2 == 0);}?>
```

when it will return TRUE?

- a. my_func(3) b. my_func("3") c. my_func(4) d. my_func("4")

9. How to remove last element of an array?

- a. array_shift() b. array_unshift c. array_push() d. array_pop()

10. How to change an array values into string?

a. explode() b. implode() c.array_values() d. array_combine()

11. How to interchange key to values and visa versa of an array?

a. array_change() b. array_flip() c. array_unique() d. array_interchange()

12. function used to add an element at the begining of an array?

a. array_shift() b. array_unshiftc. array_push() d. array_pop()

13. Which of the following tags is the valid way to begin and end a PHP code block?

a. <% %> b. <? ?>c. <! !> d. <?php ?> e. I don't know

14. Which operator is used to concatenate two strings in php?

a) dot operator (.) b) plus operator (+)

15.In PHP, which of the following function is used to insert content of one php file into another php file before server executes it .

a) include[] b) #include() c) include() d) #include{}

16. what will be the ouput of below code ? Assume that today is 2009-5-19:2:45:32 pm

```
<?php
```

```
$today = date("F j, Y, g:i a"); echo $today;
```

```
?>
```

a) may 19,09,2:45:32 PM b) May 19, 2009, 2:45 pm
c) May 19,2009,14:45:32 pm d) May 19,2009,14:45:32 PM

20. Which of the following function is used for terminate the script execution in PHP?

a) break() b) quit() c) die()

21. <?php

```
define("x","5"); $x=x+15; echo x; ?>
```

a) Error b) 20 c) 10 d) 5

22. what will be the output of below code ?

```
<?php
```

```
$arr = array(5 => 1, 12 => 2); $arr[] = 56; $arr["x"] = 42; unset($arr);
```

```
echo var_dump($arr); ?>
```

a) 42 b) 56 c) Null d) x=42

23.php can support multiple inheritance?

a) TRUE b) FALSE

24. what is the return value of this substr function?

```
<?php
```

```
$rest = substr("abcdef", -1);    $resta = substr("abcdef", 1, -1);
```

```
echo $rest.", ".$resta; ?>
```

a) f,abcde b) a,fedcb c) b,abcdef d) f,bcde

25. All variables in PHP start with which symbol?

a) ! b) \$ c) & d) %

26. In PHP the error control operator is _____

- a) . b) * c) @ d) &

27. \$str="only3dollars"; \$a=20; \$a+=\$str; print(\$a);

- a) 23dollars b) 20 c) 320dollars d) 23

28. function zz(& \$x){\$x=\$x+10;}

\$x=10; zz(\$x); echo \$x;

- a) 5 b) 20 c) 15 d) 10

29. Which of the following printing construct/function accepts multiple parameters?

- a. Echo b. Print
c. Printf d. All of the above

30. You have defined three variables \$to, \$subject, and \$body to send an email. Which of the following methods would you use for sending an email?

- a. mail(\$to,\$subject,\$body) b. sendmail(\$to,\$subject,\$body)
c. mail(to,subject,body) d. sendmail(to,subject,body)

31. What will be the output of the following code?

\$a = 10; if(\$a > 5 OR < 15) echo "true"; else echo "false";

- a. true b. false c. No output d. Parse Error

32. In your PHP application you need to open a file. You want the application to issue a warning and continue execution, in case the file is not found. The ideal function to be used is:

- a. include() b. require()
c. nowarn() d. getFile(false)

33. Which of the following is a Ternary Operator?

- a. & b. = c. :? d. ?: e. += f. &&

34. What will be the output of the following code?

echo 30 * 5 . 7;

- a. 150 . 7 b. 1507
c. 171 d. you can't concatenate integers e. error will occur

35. \$_FILE is a multidimensional array. A. TRUE B. FALSE