

- What are class and object?
- What are the abstract classes?
- What are the interfaces?

4. Different between get and post method?

5. What are constructor?

6. Define exception?

7. What is super global variable? Write name of some superglobal variable?

8. fscanf()?

9. PHP Features?

10. Array pop() ?

11. What are passing arguments by reference and passing arguments by value?

12. Authentication variable?

- Which method applicable for larger form submission:

Ans: **POST method**

- Which type of function is called by itself?

Ans: **Recursive Function**

- Which are the fundamental concept of Object Oriented Programming?

Ans: A. Inheritance B. Polymorphism C. Encapsulation **D. All of the above**

- What is the output of **substr("Bangladesh",0,6)?**

Ans: **Bangla**

- Correct function to open a file, for readable mode?

Ans: a. fopen("text.txt","r")

b. `fopen("text.txt","r+")`

- OOP features that not supported by PHP?[choose two] [\[page-127\(pdf\)\]](#)

Ans: 1. Method overloading 2. Multiple inheritance

- Which of the following property is used to Initialize object properties? [\[page-149\(pdf\)\]](#)

Ans: **constructor**

- Which statement is true about Regular Expressions?

Ans: Describing or matching data according to defined syntax rules.

- Which of the following functions is used to merge arrays together, returning a single unified array?

Ans: `array_merge()`

- Originating class and it's child classes available in which method scopes? [\[page-147\(pdf\)\]](#)

Ans: **protected**

- Which function is used to read an entire file? [\[page-239\(pdf\)\]](#)

Ans: a. `fread()` b. `readfile()` c. `file()`

- Correct way to call/invoke a method of a class:

class name: MyPHP,

method: `getDate()`,

object: `$callPHP?` (or something like that)

Ans: `$callPHP-> getDate ();`

- Class inheritance in PHP is accomplished by using the keyword-

Ans: **extends**

- `<form action="receive.php " method="post">`

```
<input type="text" name="nm" value="fruits">
```

```
</form>
```

How to get value from input in receive.php page?

Ans: `$_POST["nm"];`

- Which function divide a delimited string into various array elements?

Ans: `explode();`

- How to read CSV file? [\[page-241\(pdf\)\]](#)

Ans: `fgetCSV()`

- How can we sanitize input? [\[page-251\(pdf\)\]](#)

Ans: **Prevent users to input data that cause to harm.**

- Correct Include() syntax: (Select all that apply)

Ans: a. `<? Include 'header.php; ?>`

b. `<?php for($i=0; $i<10; $i++) { include "repeattation_element.php ";} ?>`

c. `<?php include "./preparation.php"; ?>`

d. All of the above

**e. Only B and C are correct.**

- Which function is used to change an existing filename?

Ans: `rename();`

- Maximum, how many times an interface can be implemented?

Ans: a. Only once

b. Two times

**c. As many times as required**

d. At least three times

21. Which parameter of php.ini file will need to be configured to allocate the memory for php script?

A. `post_max_size`

B. upload\_max\_filesize

**C. memory\_limit**

D. None of the above

22. \*\*\* What is the web server of PHP?

(a) IIS (Internet information service)

**(b) Apache**

(c) PHPLIB

(d) PCRE

23. **85.** The following piece of script will output:

```
<?
$email=
`admin@example.com `;
$new=strstr($email, '@');
print $new;
?>
```

a. admin

b. admin@example

**c. @ example.com**

d. example.com

24. What are the difference between print and echo?

**A. echo faster than print**

B. echo return value

**C. print return value**

D. echo return true

25. . How to convert types?

A. using getDataType function

**B. using gettype function**

C. datatype() function

D. settype() function

26. How do we declare constants variable?

A. constants \$varname

B. \$varname constants

**C. define ()**

D. \$\$varname

27. - sort arrays in descending order

rsort()

28. foreach question

29. phpinfo()

30. loop

31. number guess mcq from book

32. gettype()

33. strstr

34. var \$val = 1; do{

\$val = \$val + 2;

\$val = \$val \* 3 ;

} while(\$val >= 12)

echo \$val

33. <?php

\$value = 1;

do {

\$count = 3;

\$value = \$value + 2;//3

\$value = \$value \* \$count; //9

} while (\$count >= 12);

echo "Value =\$value";

?>