Individual Noncompartmental Analysis Result

Date and Time: 2020-06-17 12:49:24 Asia/Seoul

Calculation Setting

Drug Administration: Extravascular

Observation count excluding trailing zero: 11

Dose at time 0: 320 mg

AUC Calculation Method: Linear-up Linear-down

Weighting for lambda z: Uniform (Ordinary Least Square, OLS)

Lambda z selection criterion: Heighest adjusted R-squared value with precision=le-4

3.2801 -1.465e-04 148.9231 1459.0711

Fitting, AUC, AUMC Result

| Time | | Conc. | Pred. | Residual | AUC | AUMC |
|------------|---|---------|--------|------------|---------|----------|
| 0.0000 | | 0.7400 | | | 0.0000 | 0.0000 |
| 0.2500 | | 2.8400 | | | 0.4475 | 0.0888 |
| 0.5700 | | 6.5700 | | | 1.9531 | 0.8015 |
| 1.1200 | | 10.5000 | | | 6.6474 | 5.0654 |
| 2.0200 | | 9.6600 | | | 15.7194 | 19.1383 |
| 3.8200 | | 8.5800 | | | 32.1354 | 66.1982 |
| 5.1000 | | 8.3600 | | | 42.9769 | 114.4617 |
| 7.0300 | | 7.4700 | | | 58.2529 | 206.2815 |
| 9.0500 | * | 6.8900 | 6.8912 | -1.228e-03 | 72.7565 | 322.2988 |
| 12.1200 | * | 5.9400 | 5.9387 | +1.324e-03 | 92.4505 | 528.5219 |
| | | | | | | |

^{*:} Used for the calculation of Lambda z.


3.2800


Calculated Values

24.3700 *

| CMAX | Max Conc | 10.5000 | mg/L |
|---------|---|----------|---------|
| CMAXD | Max Conc Norm by Dose | 0.0328 | mg/L/mg |
| TMAX | Time of CMAX | 1.1200 | h |
| TLAG | Time Until First Nonzero Conc | 0.0000 | h |
| CLST | Last Nonzero Conc | 3.2800 | mg/L |
| CLSTP | Last Nonzero Conc Pred | 3.2801 | mg/L |
| TLST | Time of Last Nonzero Conc | 24.3700 | h |
| LAMZHL | Half-Life Lambda z | 14.3044 | h |
| LAMZ | Lambda z | 0.0485 | /h |
| LAMZLL | Lambda z Lower Limit | 9.0500 | h |
| LAMZUL | Lambda z Upper Limit | 24.3700 | h |
| LAMZNPT | Number of Points for Lambda z | 3 | |
| CORRXY | Correlation Between TimeX and Log ConcY | -1.0000 | |
| R2 | R Squared | 1.0000 | |
| R2ADJ | R Squared Adjusted | 1.0000 | |
| AUCLST | AUC to Last Nonzero Conc | 148.9231 | h*mg/L |
| AUCALL | AUC All | 148.9231 | h*mg/L |

| AUCIFO | AUC Infinity Obs | 216.6119 | h*mg/L |
|----------|------------------------------------|-----------|-----------|
| AUCIFOD | AUC Infinity Obs Norm by Dose | 0.6769 | h*mg/L/mg |
| AUCIFP | AUC Infinity Pred | 216.6150 | h*mg/L |
| AUCIFPD | AUC Infinity Pred Norm by Dose | 0.6769 | h*mg/L/mg |
| AUCPEO | AUC %Extrapolation Obs | 31.2489 | % |
| AUCPEP | AUC %Extrapolation Pred | 31.2499 | % |
| AUMCLST | AUMC to Last Nonzero Conc | 1459.0711 | h2*mg/L |
| AUMCIFO | AUMC Infinity Obs | 4505.5348 | h2*mg/L |
| AUMCIFP | AUMC Infinity Pred | 4505.6709 | h2*mg/L |
| AUMCPEO | AUMC %Extrapolation Obs | 67.6160 | % |
| AUMCPEP | AUMC % Extrapolation Pred | 67.6170 | % |
| VZFO | Vz Obs by F | 30.4867 | L |
| VZFP | Vz Pred by F | 30.4863 | L |
| CLFO | Total CL Obs by F | 1.4773 | L/h |
| CLFP | Total CL Pred by F | 1.4773 | L/h |
| MRTEVLST | MRT Extravasc to Last Nonzero Conc | 9.7975 | h |
| MRTEVIFO | MRT Extravasc Infinity Obs | 20.8000 | h |
| MRTEVIFP | MRT Extravasc Infinity Pred | 20.8004 | h |
| | | | |





Date and Time: 2020-06-17 12:49:24 Asia/Seoul

Calculation Setting

Drug Administration: Extravascular

Observation count excluding trailing zero: 11

Dose at time 0: 320 mg

AUC Calculation Method: Linear-up Linear-down

Weighting for lambda z: Uniform (Ordinary Least Square, OLS)

Lambda z selection criterion: Heighest adjusted R-squared value with precision=le-4

Fitting, AUC, AUMC Result


| Time | | Conc. | Pred. | Residual | AUC | AUMC |
|---------|---|--------|--------|------------|---------|----------|
| 0.0000 | | 0.0000 | | | 0.0000 | 0.0000 |
| 0.2700 | | 1.7200 | | | 0.2322 | 0.0627 |
| 0.5200 | | 7.9100 | | | 1.4360 | 0.6349 |
| 1.0000 | | 8.3100 | | | 5.3287 | 3.6165 |
| 1.9200 | | 8.3300 | | | 12.9832 | 14.7961 |
| 3.5000 | | 6.8500 | | | 24.9754 | 46.3713 |
| 5.0200 | | 6.0800 | | | 34.8022 | 87.7887 |
| 7.0300 | * | 5.4000 | 5.3629 | +3.707e-02 | 46.3396 | 156.6147 |
| 9.0000 | * | 4.5500 | 4.3687 | +1.813e-01 | 56.1403 | 234.3431 |
| 12.0000 | * | 3.0100 | 3.1970 | -1.870e-01 | 67.4803 | 349.9481 |
| 24.3000 | * | 0.9000 | 0.8886 | +1.136e-02 | 91.5268 | 706.5866 |


^{*:} Used for the calculation of Lambda z.

Calculated Values

| CMAX | Max Conc | 8.3300 | mg/L |
|---------|---|---------|---------|
| CMAXD | Max Conc Norm by Dose | 0.0260 | mg/L/mg |
| TMAX | Time of CMAX | 1.9200 | h |
| TLAG | Time Until First Nonzero Conc | 0.0000 | h |
| CLST | Last Nonzero Conc | 0.9000 | mg/L |
| CLSTP | Last Nonzero Conc Pred | 0.8886 | mg/L |
| TLST | Time of Last Nonzero Conc | 24.3000 | h |
| LAMZHL | Half-Life Lambda z | 6.6593 | h |
| LAMZ | Lambda z | 0.1041 | /h |
| LAMZLL | Lambda z Lower Limit | 7.0300 | h |
| LAMZUL | Lambda z Upper Limit | 24.3000 | h |
| LAMZNPT | Number of Points for Lambda z | 4 | |
| CORRXY | Correlation Between TimeX and Log ConcY | -0.9986 | |
| R2 | R Squared | 0.9972 | |
| R2ADJ | R Squared Adjusted | 0.9958 | |
| AUCLST | AUC to Last Nonzero Conc | 91.5268 | h*mg/L |
| AUCALL | AUC All | 91.5268 | h*mg/L |

| AUCIFO | AUC Infinity Obs | 100.1735 | h*mg/L |
|----------|------------------------------------|----------|-----------|
| AUCIFOD | AUC Infinity Obs Norm by Dose | 0.3130 | h*mg/L/mg |
| AUCIFP | AUC Infinity Pred | 100.0643 | h*mg/L |
| AUCIFPD | AUC Infinity Pred Norm by Dose | 0.3127 | h*mg/L/mg |
| AUCPEO | AUC %Extrapolation Obs | 8.6317 | % |
| AUCPEP | AUC %Extrapolation Pred | 8.5320 | % |
| AUMCLST | AUMC to Last Nonzero Conc | 706.5866 | h2*mg/L |
| AUMCIFO | AUMC Infinity Obs | 999.7723 | h2*mg/L |
| AUMCIFP | AUMC Infinity Pred | 996.0716 | h2*mg/L |
| AUMCPEO | AUMC %Extrapolation Obs | 29.3252 | % |
| AUMCPEP | AUMC % Extrapolation Pred | 29.0627 | % |
| VZFO | Vz Obs by F | 30.6904 | L |
| VZFP | Vz Pred by F | 30.7239 | L |
| CLFO | Total CL Obs by F | 3.1945 | L/h |
| CLFP | Total CL Pred by F | 3.1979 | L/h |
| MRTEVLST | MRT Extravasc to Last Nonzero Conc | 7.7200 | h |
| MRTEVIFO | MRT Extravasc Infinity Obs | 9.9804 | h |
| MRTEVIFP | MRT Extravasc Infinity Pred | 9.9543 | h |





Date and Time: 2020-06-17 12:49:24 Asia/Seoul

Calculation Setting

Drug Administration: Extravascular

Observation count excluding trailing zero: 11

Dose at time 0: 320 mg

AUC Calculation Method: Linear-up Linear-down

Weighting for lambda z: Uniform (Ordinary Least Square, OLS)

Lambda z selection criterion: Heighest adjusted R-squared value with precision=le-4

Fitting, AUC, AUMC Result

| Time | Conc. | Pred. | Residual | AUC | AUMC |
|---------|----------|--------|------------|---------|----------|
| 0.0000 | 0.0000 | | | 0.0000 | 0.0000 |
| 0.0000 | 0.0000 | | | 0.0000 | 0.0000 |
| 0.2700 | 4.4000 | | | 0.5940 | 0.1604 |
| 0.5800 | 6.9000 | | | 2.3455 | 0.9648 |
| 1.0200 | 8.2000 | | | 5.6675 | 3.6854 |
| 2.0200 | 7.8000 | | | 13.6675 | 15.7453 |
| 3.6200 | 7.5000 | | | 25.9075 | 50.0702 |
| 5.0800 | 6.2000 | | | 35.9085 | 92.8817 |
| 7.0700 | 5.3000 | | | 47.3510 | 161.5039 |
| 9.0000 | * 4.9000 | 4.9914 | -9.138e-02 | 57.1940 | 240.2199 |
| 12.1500 | * 3.7000 | 3.6147 | +8.528e-02 | 70.7390 | 380.4815 |
| 24.1700 | * 1.0500 | 1.0551 | -5.097e-03 | 99.2865 | 803.1859 |


^{*:} Used for the calculation of Lambda z.


Calculated Values

| _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |

| CMAX | Max Conc | 8.2000 | mg/L |
|---------|---|---------|-----------------|
| CMAXD | Max Conc Norm by Dose | 0.0256 | ${\rm mg/L/mg}$ |
| TMAX | Time of CMAX | 1.0200 | h |
| TLAG | Time Until First Nonzero Conc | 0.0000 | h |
| CLST | Last Nonzero Conc | 1.0500 | mg/L |
| CLSTP | Last Nonzero Conc Pred | 1.0551 | mg/L |
| TLST | Time of Last Nonzero Conc | 24.1700 | h |
| LAMZHL | Half-Life Lambda z | 6.7661 | h |
| LAMZ | Lambda z | 0.1024 | /h |
| LAMZLL | Lambda z Lower Limit | 9.0000 | h |
| LAMZUL | Lambda z Upper Limit | 24.1700 | h |
| LAMZNPT | Number of Points for Lambda z | 3 | |
| CORRXY | Correlation Between TimeX and Log ConcY | -0.9997 | |
| R2 | R Squared | 0.9993 | |
| R2ADJ | R Squared Adjusted | 0.9986 | |
| AUCLST | AUC to Last Nonzero Conc | 99.2865 | h*mg/L |
| AUCALL | AUC All | 99.2865 | h*mg/L |

| AUCIFO | AUC Infinity Obs | 109.5360 | h*mg/L |
|----------|------------------------------------|-----------|-----------|
| AUCIFOD | AUC Infinity Obs Norm by Dose | 0.3423 | h*mg/L/mg |
| AUCIFP | AUC Infinity Pred | 109.5857 | h*mg/L |
| AUCIFPD | AUC Infinity Pred Norm by Dose | 0.3425 | h*mg/L/mg |
| AUCPEO | AUC %Extrapolation Obs | 9.3572 | % |
| AUCPEP | AUC %Extrapolation Pred | 9.3983 | % |
| AUMCLST | AUMC to Last Nonzero Conc | 803.1859 | h2*mg/L |
| AUMCIFO | AUMC Infinity Obs | 1150.9648 | h2*mg/L |
| AUMCIFP | AUMC Infinity Pred | 1152.6529 | h2*mg/L |
| AUMCPEO | AUMC %Extrapolation Obs | 30.2163 | % |
| AUMCPEP | AUMC % Extrapolation Pred | 30.3185 | % |
| VZFO | Vz Obs by F | 28.5171 | L |
| VZFP | Vz Pred by F | 28.5042 | L |
| CLFO | Total CL Obs by F | 2.9214 | L/h |
| CLFP | Total CL Pred by F | 2.9201 | L/h |
| MRTEVLST | MRT Extravasc to Last Nonzero Conc | 8.0896 | h |
| MRTEVIFO | MRT Extravasc Infinity Obs | 10.5076 | h |
| MRTEVIFP | MRT Extravasc Infinity Pred | 10.5183 | h |





Date and Time: 2020-06-17 12:49:24 Asia/Seoul

Calculation Setting

Drug Administration: Extravascular

Observation count excluding trailing zero: 11

Dose at time 0: 320 mg

AUC Calculation Method: Linear-up Linear-down

Weighting for lambda z: Uniform (Ordinary Least Square, OLS)

Lambda z selection criterion: Heighest adjusted R-squared value with precision=le-4

Fitting, AUC, AUMC Result

| Time | Conc. | Pred. | Residual | AUC | AUMC |
|---------|----------|--------|------------|----------|----------|
| 0.0000 | 0.0000 | | | 0.0000 | 0.0000 |
| | | | | | |
| 0.3500 | 1.8900 | | | 0.3308 | 0.1158 |
| 0.6000 | 4.6000 | | | 1.1420 | 0.5435 |
| 1.0700 | 8.6000 | | | 4.2440 | 3.3545 |
| 2.1300 | 8.3800 | | | 13.2434 | 17.6918 |
| 3.5000 | 7.5400 | | | 24.1486 | 47.9958 |
| 5.0200 | 6.8800 | | | 35.1078 | 94.3007 |
| 7.0200 | 5.7800 | | | 47.7678 | 169.4139 |
| 9.0200 | * 5.3300 | 5.4586 | -1.286e-01 | 58.8778 | 258.0661 |
| 11.9800 | * 4.1900 | 4.0686 | +1.214e-01 | 72.9674 | 403.5099 |
| 24.6500 | * 1.1500 | 1.1564 | -6.422e-03 | 106.7963 | 901.0842 |

^{*:} Used for the calculation of Lambda z.

Calculated Values

CMAX

AUCALL

Max Conc


AUC All


| | | J. |
|---------|---|---------------------------|
| CMAXD | Max Conc Norm by Dose | $0.0269~\mathrm{mg/L/mg}$ |
| TMAX | Time of CMAX | 1.0700 h |
| TLAG | Time Until First Nonzero Conc | 0.0000 h |
| CLST | Last Nonzero Conc | $1.1500~\mathrm{mg/L}$ |
| CLSTP | Last Nonzero Conc Pred | $1.1564~\mathrm{mg/L}$ |
| TLST | Time of Last Nonzero Conc | 24.6500 h |
| LAMZHL | Half-Life Lambda z | 6.9812 h |
| LAMZ | Lambda z | 0.0993 /h |
| LAMZLL | Lambda z Lower Limit | 9.0200 h |
| LAMZUL | Lambda z Upper Limit | 24.6500 h |
| LAMZNPT | Number of Points for Lambda z | 3 |
| CORRXY | Correlation Between TimeX and Log ConcY | -0.9995 |
| R2 | R Squared | 0.9989 |
| R2ADJ | R Squared Adjusted | 0.9978 |
| AUCLST | AUC to Last Nonzero Conc | 106.7963 h*mg/L |

8.6000 mg/L

106.7963 h*mg/L

| AUCIFO | AUC Infinity Obs | 118.3789 | h*mg/L |
|----------|------------------------------------|-----------|-----------|
| AUCIFOD | AUC Infinity Obs Norm by Dose | 0.3699 | h*mg/L/mg |
| AUCIFP | AUC Infinity Pred | 118.4436 | h*mg/L |
| AUCIFPD | AUC Infinity Pred Norm by Dose | 0.3701 | h*mg/L/mg |
| AUCPEO | AUC %Extrapolation Obs | 9.7843 | % |
| AUCPEP | AUC %Extrapolation Pred | 9.8336 | % |
| AUMCLST | AUMC to Last Nonzero Conc | 901.0842 | h2*mg/L |
| AUMCIFO | AUMC Infinity Obs | 1303.2524 | h2*mg/L |
| AUMCIFP | AUMC Infinity Pred | 1305.4981 | h2*mg/L |
| AUMCPEO | AUMC %Extrapolation Obs | 30.8588 | % |
| AUMCPEP | AUMC % Extrapolation Pred | 30.9777 | % |
| VZFO | Vz Obs by F | 27.2260 | L |
| VZFP | Vz Pred by F | 27.2111 | L |
| CLFO | Total CL Obs by F | 2.7032 | L/h |
| CLFP | Total CL Pred by F | 2.7017 | L/h |
| MRTEVLST | MRT Extravasc to Last Nonzero Conc | 8.4374 | h |
| MRTEVIFO | MRT Extravasc Infinity Obs | 11.0092 | h |
| MRTEVIFP | MRT Extravasc Infinity Pred | 11.0221 | h |





Date and Time: 2020-06-17 12:49:24 Asia/Seoul

Calculation Setting

Drug Administration: Extravascular

Observation count excluding trailing zero: 11

Dose at time 0: 320 mg

AUC Calculation Method: Linear-up Linear-down

Weighting for lambda z: Uniform (Ordinary Least Square, OLS)

Lambda z selection criterion: Heighest adjusted R-squared value with precision=le-4

5.9000 5.8291 +7.091e-02 69.7234 303.3417

1.5700 1.5557 +1.430e-02 121.2944 1017.1143

84.6149 457.2302

Fitting, AUC, AUMC Result

AUC AUMC Time Pred. Residual Conc. 0.0000 0.0000 0.0000 0.0000 0.3000 2.0200 0.3030 0.0909 0.5200 5.6300 1.1445 0.4796 1.0000 11.4000 5.2317 3.9182 15.8040 19.3440 9.3300 2.0200 3.5000 8.7400 29.1758 55.9271 5.0200 7.5600 41.5638 108.0184 7.0200 * 7.0900 6.9799 +1.101e-01 56.2138 195.7414

4.5343 -1.643e-01

4.3700

Calculated Values

9.1000 *


12.0000 *


24.3500 *

| CMAX | Max Conc | 11.4000 | mg/L |
|---------|---|----------|-----------------|
| CMAXD | Max Conc Norm by Dose | 0.0356 | ${\rm mg/L/mg}$ |
| TMAX | Time of CMAX | 1.0000 | h |
| TLAG | Time Until First Nonzero Conc | 0.0000 | h |
| CLST | Last Nonzero Conc | 1.5700 | mg/L |
| CLSTP | Last Nonzero Conc Pred | 1.5557 | mg/L |
| TLST | Time of Last Nonzero Conc | 24.3500 | h |
| LAMZHL | Half-Life Lambda z | 8.0023 | h |
| LAMZ | Lambda z | 0.0866 | /h |
| LAMZLL | Lambda z Lower Limit | 7.0200 | h |
| LAMZUL | Lambda z Upper Limit | 24.3500 | h |
| LAMZNPT | Number of Points for Lambda z | 4 | |
| CORRXY | Correlation Between TimeX and Log ConcY | -0.9993 | |
| R2 | R Squared | 0.9986 | |
| R2ADJ | R Squared Adjusted | 0.9980 | |
| AUCLST | AUC to Last Nonzero Conc | 121.2944 | h*mg/L |
| AUCALL | AUC All | 121.2944 | h*mg/L |

^{*:} Used for the calculation of Lambda z.

| AUCIFO | AUC Infinity Obs | 139.4198 | h*mg/L |
|----------|------------------------------------|-----------|-----------|
| AUCIFOD | AUC Infinity Obs Norm by Dose | 0.4357 | h*mg/L/mg |
| AUCIFP | AUC Infinity Pred | 139.2546 | h*mg/L |
| AUCIFPD | AUC Infinity Pred Norm by Dose | 0.4352 | h*mg/L/mg |
| AUCPEO | AUC %Extrapolation Obs | 13.0006 | % |
| AUCPEP | AUC %Extrapolation Pred | 12.8974 | % |
| AUMCLST | AUMC to Last Nonzero Conc | 1017.1143 | h2*mg/L |
| AUMCIFO | AUMC Infinity Obs | 1667.7216 | h2*mg/L |
| AUMCIFP | AUMC Infinity Pred | 1661.7937 | h2*mg/L |
| AUMCPEO | AUMC %Extrapolation Obs | 39.0117 | % |
| AUMCPEP | AUMC % Extrapolation Pred | 38.7942 | % |
| VZFO | Vz Obs by F | 26.4980 | L |
| VZFP | Vz Pred by F | 26.5294 | L |
| CLFO | Total CL Obs by F | 2.2952 | L/h |
| CLFP | Total CL Pred by F | 2.2979 | L/h |
| MRTEVLST | MRT Extravasc to Last Nonzero Conc | 8.3855 | h |
| MRTEVIFO | MRT Extravasc Infinity Obs | 11.9619 | h |
| MRTEVIFP | MRT Extravasc Infinity Pred | 11.9335 | h |





Date and Time: 2020-06-17 12:49:24 Asia/Seoul

Calculation Setting

Drug Administration: Extravascular

Observation count excluding trailing zero: 11

Dose at time 0: 320 mg

AUC Calculation Method: Linear-up Linear-down

Weighting for lambda z: Uniform (Ordinary Least Square, OLS)

Lambda z selection criterion: Heighest adjusted R-squared value with precision=le-4

0.9200 0.9413 -2.127e-02 73.7756 609.1524

Fitting, AUC, AUMC Result

| | Time | | Conc. | Pred. | Residual | AUC | AUMC |
|---|---------|---|--------|--------|------------|---------|----------|
| - | 0.0000 | | 0.0000 | | | 0.0000 | 0.0000 |
| | 0.2700 | | 1.2900 | | | 0.1742 | 0.0470 |
| | 0.5800 | | 3.0800 | | | 0.8515 | 0.3779 |
| | 1.1500 | | 6.4400 | | | 3.5647 | 2.9977 |
| | 2.0300 | * | 6.3200 | 6.3928 | -7.284e-02 | 9.1791 | 11.9014 |
| | 3.5700 | * | 5.5300 | 5.5844 | -5.438e-02 | 18.3036 | 36.9816 |
| | 5.0000 | * | 4.9400 | 4.9255 | +1.450e-02 | 25.7897 | 68.7577 |
| | 7.0000 | * | 4.0200 | 4.1323 | -1.123e-01 | 34.7497 | 121.5977 |
| | 9.2200 | * | 3.4600 | 3.4005 | +5.948e-02 | 43.0525 | 188.2434 |
| | 12.1000 | * | 2.7800 | 2.6408 | +1.392e-01 | 52.0381 | 282.6199 |

^{*:} Used for the calculation of Lambda z.

Calculated Values

AUCALL


AUC All


23.8500 *

| CMAX | Max Conc | 6.4400 | mg/L |
|---------|---|---------|---------|
| CMAXD | Max Conc Norm by Dose | 0.0201 | mg/L/mg |
| TMAX | Time of CMAX | 1.1500 | h |
| TLAG | Time Until First Nonzero Conc | 0.0000 | h |
| CLST | Last Nonzero Conc | 0.9200 | mg/L |
| CLSTP | Last Nonzero Conc Pred | 0.9413 | mg/L |
| TLST | Time of Last Nonzero Conc | 23.8500 | h |
| LAMZHL | Half-Life Lambda z | 7.8950 | h |
| LAMZ | Lambda z | 0.0878 | /h |
| LAMZLL | Lambda z Lower Limit | 2.0300 | h |
| LAMZUL | Lambda z Upper Limit | 23.8500 | h |
| LAMZNPT | Number of Points for Lambda z | 7 | |
| CORRXY | Correlation Between TimeX and Log ConcY | -0.9991 | |
| R2 | R Squared | 0.9982 | |
| R2ADJ | R Squared Adjusted | 0.9979 | |
| AUCLST | AUC to Last Nonzero Conc | 73.7756 | h*mg/L |

73.7756 h*mg/L

| AUCIFO | AUC Infinity Obs | 84.2544 | h*mg/L |
|----------|------------------------------------|----------|-----------|
| AUCIFOD | AUC Infinity Obs Norm by Dose | 0.2633 | h*mg/L/mg |
| AUCIFP | AUC Infinity Pred | 84.4967 | h*mg/L |
| AUCIFPD | AUC Infinity Pred Norm by Dose | 0.2641 | h*mg/L/mg |
| AUCPEO | AUC %Extrapolation Obs | 12.4372 | % |
| AUCPEP | AUC %Extrapolation Pred | 12.6882 | % |
| AUMCLST | AUMC to Last Nonzero Conc | 609.1524 | h2*mg/L |
| AUMCIFO | AUMC Infinity Obs | 978.4285 | h2*mg/L |
| AUMCIFP | AUMC Infinity Pred | 986.9665 | h2*mg/L |
| AUMCPEO | AUMC %Extrapolation Obs | 37.7418 | % |
| AUMCPEP | AUMC % Extrapolation Pred | 38.2803 | % |
| VZFO | Vz Obs by F | 43.2597 | L |
| VZFP | Vz Pred by F | 43.1357 | L |
| CLFO | Total CL Obs by F | 3.7980 | L/h |
| CLFP | Total CL Pred by F | 3.7871 | L/h |
| MRTEVLST | MRT Extravasc to Last Nonzero Conc | 8.2568 | h |
| MRTEVIFO | MRT Extravasc Infinity Obs | 11.6128 | h |
| MRTEVIFP | MRT Extravasc Infinity Pred | 11.6805 | h |





Date and Time: 2020-06-17 12:49:24 Asia/Seoul

Calculation Setting

Drug Administration: Extravascular

Observation count excluding trailing zero: 11

Dose at time 0: 320 mg

AUC Calculation Method: Linear-up Linear-down

Weighting for lambda z: Uniform (Ordinary Least Square, OLS)

Lambda z selection criterion: Heighest adjusted R-squared value with precision=le-4

1.1607 -1.072e-02 90.7534 782.4199

Fitting, AUC, AUMC Result

| Time | | Conc. | Pred. | Residual | AUC | AUMC |
|---------|---|--------|--------|------------|---------|----------|
| | | | | | | |
| 0.0000 | | 0.1500 | | | 0.0000 | 0.0000 |
| 0.2500 | | 0.8500 | | | 0.1250 | 0.0266 |
| 0.5000 | | 2.3500 | | | 0.5250 | 0.2000 |
| 1.0200 | | 5.0200 | | | 2.4412 | 1.8368 |
| 2.0200 | | 6.5800 | | | 8.2412 | 11.0428 |
| 3.4800 | | 7.0900 | | | 18.2203 | 38.7571 |
| 5.0000 | | 6.6600 | | | 28.6703 | 82.8167 |
| 6.9800 | * | 5.2500 | 5.3226 | -7.260e-02 | 40.4612 | 152.0623 |
| 9.0000 | * | 4.3900 | 4.4527 | -6.275e-02 | 50.1976 | 228.9788 |
| 12.0500 | * | 3.5300 | 3.4011 | +1.289e-01 | 62.2756 | 354.0998 |

^{*:} Used for the calculation of Lambda z.


1.1500


Calculated Values

24.2200 *

| CMAX | Max Conc | 7.0900 | mg/L |
|---------|---|---------|-----------------|
| CMAXD | Max Conc Norm by Dose | 0.0222 | ${\rm mg/L/mg}$ |
| TMAX | Time of CMAX | 3.4800 | h |
| TLAG | Time Until First Nonzero Conc | 0.0000 | h |
| CLST | Last Nonzero Conc | 1.1500 | mg/L |
| CLSTP | Last Nonzero Conc Pred | 1.1607 | mg/L |
| TLST | Time of Last Nonzero Conc | 24.2200 | h |
| LAMZHL | Half-Life Lambda z | 7.8467 | h |
| LAMZ | Lambda z | 0.0883 | /h |
| LAMZLL | Lambda z Lower Limit | 6.9800 | h |
| LAMZUL | Lambda z Upper Limit | 24.2200 | h |
| LAMZNPT | Number of Points for Lambda z | 4 | |
| CORRXY | Correlation Between TimeX and Log ConcY | -0.9993 | |
| R2 | R Squared | 0.9987 | |
| R2ADJ | R Squared Adjusted | 0.9980 | |
| AUCLST | AUC to Last Nonzero Conc | 90.7534 | h*mg/L |
| AUCALL | AUC All | 90.7534 | h*mg/L |

| AUCIFO | AUC Infinity Obs | 103.7718 | h*mg/L |
|----------|------------------------------------|-----------|-----------|
| AUCIFOD | AUC Infinity Obs Norm by Dose | 0.3243 | h*mg/L/mg |
| AUCIFP | AUC Infinity Pred | 103.8931 | h*mg/L |
| AUCIFPD | AUC Infinity Pred Norm by Dose | 0.3247 | h*mg/L/mg |
| AUCPEO | AUC %Extrapolation Obs | 12.5452 | % |
| AUCPEP | AUC %Extrapolation Pred | 12.6474 | % |
| AUMCLST | AUMC to Last Nonzero Conc | 782.4199 | h2*mg/L |
| AUMCIFO | AUMC Infinity Obs | 1245.0984 | h2*mg/L |
| AUMCIFP | AUMC Infinity Pred | 1249.4111 | h2*mg/L |
| AUMCPEO | AUMC %Extrapolation Obs | 37.1600 | % |
| AUMCPEP | AUMC % Extrapolation Pred | 37.3769 | % |
| VZFO | Vz Obs by F | 34.9084 | L |
| VZFP | Vz Pred by F | 34.8677 | L |
| CLFO | Total CL Obs by F | 3.0837 | L/h |
| CLFP | Total CL Pred by F | 3.0801 | L/h |
| MRTEVLST | MRT Extravasc to Last Nonzero Conc | 8.6214 | h |
| MRTEVIFO | MRT Extravasc Infinity Obs | 11.9984 | h |
| MRTEVIFP | MRT Extravasc Infinity Pred | 12.0259 | h |





Date and Time: 2020-06-17 12:49:24 Asia/Seoul

Calculation Setting _____

Drug Administration: Extravascular

Observation count excluding trailing zero: 11

Dose at time 0: 320 mg

AUC Calculation Method: Linear-up Linear-down

Weighting for lambda z: Uniform (Ordinary Least Square, OLS)

Lambda z selection criterion: Heighest adjusted R-squared value with precision=1e-4

3.0000 3.2702 -2.702e-01 63.0175 340.1701

88.5600 739.5346

7.5600~mg/L

Fitting, AUC, AUMC Result _____

| Time | Conc | . Pred. | Residual | AUC | AUMC |
|--------|---------|----------|------------|---------|----------|
| | | | | | |
| 0.0000 | 0.000 | 0 | | 0.0000 | 0.0000 |
| 0.2500 | 3.050 | 0 | | 0.3813 | 0.0953 |
| 0.5200 | 3.050 | 0 | | 1.2048 | 0.4124 |
| 0.9800 | 7.310 | 0 | | 3.5875 | 2.4248 |
| 2.0200 | 7.560 | 0 | | 11.3200 | 14.0910 |
| 3.5300 | * 6.590 | 0 6.5724 | +1.758e-02 | 22.0032 | 43.1841 |
| 5.0500 | * 5.880 | 0 5.8071 | +7.292e-02 | 31.4804 | 83.4312 |
| 7.1500 | * 4.730 | 0 4.8941 | -1.641e-01 | 42.6209 | 150.1204 |
| 9.0700 | * 4.570 | 0 4.1856 | +3.844e-01 | 51.5489 | 222.3790 |

1.2500 1.2285 +2.147e-02

Calculated Values _____


12.1000 * 24.1200 *


| CHAZ | Max Conc |
|-------|------------|
| CMAXD | Max Conc 1 |
| тмлу | Time of C |

| CMAXD | Max Conc Norm by Dose | 0.0236 | ${\rm mg/L/mg}$ |
|---------|---|---------|-----------------|
| TMAX | Time of CMAX | 2.0200 | h |
| TLAG | Time Until First Nonzero Conc | 0.0000 | h |
| CLST | Last Nonzero Conc | 1.2500 | mg/L |
| CLSTP | Last Nonzero Conc Pred | 1.2285 | mg/L |
| TLST | Time of Last Nonzero Conc | 24.1200 | h |
| LAMZHL | Half-Life Lambda z | 8.5100 | h |
| LAMZ | Lambda z | 0.0815 | /h |
| LAMZLL | Lambda z Lower Limit | 3.5300 | h |
| LAMZUL | Lambda z Upper Limit | 24.1200 | h |
| LAMZNPT | Number of Points for Lambda z | 6 | |
| CORRXY | Correlation Between TimeX and Log ConcY | -0.9955 | |
| R2 | R Squared | 0.9910 | |
| R2ADJ | R Squared Adjusted | 0.9888 | |
| AUCLST | AUC to Last Nonzero Conc | 88.5600 | h*mg/L |
| AUCALL | AUC All | 88.5600 | h*mg/L |
| | | | |

^{*:} Used for the calculation of Lambda z.

| AUCIFO | AUC Infinity Obs | 103.9067 | h*mg/L |
|----------|------------------------------------|-----------|-----------|
| AUCIFOD | AUC Infinity Obs Norm by Dose | 0.3247 | h*mg/L/mg |
| AUCIFP | AUC Infinity Pred | 103.6431 | h*mg/L |
| AUCIFPD | AUC Infinity Pred Norm by Dose | 0.3239 | h*mg/L/mg |
| AUCPEO | AUC %Extrapolation Obs | 14.7697 | % |
| AUCPEP | AUC %Extrapolation Pred | 14.5529 | % |
| AUMCLST | AUMC to Last Nonzero Conc | 739.5346 | h2*mg/L |
| AUMCIFO | AUMC Infinity Obs | 1298.1158 | h2*mg/L |
| AUMCIFP | AUMC Infinity Pred | 1288.5201 | h2*mg/L |
| AUMCPEO | AUMC %Extrapolation Obs | 43.0302 | % |
| AUMCPEP | AUMC % Extrapolation Pred | 42.6059 | % |
| VZFO | Vz Obs by F | 37.8105 | L |
| VZFP | Vz Pred by F | 37.9067 | L |
| CLFO | Total CL Obs by F | 3.0797 | L/h |
| CLFP | Total CL Pred by F | 3.0875 | L/h |
| MRTEVLST | MRT Extravasc to Last Nonzero Conc | 8.3507 | h |
| MRTEVIFO | MRT Extravasc Infinity Obs | 12.4931 | h |
| MRTEVIFP | MRT Extravasc Infinity Pred | 12.4323 | h |





Date and Time: 2020-06-17 12:49:24 Asia/Seoul

Calculation Setting

Drug Administration: Extravascular

Observation count excluding trailing zero: 11

Dose at time 0: 320 mg

AUC Calculation Method: Linear-up Linear-down

Weighting for lambda z: Uniform (Ordinary Least Square, OLS)

Lambda z selection criterion: Heighest adjusted R-squared value with precision=1e-4

Fitting, AUC, AUMC Result _____

| Time | Co | nc. Pred | l. Residua | l AUC | AUMC |
|---------|-------|-----------|-------------|-----------|----------|
| 0.0000 | 0.0 | 000 | | 0.0000 | 0.0000 |
| 0.3000 | 7.3 | 700 | | 1.1055 | 0.3316 |
| 0.6300 | 9.0 | 300 | | 3.8115 | 1.6351 |
| 1.0500 | 7.1 | 400 | | 7.2072 | 4.4042 |
| 2.0200 | 6.3 | 300 | | 13.7402 | 14.2417 |
| 3.5300 | 5.6 | 600 | | 22.7926 | 38.9804 |
| 5.0200 | 5.6 | 700 | | 31.2335 | 75.0705 |
| 7.1700 | 4.2 | 400 | | 41.8867 | 138.3495 |
| 8.8000 | * 4.1 | 100 4.051 | 2 +5.880e-0 | 2 48.6920 | 192.6031 |
| 11.6000 | * 3.1 | 600 3.216 | 0 -5.597e-0 | 2 58.8700 | 294.5567 |
| 24.4300 | * 1.1 | 200 1.116 | 5 +3.517e-0 | 3 86.3262 | 705.2296 |

 $[\]ast\colon$ Used for the calculation of Lambda z.

Calculated Values _____


| CMAX | Max Conc | 9.0300 | mg/L |
|---------|---|---------|--------|
| CMAXD | Max Conc Norm by Dose | 0.0282 | mg/L/m |
| TMAX | Time of CMAX | 0.6300 | h |
| TLAG | Time Until First Nonzero Conc | 0.0000 | h |
| CLST | Last Nonzero Conc | 1.1200 | mg/L |
| CLSTP | Last Nonzero Conc Pred | 1.1165 | mg/L |
| TLST | Time of Last Nonzero Conc | 24.4300 | h |
| LAMZHL | Half-Life Lambda z | 8.4060 | h |
| LAMZ | Lambda z | 0.0825 | /h |
| LAMZLL | Lambda z Lower Limit | 8.8000 | h |
| LAMZUL | Lambda z Upper Limit | 24.4300 | h |
| LAMZNPT | Number of Points for Lambda z | 3 | |
| CORRXY | Correlation Between TimeX and Log ConcY | -0.9997 | |
| | | | |


0.9994 R2 R Squared R Squared Adjusted 0.9989 R2ADJ

AUC to Last Nonzero Conc 86.3262 h*mg/L AUCLST

AUC All 86.3262 h*mg/L AUCALL

| AUCIFO | AUC Infinity Obs | 99.9087 | h*mg/L |
|----------|------------------------------------|-----------|-----------|
| AUCIFOD | AUC Infinity Obs Norm by Dose | 0.3122 | h*mg/L/mg |
| AUCIFP | AUC Infinity Pred | 99.8661 | h*mg/L |
| AUCIFPD | AUC Infinity Pred Norm by Dose | 0.3121 | h*mg/L/mg |
| AUCPEO | AUC %Extrapolation Obs | 13.5950 | % |
| AUCPEP | AUC %Extrapolation Pred | 13.5581 | % |
| AUMCLST | AUMC to Last Nonzero Conc | 705.2296 | h2*mg/L |
| AUMCIFO | AUMC Infinity Obs | 1201.7715 | h2*mg/L |
| AUMCIFP | AUMC Infinity Pred | 1200.2124 | h2*mg/L |
| AUMCPEO | AUMC %Extrapolation Obs | 41.3175 | % |
| AUMCPEP | AUMC % Extrapolation Pred | 41.2413 | % |
| VZFO | Vz Obs by F | 38.8428 | L |
| VZFP | Vz Pred by F | 38.8594 | L |
| CLFO | Total CL Obs by F | 3.2029 | L/h |
| CLFP | Total CL Pred by F | 3.2043 | L/h |
| MRTEVLST | MRT Extravasc to Last Nonzero Conc | 8.1694 | h |
| MRTEVIFO | MRT Extravasc Infinity Obs | 12.0287 | h |
| MRTEVIFP | MRT Extravasc Infinity Pred | 12.0182 | h |





Date and Time: 2020-06-17 12:49:25 Asia/Seoul

Calculation Setting

Drug Administration: Extravascular

Observation count excluding trailing zero: 11

Dose at time 0: 320 mg

AUC Calculation Method: Linear-up Linear-down

Weighting for lambda z: Uniform (Ordinary Least Square, OLS)

Lambda z selection criterion: Heighest adjusted R-squared value with precision=1e-4

2.4137 +6.308e-03 138.3681 1278.1800

Fitting, AUC, AUMC Result

| Time | | Conc. | Pred. | Residual | AUC | AUMC |
|---------|---|---------|--------|------------|---------|----------|
| 0.0000 | | 0.2400 | | | 0.0000 | 0.0000 |
| 0.3700 | | 2.8900 | | | 0.5790 | 0.1978 |
| 0.7700 | | 5.2200 | | | 2.2011 | 1.2156 |
| 1.0200 | | 6.4100 | | | 3.6548 | 2.5353 |
| 2.0500 | | 7.8300 | | | 10.9884 | 14.1690 |
| 3.5500 | | 10.2100 | | | 24.5184 | 53.3917 |
| 5.0500 | | 9.1800 | | | 39.0609 | 115.3451 |
| 7.0800 | | 8.0200 | | | 56.5189 | 220.0328 |
| 9.3800 | * | 7.1400 | 7.0610 | +7.903e-02 | 73.9529 | 362.3508 |
| 12.1000 | * | 5.6800 | 5.7586 | -7.858e-02 | 91.3881 | 546.9044 |

^{*:} Used for the calculation of Lambda z.


2.4200


Calculated Values

23.7000 *

| CMAX | Max Conc | 10.2100 | mg/L |
|---------|---|----------|---------|
| CMAXD | Max Conc Norm by Dose | 0.0319 | mg/L/mg |
| TMAX | Time of CMAX | 3.5500 | h |
| TLAG | Time Until First Nonzero Conc | 0.0000 | h |
| CLST | Last Nonzero Conc | 2.4200 | mg/L |
| CLSTP | Last Nonzero Conc Pred | 2.4137 | mg/L |
| TLST | Time of Last Nonzero Conc | 23.7000 | h |
| LAMZHL | Half-Life Lambda z | 9.2469 | h |
| LAMZ | Lambda z | 0.0750 | /h |
| LAMZLL | Lambda z Lower Limit | 9.3800 | h |
| LAMZUL | Lambda z Upper Limit | 23.7000 | h |
| LAMZNPT | Number of Points for Lambda z | 3 | |
| CORRXY | Correlation Between TimeX and Log ConcY | -0.9998 | |
| R2 | R Squared | 0.9995 | |
| R2ADJ | R Squared Adjusted | 0.9990 | |
| AUCLST | AUC to Last Nonzero Conc | 138.3681 | h*mg/L |
| AUCALL | AUC All | 138.3681 | h*mg/L |

| AUCIFO | AUC Infinity Obs | 170.6521 | h*mg/L |
|----------|------------------------------------|-----------|-----------|
| AUCIFOD | AUC Infinity Obs Norm by Dose | 0.5333 | h*mg/L/mg |
| AUCIFP | AUC Infinity Pred | 170.5679 | h*mg/L |
| AUCIFPD | AUC Infinity Pred Norm by Dose | 0.5330 | h*mg/L/mg |
| AUCPEO | AUC %Extrapolation Obs | 18.9180 | % |
| AUCPEP | AUC %Extrapolation Pred | 18.8780 | % |
| AUMCLST | AUMC to Last Nonzero Conc | 1278.1800 | h2*mg/L |
| AUMCIFO | AUMC Infinity Obs | 2473.9934 | h2*mg/L |
| AUMCIFP | AUMC Infinity Pred | 2470.8765 | h2*mg/L |
| AUMCPEO | AUMC %Extrapolation Obs | 48.3354 | % |
| AUMCPEP | AUMC % Extrapolation Pred | 48.2702 | % |
| VZFO | Vz Obs by F | 25.0155 | L |
| VZFP | Vz Pred by F | 25.0279 | L |
| CLFO | Total CL Obs by F | 1.8752 | L/h |
| CLFP | Total CL Pred by F | 1.8761 | L/h |
| MRTEVLST | MRT Extravasc to Last Nonzero Conc | 9.2375 | h |
| MRTEVIFO | MRT Extravasc Infinity Obs | 14.4973 | h |
| MRTEVIFP | MRT Extravasc Infinity Pred | 14.4862 | h |





Date and Time: 2020-06-17 12:49:25 Asia/Seoul

Calculation Setting

Drug Administration: Extravascular

Observation count excluding trailing zero: 11

Dose at time 0: 320 mg

AUC Calculation Method: Linear-up Linear-down

Weighting for lambda z: Uniform (Ordinary Least Square, OLS)

Lambda z selection criterion: Heighest adjusted R-squared value with precision=le-4

Fitting, AUC, AUMC Result

| Time | | Conc. | Pred. | Residual | AUC | AUMC |
|---------|---|--------|--------|------------|---------|----------|
| 0.0000 | | 0.0000 | | | 0.0000 | 0.0000 |
| 0.2500 | | 4.8600 | | | 0.6075 | 0.1519 |
| 0.5000 | | 7.2400 | | | 2.1200 | 0.7563 |
| 0.9800 | | 8.0000 | | | 5.7776 | 3.5067 |
| 1.9800 | | 6.8100 | | | 13.1826 | 14.1686 |
| 3.6000 | | 5.8700 | | | 23.4534 | 42.2073 |
| 5.0200 | | 5.2200 | | | 31.3273 | 75.8162 |
| 7.0300 | | 4.4500 | | | 41.0457 | 133.5915 |
| 9.0300 | * | 3.6200 | 3.6169 | +3.150e-03 | 49.1156 | 197.5636 |
| 12.1200 | * | 2.6900 | 2.6929 | -2.948e-03 | 58.8646 | 298.4388 |
| 24.0800 | * | 0.8600 | 0.8598 | +1.934e-04 | 80.0936 | 617.2422 |

^{*:} Used for the calculation of Lambda z.

Calculated Values


AUCALL


AUC All

| CMAX | Max Conc | 8.0000 | mg/L |
|---------|---|---------|-----------------|
| CMAXD | Max Conc Norm by Dose | 0.0250 | ${\rm mg/L/mg}$ |
| TMAX | Time of CMAX | 0.9800 | h |
| TLAG | Time Until First Nonzero Conc | 0.0000 | h |
| CLST | Last Nonzero Conc | 0.8600 | mg/L |
| CLSTP | Last Nonzero Conc Pred | 0.8598 | mg/L |
| TLST | Time of Last Nonzero Conc | 24.0800 | h |
| LAMZHL | Half-Life Lambda z | 7.2612 | h |
| LAMZ | Lambda z | 0.0955 | /h |
| LAMZLL | Lambda z Lower Limit | 9.0300 | h |
| LAMZUL | Lambda z Upper Limit | 24.0800 | h |
| LAMZNPT | Number of Points for Lambda z | 3 | |
| CORRXY | Correlation Between TimeX and Log ConcY | -1.0000 | |
| R2 | R Squared | 1.0000 | |
| R2ADJ | R Squared Adjusted | 1.0000 | |
| AUCLST | AUC to Last Nonzero Conc | 80.0936 | h*mg/L |
| | | | |

80.0936 h*mg/L

| AUCIFO | AUC Infinity Obs | 89.1027 | h*mg/L |
|----------|------------------------------------|----------|-----------|
| AUCIFOD | AUC Infinity Obs Norm by Dose | 0.2784 | h*mg/L/mg |
| AUCIFP | AUC Infinity Pred | 89.1007 | h*mg/L |
| AUCIFPD | AUC Infinity Pred Norm by Dose | 0.2784 | h*mg/L/mg |
| AUCPEO | AUC %Extrapolation Obs | 10.1110 | 8 |
| AUCPEP | AUC %Extrapolation Pred | 10.1089 | 8 |
| AUMCLST | AUMC to Last Nonzero Conc | 617.2422 | h2*mg/L |
| AUMCIFO | AUMC Infinity Obs | 928.5600 | h2*mg/L |
| AUMCIFP | AUMC Infinity Pred | 928.4900 | h2*mg/L |
| AUMCPEO | AUMC %Extrapolation Obs | 33.5269 | % |
| AUMCPEP | AUMC % Extrapolation Pred | 33.5219 | 8 |
| VZFO | Vz Obs by F | 37.6222 | L |
| VZFP | Vz Pred by F | 37.6230 | L |
| CLFO | Total CL Obs by F | 3.5914 | L/h |
| CLFP | Total CL Pred by F | 3.5914 | L/h |
| MRTEVLST | MRT Extravasc to Last Nonzero Conc | 7.7065 | h |
| MRTEVIFO | MRT Extravasc Infinity Obs | 10.4212 | h |
| MRTEVIFP | MRT Extravasc Infinity Pred | 10.4207 | h |
| | | | |





Date and Time: 2020-06-17 12:49:25 Asia/Seoul

Calculation Setting

Drug Administration: Extravascular

Observation count excluding trailing zero: 11

Dose at time 0: 320 mg

AUC Calculation Method: Linear-up Linear-down

Weighting for lambda z: Uniform (Ordinary Least Square, OLS)

Lambda z selection criterion: Heighest adjusted R-squared value with precision=le-4

1.1700 1.1755 -5.539e-03 119.9775 977.8807

Fitting, AUC, AUMC Result

| Time | Conc. | Pred. | Residual | AUC | AUMC |
|-----------|--------|----------|------------|---------|----------|
| 0.0000 | 0.0000 | | | 0.0000 | 0.0000 |
| 0.0000 | 0.0000 | | | 0.0000 | 0.0000 |
| 0.2500 | 1.2500 | | | 0.1563 | 0.0391 |
| 0.5000 | 3.9600 | | | 0.8075 | 0.3256 |
| 1.0000 | 7.8200 | | | 3.7525 | 2.7756 |
| 2.0000 | 9.7200 | | | 12.5225 | 16.4056 |
| 3.5200 | 9.7500 | | | 27.3197 | 57.2632 |
| 5.0700 | 8.5700 | | | 41.5177 | 117.5349 |
| 7.0700 | 6.5900 | | | 56.6777 | 207.5761 |
| 9.0300 * | 6.1100 | 6.2267 - | -1.167e-01 | 69.1237 | 307.3054 |
| 12.0500 * | 4.5700 | 4.4632 | +1.068e-01 | 85.2505 | 473.7705 |

^{*:} Used for the calculation of Lambda z.

Calculated Values

24.1500 *

| CMAX | Max Conc | 9.7500 | mg/L |
|---------|---|----------|-----------------|
| CMAXD | Max Conc Norm by Dose | 0.0305 | ${\rm mg/L/mg}$ |
| TMAX | Time of CMAX | 3.5200 | h |
| TLAG | Time Until First Nonzero Conc | 0.0000 | h |
| CLST | Last Nonzero Conc | 1.1700 | mg/L |
| CLSTP | Last Nonzero Conc Pred | 1.1755 | mg/L |
| TLST | Time of Last Nonzero Conc | 24.1500 | h |
| LAMZHL | Half-Life Lambda z | 6.2865 | h |
| LAMZ | Lambda z | 0.1103 | /h |
| LAMZLL | Lambda z Lower Limit | 9.0300 | h |
| LAMZUL | Lambda z Upper Limit | 24.1500 | h |
| LAMZNPT | Number of Points for Lambda z | 3 | |
| CORRXY | Correlation Between TimeX and Log ConcY | -0.9997 | |
| R2 | R Squared | 0.9994 | |
| R2ADJ | R Squared Adjusted | 0.9988 | |
| AUCLST | AUC to Last Nonzero Conc | 119.9775 | h*mg/L |
| AUCALL | AUC All | 119.9775 | h*mg/L |
| | | | |

| AUCIFO | AUC Infinity Obs | 130.5888 | h*mg/L |
|----------|------------------------------------|-----------|-----------|
| AUCIFOD | AUC Infinity Obs Norm by Dose | 0.4081 | h*mg/L/mg |
| AUCIFP | AUC Infinity Pred | 130.6391 | h*mg/L |
| AUCIFPD | AUC Infinity Pred Norm by Dose | 0.4082 | h*mg/L/mg |
| AUCPEO | AUC %Extrapolation Obs | 8.1258 | % |
| AUCPEP | AUC %Extrapolation Pred | 8.1611 | % |
| AUMCLST | AUMC to Last Nonzero Conc | 977.8807 | h2*mg/L |
| AUMCIFO | AUMC Infinity Obs | 1330.3840 | h2*mg/L |
| AUMCIFP | AUMC Infinity Pred | 1332.0528 | h2*mg/L |
| AUMCPEO | AUMC %Extrapolation Obs | 26.4964 | % |
| AUMCPEP | AUMC % Extrapolation Pred | 26.5884 | % |
| VZFO | Vz Obs by F | 22.2243 | L |
| VZFP | Vz Pred by F | 22.2157 | L |
| CLFO | Total CL Obs by F | 2.4504 | L/h |
| CLFP | Total CL Pred by F | 2.4495 | L/h |
| MRTEVLST | MRT Extravasc to Last Nonzero Conc | 8.1505 | h |
| MRTEVIFO | MRT Extravasc Infinity Obs | 10.1876 | h |
| MRTEVIFP | MRT Extravasc Infinity Pred | 10.1964 | h |

