

Something About Prostate Cancer

Andrew Bates

November 15, 2018

Executive Summary

This is the executive summary. Unfortunately, it has to be typed in the .yaml header. The only other thing i can think of is to have a separate file for the abstract. I'm not sure I want to do this. But actually, this may not be so bad. Each section could have a different file. this might make things a bit easier to edit. because then i would only have to look at say, the conclusion file instead of having to scroll all the way down, passing it, scrolling up, passing it, etc.

1 Introduction

In this paper, we investigate the relationship between the results of various prostate related exams and whether tumor penetration of the prostatic capsule has occurred. The objective of this analysis is to determine if there are any factors that have a particularly influential relationship with prostatic capsule penetration. Additionally, we wish to develop a model to predict capsule penetration so it can be used as a diagnostic tool for future patients.

2 Methods

In this analysis we examine a subset of data collected by the Ohio State University Comprehensive Cancer Center as part of a study to determine the potential of standard exam results to predict whether a tumor will penetrate the prostatic capsule. Out of 380 patients, 153 have experienced capsule penetration and 227 have not. The data set contains six explanatory variables: the patients age and race, results of a digital rectal exam, whether capsular involvement was detected, Prostatic Specific Antigen (PSA) value, and total Gleason score. For a detailed description of each variable see Table 1. Observe that race is recorded as only Black or White. This may be the reason why three observations contain missing values for race. Perhaps three of the patients were neither Black nor White. However, without access to details of the study and the population considered, we can only speculate. Furthermore, the other variables in these observations do not point to any particular reason as to why race is not recorded. Because of this, we decided to omit these three observations. The data set used for analysis then, consists of 377 observations. Of these, 151 patients have experienced tumor penetration of the prostatic capsule, and 226 have not.

Go on to talk about modeling. We used a logistic regression model. The model was chosen by backwards stepwise selection with AIC (spell this out) as model selection criteria. The full fit was considering all 2 way interactions. after stepwise regression procedure, variables that were not significant were removed from the model, as well as any interactions containing these variables. diagnostics were run, log odds ratios were calculated, and predictions were made. predictive power was examined through a confusion matrix. What's more important here, false negatives or false positives?

Table 1: Description of variables in the data set.

Name	Description	Details
penetrate	Tumor penetration of prostatic capsule?	Yes, no
age	Patient age	Years
race	Patient race	Black, White
dre	Results of digital rectal exam	No nodule, unilobar left, unilobar right, bilobar
caps	Detection of capsular involvement?	Yes, no
psa	Prostatic Specific Antigen value	mg/ml
gleason	Total Gleason score	0-10

The response variable, tumor penetration status of prostatic capsule, is especially well balanced with 40% of the observations having capsular penetration and 60% not having penetration. As such, procedures designed to assist with class imbalances, such as downsampling, were not considered.

3 Analysis

blah blah blah blah blah blah blah blah

3.1 Exploratory Analysis

3.2 Modeling and Diagnostics

blah blah blah blah blah blah blah blah

4 Conclusion

Appendix

A Supplementary Figures and Model Stuff

A.1 Figures

A.2 Model Stuff

B R Code