

Problem 1.

Expand $(1+2x)^{-\frac{1}{3}}$, where $|x| < \frac{1}{2}$, as a series of ascending powers of x , up to and including the term in x^2 , simplifying the coefficients.

By choosing $x = \frac{1}{14}$, find an approximate value of $\sqrt[3]{7}$ in the form $\frac{p}{q}$, where p and q are to be determined.

Using your calculator, calculate the numerical value of $\sqrt[3]{7}$. Compare this value to the approximate value found, and with reference to the value of x chosen, comment on the accuracy of your approximation.

Solution

$$\begin{aligned}(1+2x)^{-1/3} &= 1 + -\frac{1}{3} \cdot 2x + \frac{1/3 \cdot (-1/3 - 1)}{2} \cdot (2x)^2 + \dots \\ &= 1 - \frac{2}{3}x + \frac{8}{9}x^2 + \dots\end{aligned}$$

Substituting $x = \frac{1}{14}$,

$$\begin{aligned}(1 + 2 \cdot \frac{1}{14})^{-1/3} &= 1 - \frac{2}{3} \cdot \frac{1}{14} + \frac{8}{9} \left(\frac{1}{14}\right)^2 + \dots \\ \Rightarrow \left(\frac{8}{7}\right)^{-1/3} &\approx \frac{422}{441} \\ \Rightarrow \left(\frac{7}{8}\right)^{1/3} &\approx \frac{422}{441} \\ \Rightarrow (7)^{1/3} \cdot \frac{1}{2} &\approx \frac{422}{441} \\ \Rightarrow \sqrt[3]{7} &\approx \frac{844}{441} \\ &= 1.9138 \text{ (5 s.f.)}\end{aligned}$$

Since $\sqrt[3]{7} = 1.9129$ (5 s.f.), the approximation is accurate.

Problem 2.

In the triangle ABC , $AB = 1$, $BC = 3$ and angle $ABC = \theta$ radians. Given that θ is a sufficiently small angle, show that

$$AC \approx (4 + 3\theta^2)^{\frac{1}{2}} \approx a + b\theta^2$$

for constants a and b to be determined.

Solution

By cosine rule,

$$\begin{aligned} AC^2 &= AB^2 + BC^2 - 2 \cdot AB \cdot BC \cdot \cos ABC \\ \implies AC^2 &= 1^2 + 3^2 - 2 \cdot 1 \cdot 3 \cdot \cos \theta \\ &= 10 - 6 \cos \theta \end{aligned}$$

Since θ is sufficiently small, $\cos \theta \approx 1 - \frac{\theta^2}{2}$. Hence,

$$\begin{aligned} AC^2 &\approx 10 - 6 \left(1 - \frac{\theta^2}{2}\right) \\ &= 4 + 3\theta^2 \\ \implies AC &\approx (4 + 3\theta^2)^{1/2} \\ &= 2 \left(1 + \frac{3}{4}\theta^2\right)^{1/2} \\ &\approx 2 \left(1 + \frac{1}{2} \cdot \frac{3}{4}\theta^2\right) \\ &= 2 + \frac{3}{4}\theta^2 \end{aligned}$$

Problem 3.

Given that $y = \ln \sec x$, show that

$$(a) \quad \frac{d^3 y}{dx^3} = 2 \frac{d^2 y}{dx^2} \frac{dy}{dx}$$

$$(b) \quad \text{the value of } \frac{d^4 y}{dx^4} \text{ when } x = 0 \text{ is } 2.$$

Write down the MacLaurin series for $\ln \sec x$ up to and including the term in x^4 . By substituting $x = \frac{\pi}{4}$, show that $\ln 2 \approx \frac{\pi^2}{16} + \frac{\pi^4}{1536}$.

Solution**Part (a)**

Note that $y = \ln \sec x = -\ln \cos x$. Hence,

$$e^{-y} = \cos x \tag{3.1}$$

Implicitly differentiating Equation 3.1,

$$\begin{aligned} e^{-y} \cdot (-y') &= -\sin x \\ \implies y' e^{-y} &= \sin x \end{aligned} \tag{3.2}$$

Implicitly differentiating Equation 3.2,

$$\begin{aligned} y' e^{-y} \cdot (-y') + e^{-y} \cdot y'' &= \cos x \\ \implies y' e^{-y} \cdot (-y') + e^{-y} \cdot y'' &= e^{-y} \\ \implies y'' - (y')^2 &= 0 \end{aligned} \tag{3.3}$$

Implicitly differentiating Equation 3.3,

$$\begin{aligned} y^{(3)} - 2 \cdot y' \cdot y'' &= 0 \\ \implies y^{(3)} &= 2y''y' \end{aligned} \tag{3.4}$$

Part (b)

Implicitly differentiating Equation 3.4,

$$y^{(4)} = 2(y^{(3)}y' + (y'')^2) \tag{3.5}$$

Substituting $x = 0$ into Equations 3.1, 3.2, 3.3, 3.4 and 3.5, we see that

$$\begin{aligned} y &= 0 \\ y' &= 0 \\ y'' &= 1 \\ y^{(3)} &= 0 \\ y^{(4)} &= 2 \end{aligned}$$

Thus, $\left. \frac{d^4 y}{dx^4} \right|_{x=0} = 2$.

$$\begin{aligned}\ln \sec x &= \sum_{n=0}^{\infty} \frac{y^{(n)}}{n!} x^n \\ &= \frac{1}{2} x^2 + \frac{1}{12} x^4 + \dots\end{aligned}$$

Substituting $x = \frac{\pi}{4}$,

$$\begin{aligned}\ln \sec \frac{\pi}{4} &= \frac{1}{2} \left(\frac{\pi}{4} \right)^2 + \frac{1}{12} \left(\frac{\pi}{4} \right)^4 + \dots \\ \implies \ln \sqrt{2} &= \frac{\pi^2}{32} + \frac{\pi^2}{3072} + \dots \\ \implies \frac{1}{2} \ln 2 &= \frac{\pi^2}{32} + \frac{\pi^2}{3072} + \dots \\ \implies \ln 2 &= \frac{\pi^2}{16} + \frac{\pi^2}{1536} + \dots \\ \implies \ln 2 &\approx \frac{\pi^2}{16} + \frac{\pi^2}{1536}\end{aligned}$$