Table HC6-11a. Usage Indicators by South Census Region, Million U.S. Households, 2001

		I				
 		 	South Cens	 		
 		 	 Cer 	nsus Divis:	ion	
Usage Indicators	Total U.S.	 Total 	 South Atlantic	 East South Central	 West South Central	 RSE
RSE Column Factor:	0.5	0.8	1.2		 1.5 	Row Factors
Total	107.0	38.9	20.3	6.8	11.8	 NE
Weekday Home Activities						
Home Used for Business Yes	7.6	2.6	1.8	0.4	0.5	18.8
No	99.4	36.3	18.5	6.5	11.3	1.3
Energy-Intensive Activity Yes	1.7	0.4	Q	Q	Q	 36.7
No	105.2	38.6	20.1	6.8	11.7	NE I
Someone Home All Day Yes	53.0	19.0	9.4	3.8	5.8	3.0
No	53.9	19.9	11.0	3.1	5.9	3.1
Heating						
Heat Home Do Not Heat Home No Heating Equipment	106.0 1.0 0.5	38.8 Q Q	20.2 Q Q	6.8 Q Q	11.8 Q Q	NE 20.6 40.9
Have Equipment But Do Not Use It	0.4	Q	Q	Q	Q	40.0
Adequacy of Insulation Well Insulated Adequately Insulated Poorly Insulated No Insulation Don't Know	42.6 43.1 19.4 0.9 0.9	15.8 16.3 6.4 Q Q	8.3 8.5 3.2 Q	3.0 2.7 1.1 Q	4.5 5.1 2.1 Q	 4.9 4.9 6.3 31.5 34.6
Occurrences of Drafts During Winter						
All of the Time	5.9 6.4 34.6 55.3 4.7	1.9 2.0 11.5 21.9	0.9 1.1 6.3 11.2 0.8	0.3 0.2 1.7 4.3 0.3	0.7 0.7 3.4 6.3 0.6	16.0 13.5 7.1 4.5 15.2
Thermostat Heat Home Thermostat Available During	106.0	38.8	20.2	6.8	11.8	 NE
Heating Season Programmable ¹	91.5	34.3	18.2	5.9	10.2	1.7
Yes No No Thermostat. Do Not Heat Home.	25.1 66.4 14.5 1.0	6.9 27.4 4.5 Q	3.5 14.6 2.0 Q	0.8 5.1 0.9 Q	2.5 7.7 1.6 Q	10.6 3.7 11.5 20.6
Lower Winter Temperature Settings ¹ Daytime When No One is at Home						1
Yes No Unknown	47.2 48.5 10.3	16.4 18.8 3.5	8.7 9.9 1.5	2.6 3.7 0.5	5.2 5.2 1.4	5.3 5.5 14.1
During Sleeping Hours Yes No Unknown	45.7 51.1 9.2	14.8 20.9 3.1	7.6 11.2 1.4	2.4 4.0 0.5	4.9 5.7 1.2	 5.1 4.3 14.6

See footnotes at end of table.

Table HC6-11a. Usage Indicators by South Census Region, Million U.S. Households, 2001 (Continued)

		 	South Census Region			
	 	 	Cer	-		
Usage Indicators	Total U.S.	 Total	 South Atlantic	East South Central	 West South Central	 RSE
RSE Column Factor:	0.5	0.8	1.2	1.4	1 1.5	Row Factors
Daytime Winter Temperature When Someone is at Home ¹			· · · · · · · · · · · · · · · · · · ·			
Heat Turned On	96.8	35.7	18.9	6.3	10.5	1.4
63 Degrees or Less	3.9	0.7	0.4	0.2	Q	21.9
64 to 66 Degrees	8.4	2.0	1.2	0.3	0.5	17.5
67 to 69 Degrees	23.6	6.7	3.7	1.3	1.7	6.3
70 Degrees	25.7	9.5	5.4	1.6	2.4	7.8
71 to 73 Degrees	16.5	6.7	3.6	1.2	1.9	9.8
74 Degrees or More	18.6	10.1	4.5	1.6	4.0	6.8
Heat Turned Off	2.0	0.5	Q	Q	Q	27.7
Unknown/No Answer	7.2	2.6	1.0	0.4	1.1	15.9
Daytime Winter Temperature When No						İ
One is at Home ¹						
Heat Turned On	87.6	32.8	17.4	5.8	9.6	1 2.8
63 Degrees or Less	17.7	5.3	2.9	0.7	1.7	14.0
64 to 66 Degrees	17.2	5.4	3.2	0.8	1.3	10.3
67 to 69 Degrees	19.1 15.1	6.4 6.2	3.4 3.2	1.4 1.1	1.6 1.9	9.6
71 to 73 Degrees	8.7	3.6	1.9	0.9	0.8	1 11.0
74 Degrees or More	9.8	5.9	2.8	0.9	2.3	1 10.5
Heat Turned Off	10.5	3.1	1.5	0.5	1.1	21.3
Unknown/No Answer	8.0	2.8	1.3	0.5	1.1	13.6
Winter Temperature During Sleeping Hours ¹						
Heat Turned On	91.8	34.9	18.3	6.2	10.4	1.7
63 Degrees or Less	15.4	4.1	2.2	0.5	1.4	1 14.7
64 to 66 Degrees	17.4	5.4	3.1	0.9	1.3	8.9
67 to 69 Degrees	21.0	6.8	3.5	1.4	2.0	7.0
70 Degrees	17.4	7.5	4.0	1.5	2.0	7.5
71 to 73 Degrees	9.5	4.6	2.6	0.9	1.0	11.1
74 Degrees or More	11.1	6.5	2.9	0.9	2.7	10.5
Heat Turned Off	7.1	1.4	0.7	0.2	0.5	21.7
Unknown/No Answer	7.1	2.5	1.1	0.5	1.0	15.8
Air-Conditioning						i I
Central Air-Conditioning						İ
Use a Central System	58.6	30.7	16.4	5.1	9.3	1 2.6
All Summer	28.4	20.7	10.3	3.5	6.9	4.5
Quite a Bit	12.1	5.5	3.0	0.8	1.7	8.7
Only a Few Times	16.8	4.1 0.5	2.8 0.4	0.7	0.6	11.0
Not at All No Central System	1.4 48.4	8.2	3.9	Q 1.8	Q 2.5	7.5
Window/Wall Air-Conditioning						
Use Window/Wall Units	25.1	7.0	3.2	1.5	2.4	8.8
All Summer	4.9	2.5	0.9	0.7	1.0	14.4
Quite a Bit	5.2	1.9	0.9	0.3	0.7	16.2
Only a Few Times	14.1	2.5	1.4	0.5	0.7	13.9
	0.9	Q	Q	Q	Q	34.4
Not at All No Window/Wall Units	81.9	31.9	17.2	5.3	9.4	2.1

See footnotes at end of table.

İ		Total U.S. Total	 Census Division			-
Usage Indicators	Total U.S.		 South Atlantic	 East South Central	 West South Central	- ' RSE
RSE Column Factor:	0.5	0.8	1 1.2	1.4	1.5	Row Factors
Hot Water			- ' 	·		
Dishwasher Use Each Week Use a Dishwasher Less Than Once a Week Once Each Week	56.7 9.4 7.5	22.1 3.9 2.8	11.7 2.3 1.6	3.5 0.4 0.5	6.9 1.2 0.7	 3.5 10.5 16.5
2 to 3 Times	17.8 11.7 10.4 50.3	6.6 4.9 3.9 16.9	3.3 2.7 1.8 8.6	0.9 0.9 0.7 3.4	2.4 1.3 1.3 4.9	8.0 10.0 11.7 4.3
Loads of Laundry Washed Each Week Use a Clothes Washer	84.1 6.8 65.1 9.6 2.7 22.9	32.7 2.2 25.9 3.6 1.0 6.2	17.2 1.6 13.7 1.5 0.3 3.1	5.9 0.3 4.6 0.7 0.3 0.9	9.6 0.3 7.7 1.3 0.3 2.2	2.5 14.2 2.7 9.7 22.8 12.5
Water Temperature Setting for Clothes Washer Wash Cycle Hot	6.2 49.7	2.3 17.3	1.2 8.5	0.4 3.0	0.7 5.8	 12.0 5.0
Cold. Rinse Cycle Hot. Warm.	28.2 1.4 16.6	13.0 0.6 6.0	7.5 0.3 3.2	2.4 Q 1.2	3.1 Q 1.5	6.0 35.1 10.7
Cold No Washing Machine	66.1 22.9	26.1 6.2	13.6 3.1	4.6 0.9	7.9 2.2	3.5
Clothes Dryer Use a Clothes Dryer Every Time Clothes are Washed Some, but not All, Loads Used Infrequently No Clothes Dryer	78.8 63.5 12.7 2.7 28.2	30.3 25.3 4.2 0.7 8.7	15.5 12.7 2.4 0.4 4.8	5.6 4.6 0.8 0.2 1.2	9.2 8.0 1.1 Q 2.6	2.9 3.4 10.4 21.4 10.0
Cooking						
Number of Hot Meals Cooked in the Home 3 or More Times a Day 2 Times a Day Once a Day A Few Times Each Week About Once a Week Less Than Once a Week No Hot Meals Cooked	7.5 26.8 43.3 21.7 4.0 2.4 1.2	2.4 9.7 14.7 8.8 2.0 1.1 0.3	1.3 5.5 7.6 4.4 1.1 Q	Q 1.7 2.6 1.6 0.4 0.4	1.0 2.5 4.5 2.7 0.4 0.5	15.3 8.1 5.6 6.9 12.7 18.7 38.2
Conventional Oven Use a Conventional Oven More Than Once a Day Once a Day	99.4 8.6 17.4	35.0 3.6 6.8	18.9 2.1 3.6	6.1 0.7 1.5	10.0 0.8 1.6	 1.9 14.4 8.0
Between Once a Day and Once a Week Once a Week Less Than Once a Week Do Not Use	33.1 15.6 24.6 7.6	11.2 5.6 7.9 3.9	5.8 3.0 4.4 1.4	2.2 0.7 1.1 0.7	3.3 1.9 2.4 1.8	5.9 8.0 10.2 16.7

		 	South Census Region			
Usage Indicators	Total U.S.	 Total	Census Division			-
			 South Atlantic	 East South Central	 West South Central	 RSE
RSE Column Factor:	0.5	0.8	1.2	1.4	1.5	Row Factors
Microwave Oven			.	I	_ I	
Use a Microwave Oven	92.1	34.7	17.9	6.2	10.6	1.6
Most or All	8.2	2.8	1.5	0.4	0.9	12.9
About Half	19.3	6.4	3.4	0.9	2.1	9.5
Some or Very Little For Defrosting, Reheating,	22.4	8.7	4.5	1.5	2.7	7.0
or Snacks	42.2	16.7	8.5	3.3	4.9	5.5
No Microwave Oven	14.8	4.2	2.4	0.6	1.2	13.1
Electric Coffee Maker						
Use an Electric Coffee Maker	65.5	23.0	11.3	4.5	7.2	3.5
Three or More Times a Day Two Times a Day	2.4 5.9	0.8 2.2	0.3 0.9	0.2	0.3 0.7	18.7 12.9
Once a Day	33.6	12.3	5.9	2.1	4.3	5.4
A Few Times Each Week	9.4	3.3	1.9	0.6	0.8	10.8
About Once a Week	5.2	1.5	0.8	0.3	0.4	15.5
Less than Once a Week	9.0	2.9	1.5	0.7	0.7	8.6
No Electric Coffee Maker	41.5	15.9	9.0	2.3	4.6	5.4
Time Electric Coffee Maker is Left On						
Turned Off Right Away	18.8	5.9	2.9	1.3	1.8	7.5
Less than 15 Minutes	10.0	3.8	2.2	0.5	1.1	11.0
15 Minutes to 1 Hour	24.6 12.1	9.7 3.6	4.7 1.5	1.9 0.9	3.1 1.2	6.2
Electric Toaster Use a Electric Toaster	36.1	14.7	7.4	2.3	5.0	 5.3
Three or More Times a Day	1.0	0.5	Q	Q	Ω	30.5
Two Times a Day	2.7	1.2	0.5	0.2	0.4	21.9
Once a Day	8.2	3.2	1.9	0.4	0.9	12.9
A Few Times Each Week	11.9	5.1	2.7	0.6	1.8	8.7
About Once a Week	4.3	1.6	0.7	0.3	0.5	15.2
Less than Once a Week No Electric Toaster	7.9	3.2 24.3	1.3 13.0	0.6 4.5	1.3 6.8	10.0
Lights Indoor Lights Turned On: 1 to 4 Hours per Day						
None	10.2	3.6	2.0	0.8	0.8	13.2
1	30.1	11.0	5.4	2.0	3.6	7.1
2	30.7	10.7	5.6	1.6	3.5	7.8
3	16.6	6.1	3.5	1.1	1.6	10.3
4 5 or More	10.5 8.8	3.9 3.6	2.2 1.6	0.5 0.8	1.1 1.2	13.4
Between 4 and 12 Hours per Day						
None	30.2	8.7	4.4	1.2	3.1	8.6
1 2	25.2 25.5	9.6 9.7	4.5 5.3	1.8 1.9	3.3 2.5	7.4 1 6.6
3	12.7	9.7 5.1	3.1	0.9	1.0	1 10.2
4	7.2	3.3	1.7	0.7	1.0	12.0
5 or More	6.2	2.6	1.4	0.4	0.8	18.3
More then 12 Hours per Day						
None	81.1	26.1	13.8	4.4	7.9	4.0
1	14.4	6.1	2.8	1.4	1.9	9.6
2 3	6.8	3.8 1.3	1.8	0.8	1.3	12.0
	2.4	⊥.3	0.8	Q	0.4	•
4	1.3	0.9	0.6	Q	0.3	1 21.3

Table HC6-11a. Usage Indicators by South Census Region, Million U.S. Households, 2001 (Continued)

		· 				
		South Census Region				
 			l Ce	nsus Divis	ion	
Usage Indicators	Total U.S.	 Total	 South Atlantic	 East South Central	West South Central	 RSE
RSE Column Factor:	0.5	0.8	1.2	1 1.4	1.5	Row Factors
Outdoor Lights on All Night Used	24.5 82.5	10.7	5.1 15.2	1.9 4.9	3.7 8.1	 7.6 2.8
Gas Fireplace Use a Gas Fireplace During Winter Months Most Days Almost Once a Week Less Than 4 Times a Month	3.7 1.3 1.1 1.2	1.4 0.6 0.5 0.4	0.7 0.4 Q Q	0.3 Q Q Q	0.4 Q Q Q	 14.9 34.2 33.1 28.2
Use a Personal Computer	60.0	20.7	11.7	3.2	5.8	4.0
Hours PC Turned On Each Week Less Than 2 Hours	10.3 26.3 12.2 5.7 5.6	3.8 8.8 3.9 2.0 2.2	2.2 4.9 2.1 1.3 1.1	0.6 1.3 0.8 Q	0.9 2.6 1.0 0.6 0.6	 12.4 6.6 13.6 12.6 16.5
Use of PCs Turned on 16 Hours a Week or More Personal Use Only Business Use Only Both Personal and Business	14.0 2.1 7.3	4.5 0.9 2.7	2.2 0.4 1.9	0.8 0.2 0.3	1.4 Q 0.5	 10.9 20.6 15.3
Business Use of PCs Turned on 16 Hours a Week or More Use to Telecommute Other Business Use	3.6 5.8	1.5 2.1	1.0	0.2 0.3	0.4 0.4	24.7
Battery Operated Appliances/Tools Use Battery Operated Appliances/ Tools	47.7	16.5	9.0	2.8	4.7	1 4.7
How Maintained When Not in Use Plugged in All The Time Recharged As Needed Both Ways are Used Don't Use Any	10.8 33.8 3.1 59.3	4.1 11.5 0.8 22.5	2.0 6.5 0.5 11.3	0.8 1.9 Q 4.0	1.3 3.2 Q 7.1	1 11.8 11.8 5.6 21.1 3.4

 $^{^{\}rm 1}$ The 1.0 million households that do not heat their homes are not included in these categories.

 $^{{\}tt NE}^{'}={\tt RSE}$ row factor not estimated because RSE's for all statistics in this row are between 0.0 and 1.0 percent.

 $[\]rm Q=Data\ withheld\ either\ because\ the\ Relative\ Standard\ Error\ (RSE)\ was\ greater\ than\ 50\ percent\ or\ fewer\ than\ 10\ households\ were\ sampled.$

Notes: • To obtain the RSE percentage for any table cell, multiply the corresponding column and row factors. • Because of rounding, data may not sum to totals. • See "Glossary" for definition of terms used in this report. • All temperatures listed are in degrees Fahrenheit.

Source: Energy Information Administration, Office of Energy Markets and End Use, Forms EIA-457 A, B, C of the 2001 Residential Energy Consumption Survey.