Table HC6-5a. Usage Indicators by Type of Owner-Occupied Housing Unit, Million U.S. Households, 2001

		Type of Owner-Occupied Housing Unit				
	Total	 		in Buildings		
Usage Indicators	Owner- Occupied Units		Two to Four Units	 Five or More Units 	Mobile Home	 RSE
RSE Column Factor:	0.3	 0.4 	2.1	 2.9 	1.4	Row Factors
Total	72.7	63.2	2.1	1.8	5.7	6.7
Weekday Home Activities						
Home Used for Business Yes No	6.2 66.5	5.6 57.6	Q 2.0	Q 1.7	0.4 5.3	 18.8 7.2
	00.0	5 / . C	2.0	1.,	0.0	
Energy-Intensive Activity Yes No	1.4 71.3	1.3 61.9	Q 2.0	Q 1.7	Q 5.6	45.7
Someone Home All Day Yes No	37.9 34.8	33.2 30.0	1.1	0.9	2.7 3.0	 8.3 9.0
Heating						
Heat Home Do Not Heat Home No Heating Equipment Have Equipment But	72.4 0.4 0.3	63.0 0.2 0.2	2.0 Q Q	1.7 Q Q	5.7 Q Q	6.7 49.3 41.6
Do Not Use It	Q	Q	Q	Q	Q	NF
Adequacy of Insulation Well Insulated Adequately Insulated Poorly Insulated No Insulation Don't Know.	32.4 30.3 9.4 0.4 0.2	28.4 26.5 7.8 0.4	0.8 0.9 0.3 Q	1.0 0.6 0.2 Q	2.2 2.3 1.2 Q	 10.3 9.5 13.7 69.6 95.4
Occurrences of Drafts During Winter						
All of the Time Most of the Time Some of the Never Don't Know.	2.3 2.9 23.4 42.9 1.3	1.9 2.3 20.2 37.7 1.0	Q Q 0.7 1.0 Q	Q Q 0.4 1.2 Q	0.2 0.3 2.1 3.0 Q	27.4 24.9 11.4 8.3 46.9
Thermostat Heat Home Thermostat Available During	72.4	63.0	2.0	1.7	5.7	 6.7
Heating Season Programmable ¹	66.3	58.1	1.8	1.3	5.1	7.5
Yes	20.6 45.7 6.1 0.4	19.0 39.1 4.9 0.2	0.5 1.3 0.3 Q	Q 1.1 0.4 Q	0.9 4.2 0.5 Q	15.7 9.2 13.3 49.3
Lower Winter Temperature Settings ¹ Daytime When No One is at Home						
Yes No Unknown	34.2 34.6 3.5	30.3 29.9 2.8	0.7 1.2 Q	0.6 0.9 Q	2.6 2.7 0.4	9.5
During Sleeping Hours Yes No Unknown.	34.1 35.6 2.7	30.5 30.3 2.2	0.5 1.4 Q	0.6 0.9 Q	2.5 2.9 0.3	9.8

See footnotes at end of table.

Table HC6-5a. Usage Indicators by Type of Owner-Occupied Housing Unit, Million U.S. Households, 2001 (Continued)

Usage Indicators		Type of Owner-Occupied Housing Unit				
	 Total Owner- Occupied Units		 Apartments in Buildings With		 	-'
			Two to Four Units	 Five or More Units	 Mobile Home	 RSE
RSE Column Factor:	0.3	0.4	2.1	2.9	1.4	Row Factors
Daytime Winter Temperature When						
Someone is at Home1						1
Heat Turned On	69.6	60.8	1.9	1.5	5.4	1 6.7
63 Degrees or Less	2.4	2.0	Q	Q	0.2	29.6
64 to 66 Degrees	5.6	4.9	0.2	Q	0.4	18.2
67 to 69 Degrees	19.1	16.8	0.6	0.3 0.5	1.4	12.1
70 Degrees	18.4 12.3	15.9 10.9	0.6 0.3		1.4	1 14.8
71 to 73 Degrees	12.3	10.9	0.3 Q	Q 0.3	1.0	1 14.8
Heat Turned Off	0.8	0.6	Q	Q.3	Q.	1 55.1
Unknown/No Answer	2.0	1.6	Q	Q	0.2	35.9
Daytime Winter Temperature When No						
One is at Home ¹						
Heat Turned On	64.5	56.5	1.8	1.3	4.8	7.4
63 Degrees or Less	13.2	11.4	0.5	Q	1.1	13.4
64 to 66 Degrees	12.8	11.6	0.2	Q	0.8	15.3
67 to 69 Degrees	15.1	13.3	0.5	Q	1.1	14.5
70 Degrees	10.5	9.1	0.4	0.3	0.8	14.0
71 to 73 Degrees	6.6	5.8	Q	Q	0.5	19.0
74 Degrees or More	6.3	5.5	Q	Q	0.5	20.8
Heat Turned Off	5.3 2.6	4.4 2.0	Q Q	0.2 Q	0.5 0.3	22.4
Winter Temperature During Sleeping						1
Hours1						Ĺ
Heat Turned On	67.0	58.5	2.0	1.3	5.3	6.8
63 Degrees or Less	11.9	10.5	0.3	Q	1.0	15.3
64 to 66 Degrees	12.8	11.3	0.2	Q	1.0	13.1
67 to 69 Degrees	16.6	14.4	0.6	0.4	1.2	13.0
70 Degrees	12.1	10.3	0.5	0.3	0.9	13.2
71 to 73 Degrees	7.0	6.2	Q	Q	0.4	21.2
74 Degrees or More	6.8	5.8	Q	Q	0.7	19.3
Heat Turned Off	3.5 1.9	3.0 1.5	Q Q	0.2 Q	0.2 Q	23.6
Air-Conditioning						
Central Air-Conditioning						
Use a Central System	45.5	40.6	0.8	1.0	3.2	10.5
All Summer	22.3	20.0	0.3	Q	1.5	14.6
Quite a Bit	9.3	8.2	Q	Q	0.7	17.2
Only a Few Times	13.0	11.7	Q	0.3	0.8	15.3
Not at All No Central System	0.9 27.2	0.7 22.6	Q 1.3	Q 0.8	Q 2.5	62.1
Window/Wall Air-Conditioning						I
Use Window/Wall Units	14.6	11.9	0.8	0.5	1.4	11.1
All Summer	2.7	2.1	Q. Q	Q.S	0.3	26.1
Quite a Bit	3.2	2.7	Q	Q	0.3	26.2
Only a Few Times	8.3	6.8	0.5	0.4	0.7	13.4
Not at All	0.4	0.3	Q	Q	Q	70.6
No Window/Wall Units	58.1	51.3	1.3	1.3	4.3	8.0

See footnotes at end of table.

Table HC6-5a. Usage Indicators by Type of Owner-Occupied Housing Unit, Million U.S. Households, 2001 (Continued)

		 Type of Owner-Occupied Housing Unit				
	 Total Owner- Occupied Units	 Single-Family	 Apartments in Buildings With		 	-
Usage Indicators			Two to Four Units	 Five or More Units 	 Mobile Home	 RSE
RSE Column Factor:	0.3	0.4	2.1	2.9	1.4	Row Factors
Hot Water						
Dishwasher Use Each Week						
Use a Dishwasher	45.7	41.2	0.9	1.3	2.3	9.5
Less Than Once a Week	6.9	5.9	0.2	0.4	0.4	17.0
Once Each Week	5.5	4.9	Q	Q	0.3	24.5
2 to 3 Times	14.8 10.1	13.3 9.5	0.3 Q	0.6 Q	0.5 0.4	15.4 17.8
At Least Once Each Day	8.4	7.6	Q	0	0.6	18.2
No Dishwasher	27.0	22.0	1.1	0.5	3.4	9.4
Loads of Laundry Washed Each Week						
Use a Clothes Washer	68.8	61.4	1.7	0.7	5.0	7.6
1 Load or Less	5.5	4.6	Q	Q	0.6	18.4
2 to 9 Loads	53.0	47.4	1.3	0.6	3.8	8.4
10 to 15 Loads	8.1 2.2	7.4 2.0	Q Q	Q Q	0.5 Q	15.3 32.2
No Washing Machine	3.9	1.8	0.4	1.0	0.7	17.7
Water Temperature Setting for Clothes Washer Wash Cycle						
Hot	5.0	4.3	Q	Q	0.4	19.3
Warm	41.2	37.2	1.3	Q	2.4	8.0
Cold Rinse Cycle	22.7	19.8	0.3	0.4	2.2	12.2
Hot	1.1	0.9	Q O F	Q	Q	55.5
Warm Cold	13.3 54.4	12.1 48.4	0.5 1.1	Q 0.6	0.6 4.3	17.5 8.5
No Washing Machine	3.9	1.8	0.4	1.0	0.7	17.7
Clothes Dryer						
Use a Clothes Dryer	65.5	58.7	1.6	0.6	4.6	7.7
Every Time Clothes are Washed	52.6	46.8	1.3	0.6	3.8	8.5
Some, but not All, Loads	10.9	10.0	0.2	Q	0.6	15.2
Used Infrequently No Clothes Dryer	2.0 7.3	1.9 4.5	Q 0.5	Q 1.1	Q 1.1	37.4 14.0
-	7.5	4.5	0.3	1.1	1.1	
Cooking						
Number of Hot Meals Cooked in the Home						
3 or More Times a Day	4.6	3.9	Q	Q	0.6	22.6
2 Times a Day	18.5	15.8	0.6	0.3	1.7	11.9
Once a Day	31.4 13.6	27.4 12.2	1.0	0.9 Q	2.1 0.8	8.4
About Once a Week	2.6	2.2	Q . 2	Q	0.2	25.8
Less Than Once a Week	1.5	1.2	Q	Q	Q	36.0
No Hot Meals Cooked	0.6	0.6	Q	Q	Q	76.3
Conventional Oven						
Use a Conventional Oven	66.7	57.6	2.0	1.7	5.4	7.3
More Than Once a Day Once a Day	5.4 11.6	4.9 9.9	Q 0.3	Q 0.2	0.3 1.1	22.9
Between Once a Day and	±±•0	J.J	0.5	0.2	⊥•⊥	+7.4
Once a Week	23.7	21.3	0.3	0.5	1.5	12.1
Once a Week	10.8	9.2	0.4	Q	1.0	14.0
Less Than Once a Week	15.2	12.2	0.8	0.7	1.6	12.2
Do Not Use	6.1	5.6	Q	Q	0.3	23.9

Table HC6-5a. Usage Indicators by Type of Owner-Occupied Housing Unit, Million U.S. Households, 2001 (Continued)

		Type of Owner-Occupied Housing Unit				
 	Total Owner- Occupied Units	 	 Apartments in Buildings With		 	- <u>'</u>
		 Single-Family 	Two to Four Units	 Five or More Units 	 Mobile Home 	 RSE
RSE Column Factor:	0.3	0.4	2.1	2.9 2.9	1.4	Row Factors
Microwave Oven						1
Use a Microwave Oven	65.6	57.2	1.7	1.4	5.3	7.4
Most or All	5.0	4.2	Q	Q	0.5	19.6
About Half	13.5	12.0	0.3	0.4	0.9	13.8
Some or Very Little	16.1	14.1	0.4	0.4	1.2	12.2
For Defrosting, Reheating,	24 2	0.7.0		0 =	0 =	
or Snacks	31.0	27.0	0.9	0.5	2.7	10.6
No Microwave Oven	7.1	6.0	0.4	0.3	0.4	17.0
Electric Coffee Maker						1
Use an Electric Coffee Maker	50.0	44.0	1.2	1.1	3.7	8.3
Three or More Times a Day	1.8	1.5	Q Q	Q	Ω.,	34.0
Two Times a Day	4.5	4.0	Q	Õ	0.4	22.2
Once a Day	26.5	23.4	0.6	0.4	2.1	10.6
A Few Times Each Week	6.8	6.0	Q	0.2	0.5	16.5
About Once a Week	3.8	3.3	Q	Q	Q	27.4
Less than Once a Week	6.7	5.9	Q	Q	0.4	17.6
No Electric Coffee Maker	22.7	19.2	0.9	0.7	2.0	10.3
Time Electric Coffee Maker is Left On						
Turned Off Right Away	13.9	12.1	0.6	0.3	0.9	13.4
Less than 15 Minutes	7.1	5.8	Q	0.3	0.8	16.5
15 Minutes to 1 Hour	19.5	17.7	0.2	0.5	1.2	13.5
More than 1 Hour	9.5	8.4	0.2	Q	0.8	18.0
						1
Electric Toaster Use a Electric Toaster	26.2	22.6	1.0	0.9	1.7	1 10.8
Three or More Times a Day	0.8	0.6	Q Q	Q Q	Q	59.8
Two Times a Day	2.0	1.7	Q	Q	Q	38.9
Once a Day	6.1	5.5	0.3	Q	0.2	20.2
A Few Times Each Week	9.1	7.8	0.3	0.4	0.5	16.3
About Once a Week	3.0	2.6	Q	Q	0.2	24.5
Less than Once a Week	5.3	4.3	Q	Q	0.6	17.5
No Electric Toaster	46.6	40.6	1.1	0.9	4.0	8.0
Lights Indoor Lights Turned On:						
1 to 4 Hours per Day		- 4		_		
None	6.5	5.1	0.4 0.7	Q 0.5	0.8	1 20.4
2	17.9 20.4	14.8 17.7	0.7	0.5	1.9 1.6	1 11.5
3	12.4	11.0	0.3	0.4	0.8	14.1
4	8.2	7.7	Q	Q	0.2	21.0
5 or More	7.4	6.9	Q	Q	0.3	22.5
Between 4 and 12 Hours per Day	10 5	16.2	0.6	0 5	2 1	12.0
None	19.5	16.3	0.6	0.5	2.1	13.0
1	15.2 17.0	12.6 15.1	0.8	0.5 0.5	1.3 1.0	12.4
3	9.9	8.8	0.3 Q	0.5 Q	0.8	1 16.9
4	5.9	5.5	Q	Q	0.3	21.0
5 or More	5.2	4.8	Q	Q	0.3	27.3
More then 12 Hours per Day	55.3	48.3	1.3	1.4	4 2	 8.2
1	9.2	48.3 7.8	0.5	1.4 Q	4.2 0.8	1 15.4
2	9.2 4.5	7.8 3.9	Q.5	Q	0.8	1 26.3
3	1.9	1.6	Q	Q	Q.3	1 42.6
4	0.9	0.9	Q	Q	Q	54.9
5 or More	0.9	0.7	Q	Q	Q	42.0
						1

Table HC6-5a. Usage Indicators by Type of Owner-Occupied Housing Unit, Million U.S. Households, 2001 (Continued)

 		 Туре	Jnit			
	Total Owner- Occupied Units	 			 	-
Usage Indicators				 Five or More Units	 Mobile Home 	 RSE
RSE Column Factor:	0.3	0.4	2.1	2.9	1.4	Row Factors
Outdoor Lights on All Night						
Used Not Used	19.8 53.0	17.8 45.4	0.5 1.6	Q 1.7	1.4 4.2	13.3
Gas Fireplace Use a Gas Fireplace During Winter						
Months	3.1	3.0	Q	Q	Q	1 28.5
Most Days	1.2	1.1	Q	Q	Q	54.1
Almost Once a Week	0.9	0.9	Q	Q	Q	47.1
Less Than 4 Times a Month	1.0	1.0	Q	Q	Q	47.2
Use a Personal Computer	45.7	41.1	1.3	0.9	2.4	8.6
Hours PC Turned On Each Week						
Less Than 2 Hours	7.7	6.6	0.4	Q	0.5	18.7
2 to 15 Hours	20.4	18.4	0.4	0.4	1.0	11.8
16 to 40 Hours	9.4 4.3	8.6 4.0	0.2 Q	Q Q	0.4 Q	16.4
On All The Time	4.0	3.5	Q	Q	0.3	24.7
Use of PCs Turned on 16 Hours						
a Week or More						
Personal Use Only	10.2	9.1	0.3	Q	0.6	15.8
Business Use Only Both Personal and Business	1.8 5.7	1.6 5.3	Q Q	Q Q	Q Q	32.9
Business Use of PCs Turned on 16						
Hours a Week or More						
Use to Telecommute	2.9	2.7	Q	Q	Q	35.1
Other Business Use	4.6	4.2	Q	Q	0.2	24.7
Battery Operated Appliances/Tools						i
Use Battery Operated Appliances/						1
Tools	38.9	34.8	0.8	0.8	2.4	9.2
How Maintained When Not in Use						
Plugged in All The Time	9.1	8.2	Q	Q	0.5	18.1
Recharged As Needed	27.2	24.3	0.5	0.5	1.9	10.5
Both Ways are Used	2.6	2.4	Q	Q	Q	28.9
Don't Use Any	33.8	28.3	1.2	1.0	3.2	8.5

 $^{^{\}scriptsize 1}$ The 1.0 million households that do not heat their homes are not included in these categories.

NF = No applicable RSE row factor.

Q = Data withheld either because the Relative Standard Error (RSE) was greater than 50 percent or fewer than 10 households were sampled.

Notes: • To obtain the RSE percentage for any table cell, multiply the corresponding column and row factors. • Because of rounding, data may not sum to totals. • See "Glossary" for definition of terms used in this report. • All temperatures listed are in degrees Fahrenheit.

Source: Energy Information Administration, Office of Energy Markets and End Use, Forms EIA-457 A, B, C of the 2001 Residential Energy Consumption Survey.