Table HC6-4a. Usage Indicators by Type of Housing Unit, Million U.S. Households, 2001

				Type of Housing Unit				
 	 			in Buildings ith	 	 		
Usage Indicators	Total	 Single-Family	Two to Four Units	 Five or More Units	Mobile Home	 RSE		
RSE Column Factor:	0.4	0.5	1.6	1.4	2.0	Row Factors		
Total	107.0	73.7	9.5	17.0	6.8	4.3		
Weekday Home Activities								
Home Used for Business Yes No	7.6 99.4	6.2 67.5	0.4 9.1	0.5 16.5	0.5 6.4	14.6		
Energy-Intensive Activity						 		
Yes	1.7 105.2	1.4 72.2	Q 9.4	Q 16.9	Q 6.8	29.9		
Someone Home All Day	F2 0	20. 2	4 0	7.0	2.0			
Yes No	53.0 53.9	38.3 35.4	4.2 5.3	7.3 9.7	3.2 3.6	5.3		
Heating								
Heat Home Do Not Heat Home No Heating Equipment	106.0 1.0 0.5	73.4 0.3 0.2	9.4 Q Q	16.4 0.6 0.3	6.8 Q Q	4.3 20.3 25.9		
Have Equipment But Do Not Use It	0.4	Q	Q	0.3	Q	30.7		
Adequacy of Insulation Well Insulated	42.6 43.1 19.4 0.9	30.4 30.1 12.2 0.6	3.0 3.3 2.9 Q	6.8 7.1 2.7 Q	2.5 2.6 1.7 Q	6.7 6.0 8.1 34.7		
Don't Know	0.9	0.4	Q	0.4	Q	35.3		
Occurrences of Drafts During Winter All of the Time Most of the Time Some of the Time Never Don't Know	5.9 6.4 34.6 55.3 4.7	3.6 3.9 23.6 40.5 2.1	1.0 1.2 3.2 3.5 0.6	0.9 1.0 5.4 8.0	0.3 0.4 2.5 3.4 0.2	14.3 12.6 6.8 5.7 15.4		
Thermostat Heat Home	106.0	73.4	9.4	16.4	6.8	4.3		
Thermostat Available During Heating Season Programmable ¹	91.5	66.4	7.5	11.6	6.1	 5.1		
Yes No No Thermostat Do Not Heat Home	25.1 66.4 14.5 1.0	20.9 45.5 7.0 0.3	1.3 6.2 1.9 Q	1.9 9.6 4.9 0.6	1.0 5.1 0.7 Q	11.8 5.6 9.5 20.3		
Lower Winter Temperature Settings¹ Daytime When No One is at Home	1.0	•••	×	3.0	×	20:3		
Yes No Unknown During Sleeping Hours	47.2 48.5 10.3	34.9 33.8 4.7	3.7 4.4 1.3	5.5 7.1 3.8	3.1 3.2 0.5	6.2 5.8 11.2		
Yes	45.7 51.1 9.2	34.5 35.0 3.9	2.9 5.3 1.2	5.4 7.3 3.7	2.8 3.5 0.4	6.4 5.7 11.7		

See footnotes at end of table.

Table HC6-4a. Usage Indicators by Type of Housing Unit, Million U.S. Households, 2001 (Continued)

Usage Indicators			Type of Housing Unit			
	 Total	 Single-Family	 Apartments in Buildings With		 	-
			 Two to Four Units	 Five or More Units	 Mobile Home	 RSE
RSE Column Factor:	0.4	0.5	1.6	1 1.4	2.0	Row Factors
Daytime Winter Temperature When						
Someone is at Home ¹ Heat Turned On	96.8	69.4	8.2	12.8	6.3	1 4 5
63 Degrees or Less	3.9	2.5	0.6	0.6	0.3	4.5 15.2
64 to 66 Degrees	8.4	5.7	0.9	1.2	0.6	1 12.0
67 to 69 Degrees	23.6	18.6	1.5	2.0	1.5	1 8.0
70 Degrees	25.7	18.3	2.3	3.4	1.6	7.3
71 to 73 Degrees	16.5	12.2	1.0	2.1	1.2	9.7
74 Degrees or More	18.6	12.3	1.8	3.4	1.2	9.1
Heat Turned Off	2.0	0.9	0.2	0.7	Q	24.0
Unknown/No Answer	7.2	3.0	1.0	2.9	0.3	13.6
Daytime Winter Temperature When No						
One is at Home ¹						1
Heat Turned On	87.6	64.2	7.3	10.3	5.7	4.2
63 Degrees or Less	17.7	13.1	1.6	1.6	1.3	9.7
64 to 66 Degrees	17.2	13.1	1.4	1.7	1.0	9.2
67 to 69 Degrees	19.1	14.8	1.4	1.7	1.2	10.1
70 Degrees	15.1 8.7	10.3 6.5	1.5 0.5	2.2 1.2	1.1 0.5	8.8
74 Degrees or More	9.8	6.4	0.9	1.9	0.6	1 13.0
Heat Turned Off	10.5	5.7	1.0	3.1	0.6	1 12.9
Unknown/No Answer	8.0	3.5	1.1	3.0	0.4	12.5
Winter Temperature During Sleeping						1
Hours1						1
Heat Turned On	91.8	66.6	7.8	11.1	6.2	1 4.5
63 Degrees or Less	15.4	11.9	1.2	1.3	1.1	11.1
64 to 66 Degrees	17.4	13.1	1.4	1.7	1.2	8.2
67 to 69 Degrees	21.0 17.4	15.8 12.1	1.7 1.9	2.1 2.2	1.4 1.2	8.7 8.5
70 Degrees	9.5	6.9	0.9	1.2	0.5	1 12.6
74 Degrees or More	11.1	6.9	0.9	2.5	0.8	1 12.1
Heat Turned Off	7.1	3.8	0.6	2.4	0.3	14.8
Unknown/No Answer	7.1	2.9	1.0	2.9	0.3	13.4
Air-Conditioning						
Central Air-Conditioning						
Use a Central System	58.6	44.4	3.2	7.4	3.7	6.6
All Summer	28.4	21.8	1.7	3.2	1.7	9.6
Quite a Bit	12.1	9.0	0.6	1.7	0.8	12.0
Only a Few Times	16.8	12.8	0.9	2.1	0.9	11.3
Not at All No Central System	1.4 48.4	0.8 29.3	Q 6.3	0.3 9.6	Q 3.1	33.3
-						1
Window/Wall Air-Conditioning Use Window/Wall Units	25.1	14.8	3.3	5.2	1.8	1 7.4
All Summer	4.9	2.9	0.6	0.8	0.6	1 15.0
Ouite a Bit	5.2	3.3	0.6	0.9	0.3	1 16.3
Only a Few Times	14.1	8.2	1.9	3.1	0.8	9.2
Not at All	0.9	0.4	Q	0.4	Q.S	32.4
No Window/Wall Units	81.9	58.9	6.2	11.8	5.0	4.4

See footnotes at end of table.

 		Type of Housing Unit				
 			-	in Buildings ith		- '
Usage Indicators	Total	 	Two to Four Units	 Five or More Units	 Mobile Home	 RSE
RSE Column Factor:	0.4	0.5	1.6	1 1.4	2.0	Row Factors
Hot Water						
Dishwasher Use Each Week						
Use a Dishwasher	56.7	44.5	2.6	7.1	2.5	6.6
Less Than Once a Week	9.4	6.4	0.6	2.0	0.5	12.0
Once Each Week	7.5 17.8	5.6 14.2	0.3	1.2 2.2	0.4	15.7 11.2
4 to 6 Times	11.7	10.2	0.4	0.6	0.4	1 14.3
At Least Once Each Day	10.4	8.1	0.5	1.1	0.7	14.1
No Dishwasher	50.3	29.2	6.9	9.9	4.3	5.4
Loads of Laundry Washed Each Week	04.1	70.0	A -F	2 2	F 0	
Use a Clothes Washer	84.1 6.8	70.0 5.3	4.5 0.4	3.9	5.8 0.7	5.3 14.7
1 Load or Less	65.1	54.0	3.6	0.5 3.2	4.3	1 5.9
10 to 15 Loads	9.6	8.2	0.5	0.3	0.6	1 13.1
More than 15 Loads	2.7	2.4	Q	Q	Q	23.1
No Washing Machine	22.9	3.7	5.0	13.1	1.1	8.6
Water Temperature Setting for Clothes Washer						
Wash Cycle Hot	6.2	5.0	0.3	0.5	0.5	1 16.2
Warm	49.7	41.8	2.9	2.2	2.7	6.5
Cold Rinse Cycle	28.2	23.1	1.3	1.2	2.6	8.7
Hot	1.4	1.1	Q	Q	Q 0.7	37.8
Warm Cold	16.6 66.1	13.8 55.1	1.2 3.3	1.0 2.9	0.7 4.9	11.8
No Washing Machine	22.9	3.7	5.0	13.1	1.1	8.6
Clothes Dryer						
Use a Clothes Dryer	78.8	66.4	4.1	3.1	5.2	5.6
Every Time Clothes are Washed	63.5	52.9	3.5	2.8	4.3	6.1
Some, but not All, Loads	12.7 2.7	11.2 2.3	0.5	0.3	0.7 0.2	13.4
Used Infrequently No Clothes Dryer	28.2	7.3	Q 5.4	Q 13.9	1.6	7.2
Cooking						
Number of Hot Meals Cooked in the Home						
3 or More Times a Day	7.5	5.1	0.6	1.2	0.7	1 13.2
2 Times a Day	26.8	18.9	2.5	3.3	2.1	7.2
Once a Day	43.3	30.7	3.6	6.5	2.5	6.0
A Few Times Each Week	21.7	14.4	2.0	4.2	1.1	8.2
About Once a WeekLess Than Once a Week	4.0 2.4	2.6 1.4	0.3	0.9 0.5	0.3 Q	16.2
No Hot Meals Cooked	1.2	0.7	Q	0.4	Q	41.3
Conventional Oven						
Use a Conventional Oven	99.4	67.5	9.1	16.3	6.4	4.5
More Than Once a Day	8.6	5.9	1.0	1.4	0.4	12.6
Once a Day Between Once a Day and	17.4	11.9	1.8	2.5	1.2	9.0
Once a Week	33.1	24.5	2.4	4.4	1.8	7.1
Once a Week	15.6	10.5	1.6	2.4	1.1	9.0
Less Than Once a Week	24.6	14.7	2.3	5.6	1.9	7.8
Do Not Use	7.6	6.2	0.4	0.7	0.4	16.9

Table HC6-4a. Usage Indicators by Type of Housing Unit, Million U.S. Households, 2001 (Continued)

	 Type of Housing Unit					
Usage Indicators	Total	 Single-Family	 Apartments in Buildings With		 	- '
			Two to Four Units	 Five or More Units	 Mobile Home	 RSE
RSE Column Factor:	0.4	0.5	1.6	1.4	2.0	Row Factors
Microwave Oven		-'		'		'
Use a Microwave Oven	92.1	65.9	7.6	12.5	6.2	4.2
Most or All	8.2	5.2	0.8	1.7	0.5	11.8
About Half	19.3	13.9	1.7	2.6	1.1	9.5
Some or Very Little	22.4	16.3	1.8	2.8	1.5	8.3
For Defrosting, Reheating,						
or Snacks	42.2	30.4	3.4	5.4	3.1	6.8
No Microwave Oven	14.8	7.8	1.9	4.5	0.7	10.6
Electric Coffee Maker						1
Use an Electric Coffee Maker	65.5	49.8	4.3	7.3	4.1	5.2
Three or More Times a Day	2.4	1.8	Q	0.3	Q	22.9
Two Times a Day	5.9	4.8	0.4	0.3	0.4	1 16.5
Once a Day	33.6	25.9	2.0	3.4	2.3	6.9
A Few Times Each Week	9.4	7.2	0.6	1.2	0.5	11.9
About Once a Week	5.2	3.7	0.6	0.7	0.3	15.3
Less than Once a Week	9.0	6.6	0.6	1.3	0.5	12.2
No Electric Coffee Maker	41.5	23.9	5.1	9.7	2.7	5.7
Time Electric Coffee Maker is Left						
On Turned Off Bight Avenue	18.8	13.7	1.5	2.5	1.1	9.4
Turned Off Right Away Less than 15 Minutes	10.0	6.8	0.8	1.7	0.8	1 11.1
15 Minutes to 1 Hour	24.6	19.6	1.4	2.2	1.4	8.7
More than 1 Hour	12.1	9.7	0.6	1.0	0.9	11.3
Electric Toaster						
Use a Electric Toaster	36.1	25.9	2.7	5.5	1.9	7.3
Three or More Times a Day	1.0	0.7	Q	Q	Q	40.2
Two Times a Day	2.7	2.1	Q	0.4	Q	21.6
Once a Day	8.2	6.2	0.6	1.0	0.3	14.4
A Few Times Each Week	11.9	8.8	0.9	1.6	0.6	11.3
About Once a Week	4.3	2.8	0.3	0.9	0.2	15.1
Less than Once a Week No Electric Toaster	7.9 70.9	5.3 47.8	0.5 6.8	1.4 11.5	0.7 4.9	11.7
NO BICCCITC TOUBCCI	70.5	17.0	0.0	11.0	1.9	1.5
Lights Indoor Lights Turned On: 1 to 4 Hours per Day						
None	10.2	6.3	1.3	1.7	1.0	12.4
1	30.1	17.7	3.7	6.5	2.3	6.3
2	30.7	20.9	2.4	5.5	2.0	7.3
3	16.6	12.6	1.1	2.1	0.8	9.9
4	10.5	8.7	0.8	0.8	0.3	14.2
5 or More	8.8	7.7	0.4	0.5	0.4	15.7
Between 4 and 12 Hours per Day				_	_	
None	30.2	19.3	3.1	5.4	2.4	7.6
1	25.2	15.0	3.0	5.5	1.6	7.5
2	25.5	18.2	1.8	4.1	1.3	8.0
3	12.7	9.7 6.1	0.9	1.2	0.9	12.0
4 5 or More	7.2 6.2	5.3	0.4	0.3	0.3	19.8
More then 12 Hours per Day			_			
None	81.1	55.7	6.7	13.7	5.0	4.5
1	14.4	9.7	1.5	2.3	0.9	9.8
2	6.8	4.9	0.5	0.8	0.5	15.6
3	2.4	1.6	0.4	Q	0.3	28.3
4	1.3	1.0	Q	Q	Q	33.7
5 or More	1.1	0.8	Q	Q	Q	30.4
						1

		Type of Housing Unit				
 	 		 Apartments in Buildings With		 	-'
Usage Indicators	Total	 Single-Family	Two to Four Units	 Five or More Units	Mobile Home	 RSE
RSE Column Factor:	0.4	0.5	1.6	1 1.4	2.0	Row Factors
Outdoor Lights on All Night		_ `				
Used Not Used	24.5 82.5	20.2 53.5	1.4 8.1	1.2 15.8	1.6 5.2	9.6
Gas Fireplace Use a Gas Fireplace During Winter						
Months	3.7	3.1	Q	Q	Q	19.6
Most Days	1.3	1.2	Q	Q	Q	39.0
Almost Once a Week	1.1	0.9	Q	Q	Q	35.3
Less Than 4 Times a Month	1.2	1.1	Q	Q	Q	33.0
Use a Personal Computer	60.0	46.4	4.1	6.8	2.7	5.9
Hours PC Turned On Each Week						
Less Than 2 Hours	10.3	7.4	1.0	1.2	0.7	12.3
2 to 15 Hours	26.3	20.8	1.5	2.9	1.1	8.1
16 to 40 Hours	12.2	9.6	0.8	1.3	0.5	11.6
More than 40 Hours	5.7	4.6	0.3	0.6	Q	17.5
On All The Time	5.6	4.0	0.5	0.7	0.4	16.0
Use of PCs Turned on 16 Hours a Week or More						
Personal Use Only	14.0	10.6	1.0	1.7	0.7	1 10.8
Business Use Only	2.1	1.8	Q	0.2	Q.	24.6
Both Personal and Business	7.3	5.9	0.5	0.7	0.2	15.4
Business Use of PCs Turned on 16						
Hours a Week or More Use to Telecommute	3.6	3.1	0.3	0.2	Q	23.8
Other Business Use	5.8	4.6	0.3	0.8	0.2	17.1
Battery Operated Appliances/Tools						1
Use Battery Operated Appliances/						1
Tools	47.7	38.8	2.6	3.7	2.6	6.6
How Maintained When Not in Use						
Plugged in All The Time	10.8	8.9	0.5	0.9	0.5	14.0
Recharged As Needed	33.8	27.3	2.0	2.5	2.0	7.1
Both Ways are Used	3.1	2.7	Q	Q	Q	20.1
Don't Use Any	59.3	34.9	6.9	13.3	4.2	5.1

 $^{^{} ext{1}}$ The 1.0 million households that do not heat their homes are not included in these categories.

Q = Data withheld either because the Relative Standard Error (RSE) was greater than 50 percent or fewer than 10 households were sampled.

Notes: • To obtain the RSE percentage for any table cell, multiply the corresponding column and row factors. • Because of rounding, data may not sum to totals. • See "Glossary" for definition of terms used in this report. • All temperatures listed are in degrees Fahrenheit.

Source: Energy Information Administration, Office of Energy Markets and End Use, Forms EIA-457 A, B, C of the 2001 Residential Energy Consumption Survey.