

**Table 3a . January Monthly Peak Hour Demand, Actual and Projected by North American Electric Reliability Council Region, 1996 through 2004 and Projected 2005 through 2006**

(Megawatts and 2004 Base Year)

Projected Monthly Base	Year	Contiguous U.S.	Eastern Power Grid								Texas Power Grid	Western Power Grid
			ECAR	FRCC	MAAC	MAIN	MAPP/MRO	NPCC	SERC	SPP	ERCOT	WECC
		Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)
January												
	1996	539,319	78,358	39,860	38,161	36,328	23,387	41,680	99,060	46,801	36,818	95,306
	1997	551,455	83,597	37,127	40,522	36,976	24,434	41,208	123,494	26,931	41,280	95,886
	1998	505,923	76,492	27,122	36,532	35,928	24,687	40,009	109,832	24,313	35,906	95,102
	1999	557,939	83,849	38,581	40,220	37,442	25,200	44,199	130,513	26,757	39,537	91,641
	2000	565,220	83,670	37,521	42,442	39,238	22,995	45,227	132,964	26,415	39,075	95,673
	2001	573,509	82,378	40,258	41,142	39,491	21,815	43,553	137,072	28,039	42,995	96,766
	2002	562,695	79,963	39,675	39,458	38,841	22,024	42,039	131,754	28,485	43,901	96,555
	2003	606,474	86,339	45,033	46,239	42,287	23,396	45,987	150,308	28,850	45,433	92,602
	2004	618,057	86,854	35,545	45,625	42,231	23,984	66,215	143,846	29,010	42,698	102,049
Projected		Contiguous	ECAR	FRCC	MAAC	MAIN	MRO	NPCC	SERC	SPP	ERCOT	WECC
In 2004 for 2005		604,481	88,289	44,839	45,905	42,179	24,202	47,040	144,337	28,232	36,769	102,689
In 2004 for 2006		622,861	90,464	46,717	46,785	43,406	24,766	48,180	147,019	28,949	41,379	105,196

Notes: • Actual data are final. • Projected data are updated annually. • NERC Regional Council names may be found in the Glossary reference • Represents an hour of a day during the associated peak period. • The summer peak period begins on June 1 and extends through September 30. • The winter peak period begins on December 1 and extends through February 28 of the following year. For example, winter 2001 begins December 1, 2001, and extends through February 28, 2002. • Totals may not equal sum of components because of independent rounding.

Sources: Energy Information Administration, Form EIA-411, "Coordinated Bulk Power Supply Program Report."

**Table 3b . February Monthly Peak Hour Demand, Actual and Projected by North American Electric Reliability Council Region, 1996 through 2004 and Projected 2005 through 2006**

(Megawatts and 2004 Base Year)

Projected Monthly Base	Year	Contiguous U.S.	Eastern Power Grid								Texas Power Grid	Western Power Grid
			ECAR	FRCC	MAAC	MAIN	MAPP/MRO	NPCC	SERC	SPP	ERCOT	WECC
		Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)
February												
	1996	549,604	82,205	41,896	40,746	36,694	22,899	41,977	107,023	46,506	37,705	94,878
	1997	489,289	75,249	28,144	36,333	33,320	22,873	38,891	108,137	23,739	33,120	89,483
	1998	488,303	74,284	28,116	36,339	32,643	23,282	39,624	106,908	23,137	33,703	90,267
	1999	507,815	77,451	31,005	37,928	33,058	23,283	41,263	114,107	23,604	34,343	91,773
	2000	526,150	77,352	30,475	39,536	37,757	21,843	42,692	124,626	25,463	34,779	91,627
	2001	524,297	76,913	30,956	41,017	38,941	21,655	41,919	117,271	26,733	35,091	93,801
	2002	551,844	80,476	34,073	38,812	38,157	21,241	41,544	132,318	28,191	43,837	93,195
	2003	551,505	80,792	31,033	42,024	39,497	22,668	43,800	126,440	27,922	43,498	93,831
2004	575,991	81,131	34,423	41,170	39,403	22,958	62,361	129,244	27,454	42,301	95,546	
Projected		Contiguous	ECAR	FRCC	MAAC	MAIN	MRO	NPCC	SERC	SPP	ERCOT	WECC
In 2004 for 2005		574,137	85,219	38,709	43,516	39,938	23,361	44,467	134,407	27,847	39,670	97,003
In 2004 for 2006		590,165	86,953	39,773	44,482	41,563	23,952	46,485	136,902	28,398	39,051	102,606

Notes: • Actual data are final. • Projected data are updated annually. • NERC Regional Council names may be found in the Glossary reference • Represents an hour of a day during the associated peak period. • The summer peak period begins on June 1 and extends through September 30. • The winter peak period begins on December 1 and extends through February 28 of the following year. For example, winter 2001 begins December 1, 2001, and extends through February 28, 2002. • Totals may not equal sum of components because of independent rounding.

Sources: Energy Information Administration, Form EIA-411, "Coordinated Bulk Power Supply Program Report."

**Table 3c . March Monthly Peak Hour Demand, Actual and Projected by North American Electric Reliability Council Region, 1996 through 2004 and Projected 2005 through 2006**

(Megawatts and 2004 Base Year)

Projected Monthly Base	Year	Contiguous U.S.	Eastern Power Grid								Texas Power Grid	Western Power Grid
			ECAR	FRCC	MAAC	MAIN	MAPP/MRO	NPCC	SERC	SPP	ERCOT	WECC
		Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)
March												
	1996	498,009	75,480	32,781	37,300	34,263	21,492	39,414	94,264	44,043	34,540	86,486
	1997	464,675	70,975	27,998	35,033	32,424	21,676	37,662	95,233	22,386	31,783	89,505
	1998	504,302	76,931	29,032	36,400	33,860	23,137	39,652	114,567	24,878	36,836	89,009
	1999	491,272	76,958	27,798	36,983	34,388	22,301	39,883	108,893	23,086	33,383	87,599
	2000	484,630	71,028	27,331	35,663	34,311	20,301	38,729	104,667	23,516	38,040	91,044
	2001	499,130	74,885	29,885	38,036	37,235	19,885	40,636	112,130	24,707	34,090	87,641
	2002	545,899	80,834	34,626	38,634	38,964	21,187	39,906	129,910	27,833	43,964	90,041
	2003	526,444	77,618	35,426	41,312	38,576	22,016	43,249	113,665	26,026	37,554	91,002
	2004	530,796	76,543	30,138	39,626	37,208	20,847	58,055	115,301	23,566	34,321	95,191
Projected		Contiguous	ECAR	FRCC	MAAC	MAIN	MRO	NPCC	SERC	SPP	ERCOT	WECC
In 2004 for 2005		550,598	80,579	35,441	41,790	39,049	22,214	43,924	122,344	25,617	42,888	96,752
In 2004 for 2006		561,838	82,292	36,357	42,516	40,007	22,800	44,657	124,682	26,282	43,314	98,931

Notes: • Actual data are final. • Projected data are updated annually. • NERC Regional Council names may be found in the Glossary reference • Represents an hour of a day during the associated peak period. • The summer peak period begins on June 1 and extends through September 30. • The winter peak period begins on December 1 and extends through February 28 of the following year. For example, winter 2001 begins December 1, 2001, and extends through February 28, 2002. • Totals may not equal sum of components because of independent rounding.

Sources: Energy Information Administration, Form EIA-411, "Coordinated Bulk Power Supply Program Report."

**Table 3d. April Monthly Peak Hour Demand, Actual and Projected by North American Electric Reliability Council Region, 1996 through 2004 and Projected 2005 through 2006**

(Megawatts and 2004 Base Year)

Projected Monthly Base	Year	Contiguous U.S.	Eastern Power Grid								Texas Power Grid	Western Power Grid
			ECAR	FRCC	MAAC	MAIN	MAPP/MRO	NPCC	SERC	SPP	ERCOT	WECC
		Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)
April												
	1996	460,037	67,256	28,609	32,817	30,546	19,272	35,313	80,128	39,428	35,326	89,912
	1997	456,075	69,190	28,458	32,156	31,376	20,625	35,284	94,363	22,283	34,216	88,124
	1998	449,278	66,199	28,008	31,399	29,915	20,882	35,382	91,401	22,119	35,731	88,242
	1999	475,803	68,396	33,108	30,337	31,678	20,750	34,260	104,725	23,648	41,080	87,821
	2000	480,344	67,022	29,175	32,511	33,187	19,323	36,124	102,837	25,516	40,399	94,250
	2001	496,228	68,571	32,816	35,257	36,146	19,168	37,191	113,799	26,240	37,017	90,023
	2002	561,096	77,743	34,818	44,336	40,495	20,231	42,163	135,176	28,356	49,064	88,714
	2003	507,048	70,007	34,337	36,722	35,575	20,208	38,921	114,468	26,518	40,579	89,713
	2004	529,319	71,732	33,895	36,212	34,812	19,488	54,300	113,512	24,583	39,131	101,654
Projected		Contiguous	ECAR	FRCC	MAAC	MAIN	MRO	NPCC	SERC	SPP	ERCOT	WECC
In 2004 for 2005		524,943	73,321	35,919	37,901	36,051	21,027	40,238	114,522	27,605	40,393	97,966
In 2004 for 2006		535,403	74,843	37,001	38,571	37,094	21,572	40,914	116,962	27,484	40,812	100,150

Notes: • Actual data are final. • Projected data are updated annually. • NERC Regional Council names may be found in the Glossary reference • Represents an hour of a day during the associated peak period. • The summer peak period begins on June 1 and extends through September 30. • The winter peak period begins on December 1 and extends through February 28 of the following year. For example, winter 2001 begins December 1, 2001, and extends through February 28, 2002. • Totals may not equal sum of components because of independent rounding.

Sources: Energy Information Administration, Form EIA-411, "Coordinated Bulk Power Supply Program Report."

**Table 3e . May Monthly Peak Hour Demand, Actual and Projected by North American Electric Reliability Council Region, 1996 through 2004 and Projected 2005 through 2006**

(Megawatts and 2004 Base Year)

Projected Monthly Base	Year	Contiguous U.S.	Eastern Power Grid								Texas Power Grid	Western Power Grid
			ECAR	FRCC	MAAC	MAIN	MAPP/MRO	NPCC	SERC	SPP	ERCOT	WECC
		Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)
May												
	1996	534,009	79,048	32,059	41,380	34,257	20,585	41,013	103,784	52,072	43,742	91,930
	1997	489,172	67,924	33,859	31,888	29,991	20,937	34,101	105,073	24,746	40,857	99,796
	1998	548,728	81,417	32,879	39,113	39,936	24,695	40,210	125,721	32,030	48,676	84,051
	1999	509,383	76,148	33,937	33,466	34,052	21,884	35,911	113,419	25,872	43,529	91,165
	2000	590,223	79,124	35,626	44,993	41,229	21,751	44,550	133,362	35,188	50,347	104,053
	2001	556,624	73,226	35,356	40,378	42,380	22,207	42,368	123,576	32,043	44,606	100,484
	2002	585,806	81,624	37,610	42,547	42,458	23,093	41,008	131,824	32,514	49,018	104,110
	2003	559,772	69,116	39,441	34,072	35,927	20,119	36,648	128,302	32,880	52,909	110,358
	2004	631,212	83,453	40,478	48,571	42,638	21,404	64,042	143,543	32,878	48,702	105,503
Projected		Contiguous	ECAR	FRCC	MAAC	MAIN	MRO	NPCC	SERC	SPP	ERCOT	WECC
In 2004 for 2005		603,420	82,272	40,782	44,116	42,584	23,815	44,927	134,884	33,557	48,496	107,987
In 2004 for 2006		614,807	84,616	41,885	44,996	43,697	24,307	45,735	137,882	33,953	47,205	110,531

Notes: • Actual data are final. • Projected data are updated annually. • NERC Regional Council names may be found in the Glossary reference • Represents an hour of a day during the associated peak period. • The summer peak period begins on June 1 and extends through September 30. • The winter peak period begins on December 1 and extends through February 28 of the following year. For example, winter 2001 begins December 1, 2001, and extends through February 28, 2002. • Totals may not equal sum of components because of independent rounding.

Sources: Energy Information Administration, Form EIA-411, "Coordinated Bulk Power Supply Program Report."

**Table 3f. June Monthly Peak Hour Demand, Actual and Projected by North American Electric Reliability Council Region, 1996 through 2004 and Projected 2005 through 2006**

(Megawatts and 2004 Base Year)

Projected Monthly Base	Year	Contiguous U.S.	Eastern Power Grid								Texas Power Grid	Western Power Grid
			ECAR	FRCC	MAAC	MAIN	MAPP/MRO	NPCC	SERC	SPP	ERCOT	WECC
		Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)
June												
	1996	580,313	83,831	33,886	40,799	42,500	26,290	41,893	108,122	56,569	46,524	99,203
	1997	596,399	89,463	34,125	47,681	44,463	27,436	46,477	129,777	32,950	45,687	98,340
	1998	625,302	92,155	37,153	47,225	45,770	29,165	47,342	140,530	36,086	52,259	97,617
	1999	624,843	94,689	34,964	48,147	45,461	28,627	50,127	135,013	32,783	49,628	105,404
	2000	632,984	89,004	35,827	49,291	44,587	26,677	50,057	142,202	34,162	49,577	111,600
	2001	627,697	91,610	38,359	42,472	49,445	26,289	50,289	137,252	35,636	50,918	105,427
	2002	670,648	98,300	38,859	52,490	51,482	28,194	51,873	150,232	36,228	51,882	111,108
	2003	663,960	92,520	39,170	53,444	51,591	25,913	54,827	144,421	35,810	53,637	112,627
	2004	691,049	94,311	42,152	51,631	50,602	25,927	76,529	148,556	36,137	54,061	111,143
	Projected	Contiguous	ECAR	FRCC	MAAC	MAIN	MRO	NPCC	SERC	SPP	ERCOT	WECC
	In 2004 for 2005	696,519	99,518	42,557	55,209	53,479	28,429	53,798	154,167	37,601	52,697	119,064
	In 2004 for 2006	711,708	102,544	43,780	56,303	54,313	28,963	54,768	157,403	38,142	54,092	121,400

Notes: • Actual data are final. • Projected data are updated annually. • NERC Regional Council names may be found in the Glossary reference • Represents an hour of a day during the associated peak period. • The summer peak period begins on June 1 and extends through September 30. • The winter peak period begins on December 1 and extends through February 28 of the following year. For example, winter 2001 begins December 1, 2001, and extends through February 28, 2002. • Totals may not equal sum of components because of independent rounding.

Sources: Energy Information Administration, Form EIA-411, "Coordinated Bulk Power Supply Program Report."

**Table 3g . July Monthly Peak Hour Demand, Actual and Projected by North American Electric Reliability Council Region, 1996 through 2004 and Projected 2005 through 2006**

(Megawatts and 2004 Base Year)

Projected Monthly Base	Year	Contiguous U.S.	Eastern Power Grid								Texas Power Grid	Western Power Grid
			ECAR	FRCC	MAAC	MAIN	MAPP/MRO	NPCC	SERC	SPP	ERCOT	WECC
		Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)
July												
	1996	610,368	84,083	35,444	43,080	42,181	27,867	44,773	109,645	59,826	47,240	108,739
	1997	629,683	93,492	35,356	49,464	45,011	29,712	49,269	137,046	36,267	49,705	104,361
	1998	651,002	93,784	36,576	48,445	46,833	30,829	49,566	142,316	37,383	53,440	111,830
	1999	674,758	99,239	36,229	51,645	50,345	31,903	52,855	148,030	37,958	52,925	113,629
	2000	656,054	87,195	37,194	47,868	47,683	28,372	46,310	152,329	38,864	55,767	114,472
	2001	671,899	96,429	37,608	52,000	54,929	27,815	53,569	146,011	40,063	54,846	108,629
	2002	707,278	101,988	40,260	55,302	54,748	29,114	55,444	157,332	39,125	54,891	119,074
	2003	681,710	90,385	40,475	51,356	50,699	27,496	53,509	149,869	39,133	56,251	122,537
	2004	731,562	96,333	42,383	50,483	53,315	29,300	82,615	157,615	39,893	56,489	123,136
	Projected	Contiguous	ECAR	FRCC	MAAC	MAIN	MRO	NPCC	SERC	SPP	ERCOT	WECC
	In 2004 for 2005	746,050	103,679	43,385	57,631	58,935	30,105	58,315	164,887	40,703	60,475	127,935
	In 2004 for 2006	763,098	106,753	44,558	58,785	59,973	30,681	59,370	168,181	41,521	62,148	131,128

Notes: • Actual data are final. • Projected data are updated annually. • NERC Regional Council names may be found in the Glossary reference • Represents an hour of a day during the associated peak period. • The summer peak period begins on June 1 and extends through September 30. • The winter peak period begins on December 1 and extends through February 28 of the following year. For example, winter 2001 begins December 1, 2001, and extends through February 28, 2002. • Totals may not equal sum of components because of independent rounding.

Sources: Energy Information Administration, Form EIA-411, "Coordinated Bulk Power Supply Program Report."

**Table 3h . August Monthly Peak Hour Demand, Actual and Projected by North American Electric Reliability Council Region, 1996 through 2004 and Projected 2005 through 2006**

(Megawatts and 2004 Base Year)

Projected Monthly Base	Year	Contiguous U.S.	Eastern Power Grid								Texas Power Grid	Western Power Grid
			ECAR	FRCC	MAAC	MAIN	MAPP/MRO	NPCC	SERC	SPP	ERCOT	WECC
		Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)
August												
	1996	602,973	90,798	34,341	44,302	45,605	27,205	44,663	104,491	57,907	46,807	107,790
	1997	605,790	83,560	35,375	43,913	40,151	28,621	43,964	134,713	35,024	50,468	110,001
	1998	648,366	91,955	38,730	47,091	45,001	30,318	47,514	140,194	36,976	54,666	115,921
	1999	648,222	89,960	37,493	47,685	42,693	29,607	47,762	149,011	38,609	55,529	109,873
	2000	677,756	92,033	37,084	49,477	52,483	28,462	49,850	156,058	40,101	57,606	114,602
	2001	684,542	100,235	38,932	54,015	55,265	28,321	55,949	147,723	39,782	55,201	109,119
	2002	704,317	102,996	39,656	55,569	55,351	27,431	55,944	156,788	39,571	56,248	114,763
	2003	703,853	98,487	39,648	53,566	56,988	28,831	53,540	153,110	40,214	59,996	119,473
2004	725,316	96,467	41,964	52,049	51,856	27,282	79,138	155,373	39,734	58,531	122,922	
Projected		Contiguous	ECAR	FRCC	MAAC	MAIN	MRO	NPCC	SERC	SPP	ERCOT	WECC
In 2004 for 2005		740,438	103,430	43,495	56,663	58,639	30,105	57,480	165,144	40,906	57,202	127,374
In 2004 for 2006		757,099	106,654	44,680	57,774	59,655	30,681	58,524	168,565	41,724	58,558	130,284

Notes: • Actual data are final. • Projected data are updated annually. • NERC Regional Council names may be found in the Glossary reference • Represents an hour of a day during the associated peak period. • The summer peak period begins on June 1 and extends through September 30. • The winter peak period begins on December 1 and extends through February 28 of the following year. For example, winter 2001 begins December 1, 2001, and extends through February 28, 2002. • Totals may not equal sum of components because of independent rounding.

Sources: Energy Information Administration, Form EIA-411, "Coordinated Bulk Power Supply Program Report."



**Table 3i. September Monthly Peak Hour Demand, Actual and Projected by North American Electric Reliability Council Region, 1996 through 2004 and Projected 2005 through 2006**

(Megawatts and 2004 Base Year)

Projected Monthly Base	Year	Contiguous U.S.	Eastern Power Grid								Texas Power Grid	Western Power Grid
			ECAR	FRCC	MAAC	MAIN	MAPP/MRO	NPCC	SERC	SPP	ERCOT	WECC
		Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)
September												
	1996	554,390	79,931	34,797	41,741	39,421	24,478	43,321	98,022	52,017	41,733	98,006
	1997	581,524	82,661	33,620	42,196	38,641	24,689	42,487	128,773	33,793	49,005	105,659
	1998	604,469	83,611	34,650	44,226	39,957	26,801	42,358	132,270	35,910	51,981	112,705
	1999	606,230	84,542	36,954	44,357	43,601	27,310	45,913	135,888	34,692	50,447	102,526
	2000	638,224	89,118	36,216	45,332	51,007	25,264	48,266	138,879	39,246	57,099	107,797
	2001	603,119	85,422	38,052	42,920	47,066	23,844	45,703	134,407	34,312	50,073	101,320
	2002	662,638	97,427	39,156	46,828	52,521	27,076	49,324	149,616	37,659	51,556	111,475
	2003	607,645	79,510	38,958	40,346	45,478	24,628	43,123	139,630	32,876	49,502	113,594
	2004	660,989	85,638	40,218	44,128	46,901	26,517	73,418	136,089	36,117	55,179	116,784
Projected		Contiguous	ECAR	FRCC	MAAC	MAIN	MRO	NPCC	SERC	SPP	ERCOT	WECC
In 2004 for 2005		665,397	90,378	42,093	49,502	50,245	27,391	50,514	151,410	37,462	48,570	117,832
In 2004 for 2006		684,531	94,857	43,142	50,480	51,093	27,971	51,424	154,280	37,867	53,675	119,742

Notes: • Actual data are final. • Projected data are updated annually. • NERC Regional Council names may be found in the Glossary reference • Represents an hour of a day during the associated peak period. • The summer peak period begins on June 1 and extends through September 30. • The winter peak period begins on December 1 and extends through February 28 of the following year. For example, winter 2001 begins December 1, 2001, and extends through February 28, 2002. • Totals may not equal sum of components because of independent rounding.

Sources: Energy Information Administration, Form EIA-411, "Coordinated Bulk Power Supply Program Report."

**Table 3j. October Monthly Peak Hour Demand, Actual and Projected by North American Electric Reliability Council Region, 1996 through 2004 and Projected 2005 through 2006**

(Megawatts and 2004 Base Year)

Projected Monthly Base	Year	Contiguous U.S.	Eastern Power Grid								Texas Power Grid	Western Power Grid
			ECAR	FRCC	MAAC	MAIN	MAPP/MRO	NPCC	SERC	SPP	ERCOT	WECC
		Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)
October												
	1996	467,595	65,754	30,037	30,600	30,952	21,196	36,278	78,249	41,352	34,958	95,427
	1997	510,898	72,508	31,798	34,898	35,654	23,330	37,597	107,909	28,435	43,533	95,236
	1998	510,965	70,293	33,066	33,805	33,675	21,782	36,947	116,754	25,231	46,869	92,543
	1999	501,184	70,326	33,567	32,149	34,225	21,982	37,120	106,035	25,745	43,706	96,329
	2000	536,101	71,031	34,675	35,996	38,534	20,301	39,300	120,175	30,910	47,781	97,398
	2001	503,079	68,037	32,891	34,441	35,619	20,244	38,398	108,203	26,688	40,796	97,762
	2002	583,695	81,544	37,206	41,809	42,408	22,231	43,293	134,171	31,961	49,105	99,967
	2003	515,345	69,179	36,917	34,966	36,155	21,040	39,225	105,513	26,372	42,651	103,327
	2004	545,681	69,295	39,063	34,614	36,023	20,847	56,870	117,668	27,158	47,714	96,429
	Projected	Contiguous	ECAR	FRCC	MAAC	MAIN	MRO	NPCC	SERC	SPP	ERCOT	WECC
	In 2004 for 2005	556,638	74,523	39,360	38,591	39,794	22,414	42,658	123,469	28,812	42,925	104,092
	In 2004 for 2006	566,656	76,833	40,265	39,264	40,399	22,781	43,271	124,166	29,360	43,400	106,917

Notes: • Actual data are final. • Projected data are updated annually. • NERC Regional Council names may be found in the Glossary reference • Represents an hour of a day during the associated peak period. • The summer peak period begins on June 1 and extends through September 30. • The winter peak period begins on December 1 and extends through February 28 of the following year. For example, winter 2001 begins December 1, 2001, and extends through February 28, 2002. • Totals may not equal sum of components because of independent rounding.

Sources: Energy Information Administration, Form EIA-411, "Coordinated Bulk Power Supply Program Report."

**Table 3k . November Monthly Peak Hour Demand, Actual and Projected by North American Electric Reliability Council Region, 1996 through 2004 and Projected 2005 through 2006**

(Megawatts and 2004 Base Year)

Projected Monthly Base	Year	Contiguous U.S.	Eastern Power Grid								Texas Power Grid	Western Power Grid
			ECAR	FRCC	MAAC	MAIN	MAPP/MRO	NPCC	SERC	SPP	ERCOT	WECC
		Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)
November												
	1996	483,922	74,209	29,033	35,192	33,868	22,597	38,992	86,864	42,117	34,597	87,466
	1997	491,968	74,912	27,669	35,836	33,483	22,675	39,602	110,668	24,029	33,624	89,470
	1998	464,919	70,515	27,703	33,213	32,344	22,702	38,738	96,290	22,274	32,616	88,524
	1999	496,971	76,860	29,249	37,429	34,433	22,966	41,314	107,591	22,773	33,615	90,741
	2000	525,030	77,194	30,647	37,982	37,707	22,006	41,036	121,470	25,942	35,563	95,483
	2001	497,593	71,440	27,910	34,595	37,626	21,198	39,576	104,840	26,949	41,608	91,851
	2002	517,609	75,971	35,513	37,039	37,753	21,928	40,696	114,186	25,788	35,901	92,834
	2003	518,742	75,525	32,641	36,848	38,407	22,031	40,197	114,990	25,204	38,608	94,291
	2004	550,316	74,843	35,527	37,114	38,372	22,308	60,680	117,269	26,603	37,599	100,001
Projected		Contiguous	ECAR	FRCC	MAAC	MAIN	MRO	NPCC	SERC	SPP	ERCOT	WECC
In 2004 for 2005		549,294	79,410	36,006	40,186	39,501	23,179	44,084	121,544	26,957	38,686	99,741
In 2004 for 2006		561,048	81,552	37,157	40,876	40,105	23,639	44,694	124,213	27,472	39,149	102,191

Notes: • Actual data are final. • Projected data are updated annually. • NERC Regional Council names may be found in the Glossary reference • Represents an hour of a day during the associated peak period. • The summer peak period begins on June 1 and extends through September 30. • The winter peak period begins on December 1 and extends through February 28 of the following year. For example, winter 2001 begins December 1, 2001, and extends through February 28, 2002. • Totals may not equal sum of components because of independent rounding.

Sources: Energy Information Administration, Form EIA-411, "Coordinated Bulk Power Supply Program Report."

**Table 3/. December Monthly Peak Hour Demand, Actual and Projected by North American Electric Reliability Council Region, 1996 through 2004 and Projected 2005 through 2006**

(Megawatts and 2004 Base Year)

Projected Monthly Base	Year	Contiguous U.S.	Eastern Power Grid								Texas Power Grid	Western Power Grid
			ECAR	FRCC	MAAC	MAIN	MAPP/MRO	NPCC	SERC	SPP	ERCOT	WECC
		Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)	Peak Hour Demand (MW)
December												
	1996	536,070	80,023	34,191	37,775	37,005	23,647	39,710	102,668	48,274	39,214	94,331
	1997	511,114	75,670	31,189	37,217	34,973	23,632	41,178	112,645	25,020	36,458	93,132
	1998	527,000	77,414	27,321	38,456	36,718	25,079	41,728	111,171	26,725	40,566	101,822
	1999	528,321	80,989	30,473	38,010	37,840	25,192	42,166	114,676	25,415	36,685	96,875
	2000	578,585	84,546	35,870	41,426	41,943	23,993	43,852	134,853	30,137	44,641	97,324
	2001	517,911	75,968	31,397	38,418	39,243	21,412	42,540	111,139	25,951	36,557	95,286
	2002	559,757	82,887	34,597	42,379	40,387	22,782	44,793	127,621	27,710	40,650	95,951
	2003	557,120	80,945	32,825	41,328	40,668	22,778	44,257	126,485	27,259	40,782	99,793
	2004	627,193	88,795	36,902	47,849	42,642	24,582	67,224	143,866	29,782	44,010	101,541
Projected		Contiguous	ECAR	FRCC	MAAC	MAIN	MRO	NPCC	SERC	SPP	ERCOT	WECC
In 2004 for 2005		594,788	85,969	39,744	44,355	42,869	24,629	46,662	133,888	29,004	41,672	105,996
In 2004 for 2006		608,639	88,275	41,170	45,117	43,573	25,110	47,308	137,013	29,545	42,922	108,606

Notes: • Actual data are final. • Projected data are updated annually. • NERC Regional Council names may be found in the Glossary reference • Represents an hour of a day during the associated peak period. • The summer peak period begins on June 1 and extends through September 30. • The winter peak period begins on December 1 and extends through February 28 of the following year. For example, winter 2001 begins December 1, 2001, and extends through February 28, 2002. • Totals may not equal sum of components because of independent rounding.

Sources: Energy Information Administration, Form EIA-411, "Coordinated Bulk Power Supply Program Report."

