Table HC6-12a. Usage Indicators by West Census Region, Million U.S. Households, 2001

Usage Indicators		 We 	jion	 	
	 Total U.S.	 	 Census Division		_
		 Total 	 Mountain 	Pacific	' RSE
RSE Column Factor:	0.5	1.0		1.2	Row Factors
Total	107.0	23.3	6.7	16.6	 NE
Weekday Home Activities					
Home Used for Business					i
Yes	7.6	1.9	0.7	1.2	11.9
No	99.4	21.4	6.0	15.4	1.1
Energy-Intensive Activity					
Yes	1.7	0.4	0.2	0.2	21.9
No	105.2	22.9	6.5	16.4	NE
Someone Home All Day					
Yes	53.0	11.9	3.3	8.6	3.6
No	53.9	11.3	3.4	7.9	3.7
Heating					
Heat Home	106.0	22.6	6.7	15.9	l I NE
Do Not Heat Home	1.0	0.7	Q	0.7	10.7
No Heating Equipment	0.5	0.4	Q	0.4	18.3
Have Equipment But	0.4	0.0		0 0	
Do Not Use It	0.4	0.2	Q	0.2	27.7
Adequacy of Insulation					i
Well Insulated	42.6	7.9	2.6	5.3	5.6
Adequately Insulated	43.1	9.5	2.6 1.4	6.9	3.9
Poorly Insulated	19.4 0.9	5.2 0.4	Q Q	3.8 0.3	7.7 18.7
Don't Know	0.9	0.4	Q	0.3	25.2
			-		İ
Occurrences of Drafts During Winter	E 0	1 0	0 4	0 0	1 10 5
All of the Time	5.9 6.4	1.2 1.7	0.4	0.8 1.1	12.5
Some of the Time	34.6	8.0	2.3	5.7	1 5.8
Never	55.3	11.1	3.2	8.0	4.4
Don't Know	4.7	1.3	0.3	1.0	12.5
Thermostat					
Heat Home	106.0	22.6	6.7	15.9	l NE
Thermostat Available During					
Heating Season Programmable ¹	91.5	18.9	6.1	12.8	1.5
Yes	25.1	6.1	1.0	5.2	10.7
No	66.4	12.8	5.1	7.7	4.7
No Thermostat Do Not Heat Home	14.5 1.0	3.7 0.7	0.6 Q	3.1 0.7	8.4
Lower Winter Temperature Settings1			*		1
Daytime When No One is at Home					Ì
Yes	47.2	13.0	3.4	9.7	2.6
No	48.5	6.3	2.7	3.6	5.0
Unknown	10.3	3.3	0.6	2.7	7.2
During Sleeping Hours Yes	45.7	12.7	3.1	9.6	1 3.5
No	51.1	7.1	3.1	4.1	5.0
Unknown	9.2	2.8	0.6	2.3	7.8

See footnotes at end of table.

Table HC6-12a. Usage Indicators by West Census Region, Million U.S. Households, 2001 (Continued)

		 We	st Census Reg	 	
Usage Indicators	Total	'	 Census Division		-'
		 Total		Pacific	-' RSE
RSE Column Factor:	0.5	1.0		1.2	Row Factors
Daytime Winter Temperature When Someone is at Home1					
Heat Turned On	96.8	19.6	6.1	13.5	1.1
63 Degrees or Less	3.9	1.6	0.4	1.2	12.7
64 to 66 Degrees	8.4	2.5	0.6	2.0	9.6
67 to 69 Degrees	23.6	4.7	1.4	3.4	7.2
70 Degrees	25.7 16.5	5.3 2.4	1.6 1.0	3.7 1.5	5.9 8.4
74 Degrees or More	18.6	3.0	1.2	1.8	1 8.3
Heat Turned Off	2.0	1.4	0.2	1.2	10.9
Unknown/No Answer	7.2	1.6	0.4	1.2	11.8
Daytime Winter Temperature When No One is at Home ¹					
Heat Turned On	87.6	13.9	5.7	8.2	1 2.8
63 Degrees or Less	17.7	4.7	1.4	3.2	7.8
64 to 66 Degrees	17.2	3.2	1.4	1.8	6.7
67 to 69 Degrees	19.1 15.1	2.3 1.9	1.0 0.9	1.3 1.1	11.1
71 to 73 Degrees	8.7	0.9	0.5	0.4	1 11.5
74 Degrees or More	9.8	0.9	0.5	0.3	16.6
Heat Turned Off	10.5	7.0	0.6	6.4	8.7
Unknown/No Answer	8.0	1.8	0.4	1.4	11.2
Winter Temperature During Sleeping Hours ¹					i I
Heat Turned On	91.8	15.6	6.0	9.6	2.1
63 Degrees or Less	15.4	5.1	1.3	3.8	8.0
64 to 66 Degrees	17.4 21.0	3.6 2.7	1.3 1.3	2.3 1.5	7.3 9.5
70 Degrees	17.4	2.1	0.8	1.3	8.1
71 to 73 Degrees	9.5	0.7	0.4	0.3	1 12.8
74 Degrees or More	11.1	1.3	0.9	0.4	13.1
Heat Turned Off	7.1	5.5	0.3	5.2	7.6
Unknown/No Answer	7.1	1.5	0.4	1.1	11.2
Air-Conditioning					
Central Air-Conditioning					<u>.</u>
Use a Central System	58.6	7.8	2.7	5.0	8.2
All Summer	28.4	1.7 1.4	1.3 0.6	0.4	12.9
Quite a BitOnly a Few Times	12.1 16.8	1.4 3.9	0.6	0.8 3.2	1 14.1
Not at All	1.4	0.8	Q . 7	0.6	18.5
No Central System	48.4	15.5	4.0	11.5	5.4
Window/Wall Air-Conditioning					
Use Window/Wall Units	25.1	3.0	0.7	2.3	9.5
All SummerOuite a Bit	4.9 5.2	0.2 0.5	Q 0.2	Q 0.3	24.1
Only a Few Times	14.1	1.9	0.2	1.5	1 10.8
Not at All	0.9	0.4	Q	0.3	18.3
No Window/Wall Units	81.9	20.3	6.0	14.2	1.6

See footnotes at end of table.

Usage Indicators RSE Column Factor:		 We	West Census Region		
	Total U.S.	Total	 Census Division		- <u>'</u>
				Pacific	- RSE Row Factors
			1.6		
Hot Water			· · · · · · · · · · · · · · · · · · ·		
Dishwasher Use Each Week Use a Dishwasher Less Than Once a Week Once Each Week 2 to 3 Times 4 to 6 Times At Least Once Each Day No Dishwasher.	56.7 9.4 7.5 17.8 11.7 10.4 50.3	13.2 2.3 1.9 4.5 2.6 1.9 10.1	4.2 0.6 0.6 1.5 0.7 0.9 2.5	9.0 1.7 1.4 3.0 1.8 1.1 7.6	4.4 10.3 9.9 7.8 9.8 9.5 5.8
Loads of Laundry Washed Each Week Use a Clothes Washer	84.1 6.8 65.1 9.6 2.7 22.9	16.9 1.9 13.1 1.6 0.4 6.4	5.3 0.5 4.2 0.5 0.2	11.6 1.4 8.9 1.1 Q 5.0	3.4 10.8 3.8 12.1 20.1 10.5
Water Temperature Setting for Clothes Washer Wash Cycle Hot	6.2 49.7 28.2 1.4 16.6 66.1 22.9	1.1 10.5 5.4 0.2 3.2 13.5 6.4	0.3 3.4 1.7 Q 1.0 4.3 1.4	0.8 7.1 3.7 Q 2.2 9.2 5.0	14.5 4.9 5.5 31.6 10.3 4.2 10.5
Clothes Dryer Use a Clothes Dryer Every Time Clothes are Washed Some, but not All, Loads Used Infrequently No Clothes Dryer	78.8 63.5 12.7 2.7 28.2	16.0 12.9 2.5 0.7 7.3	5.0 3.9 0.9 0.2 1.8	11.1 9.1 1.6 0.4 5.5	3.8 4.3 8.8 5.0 9.2
Cooking Number of Hot Meals Cooked in the					
Home 3 or More Times a Day 2 Times a Day Once a Day A Few Times Each Week About Once a Week Less Than Once a Week No Hot Meals Cooked	7.5 26.8 43.3 21.7 4.0 2.4 1.2	1.9 6.6 9.4 4.1 0.7 0.3 0.3	0.7 2.1 2.9 0.7 Q Q	1.2 4.6 6.5 3.4 0.5 0.2	12.3 4.2 4.6 8.7 11.6 23.1 36.9
Conventional Oven Use a Conventional Oven More Than Once a Day Once a Day	99.4 8.6 17.4	21.4 1.5 3.1	6.3 0.6 1.0	15.1 0.9 2.1	 1.2 14.4 10.0
Between Once a Day and Once a Week Once a Week Less Than Once a Week Do Not Use.	33.1 15.6 24.6 7.6	6.8 3.3 6.7 1.9	2.0 1.1 1.8 0.4	4.9 2.3 5.0 1.5	 5.6 7.0 6.5 15.1

See footnotes at end of table.

Table HC6-12a. Usage Indicators by West Census Region, Million U.S. Households, 2001 (Continued)

Usage Indicators RSE Column Factor: Microwave Oven Use a Microwave Oven Most or All About Half Some or Very Little For Defrosting, Reheating, or Snacks No Microwave Oven	Total U.S. 0.5 92.1 8.2 19.3 22.4 42.2 14.8	19.9 2.3 4.5 4.6 8.4 3.4	Census D Mountain 1.6 1.6 1.7 2.8 0.6	Pacific 1.2 13.8 1.7 3.2 3.2 5.7	
RSE Column Factor:	92.1 8.2 19.3 22.4 42.2 14.8	19.9 2.3 4.5 4.6	6.1 0.6 1.3 1.4 2.8	1.2 13.8 1.7 3.2 3.2	Row Factors
Microwave Oven Use a Microwave Oven Most or All About Half Some or Very Little For Defrosting, Reheating, or Snacks No Microwave Oven	92.1 8.2 19.3 22.4 42.2 14.8	19.9 2.3 4.5 4.6	6.1 0.6 1.3 1.4	13.8 1.7 3.2 3.2	Factors
Use a Microwave Oven	8.2 19.3 22.4 42.2 14.8	2.3 4.5 4.6	0.6 1.3 1.4	1.7 3.2 3.2	10.5
Most or All. About Half. Some or Very Little For Defrosting, Reheating, or Snacks No Microwave Oven	8.2 19.3 22.4 42.2 14.8	2.3 4.5 4.6	0.6 1.3 1.4	1.7 3.2 3.2	10.5
About Half	19.3 22.4 42.2 14.8	4.5 4.6 8.4	1.3 1.4 2.8	3.2 3.2	8.7
Some or Very Little For Defrosting, Reheating, or Snacks No Microwave Oven	22.4 42.2 14.8	4.6	1.4	3.2	
For Defrosting, Reheating, or Snacks No Microwave Oven	42.2 14.8	8.4	2.8		/.2
or Snacks No Microwave Oven	14.8			5 7	
No Microwave Oven		3.4	0.6	J • /	5.3
Flectric Coffee Maker	65 5			2.8	15.7
		1.4.0	4 4	0.6	
Use an Electric Coffee Maker Three or More Times a Day	2.4	14.0 0.5	4.4 0.2	9.6 0.2	3.1
Two Times a Day	5.9	1.3	0.4	0.2	1 14.6
Once a Day	33.6	7.1	2.2	4.9	6.0
A Few Times Each Week	9.4	2.2	0.6	1.6	8.7
About Once a Week	5.2	1.1	0.4	0.7	16.0
Less than Once a Week	9.0	1.9	0.6	1.3	8.4
No Electric Coffee Maker	41.5	9.3	2.4	7.0	4.8
Time Electric Coffee Maker is Left On					
Turned Off Right Away	18.8	4.0	1.0	3.0	9.4
Less than 15 Minutes	10.0	2.1	0.4	1.7	9.5
15 Minutes to 1 Hour More than 1 Hour	24.6 12.1	4.8 3.1	1.9 1.1	2.9 2.0	6.5 12.1
Electric Toaster					1
Use a Electric Toaster	36.1	7.4	1.9	5.5	6.2
Three or More Times a Day	1.0	Q	Q	Q	31.5
Two Times a Day	2.7	0.4	Q	0.3	23.2
Once a Day	8.2	1.8	0.5	1.3	12.2
A Few Times Each Week About Once a Week	11.9 4.3	2.3 1.1	0.6 0.2	1.7 0.9	12.6
Less than Once a Week	7.9	1.7	0.2	1.2	1 11.1
No Electric Toaster	70.9	16.0	4.9	11.1	2.9
Lights					
Indoor Lights Turned On:					
1 to 4 Hours per Day	10.0	0 0	0.7	1 6	
None	10.2 30.1	2.3 6.1	0.7 1.7	1.6 4.4	13.4
2	30.7	7.2	1.9	5.3	1 5.7
3	16.6	3.8	1.1	2.7	9.1
4	10.5	2.2	0.7	1.5	7.6
5 or More	8.8	1.7	0.5	1.2	13.2
Between 4 and 12 Hours per Day	30.2	8.2	2.6	5.6	1 6.1
1	25.2	5.8	1.5	4.3	7.0
2	25.5	5.6	1.6	4.0	4.5
3	12.7	2.0	0.6	1.4	8.8
4	7.2 6.2	0.9	0.3	0.7 0.6	16.5 15.9
More then 12 Hours per Day					
None	81.1	19.5	5.3	14.2	1.9
1	14.4	2.5	0.8	1.7	7.0
2	6.8	0.8	0.4	0.4	14.4
3 4	2.4 1.3	0.3 Q	Q Q	Q Q	28.5
5 or More	1.1	Q	Q	Q	24.0

Table HC6-12a. Usage Indicators by West Census Region, Million U.S. Households, 2001 (Continued)

Usage Indicators 		We	jion	i I	
	Total U.S.	 	 Census Division		_
		 Total 		Pacific	-' RSE
		1.0	1.6	1.2	Row Factors
Outdoor Lights on All Night					
Used Not Used	24.5 82.5	5.2 18.1	1.7 5.0	3.4 13.2	8.8
Gas Fireplace					1
Jse a Gas Fireplace During Winter	2 7	1 0		0 0	17.7
Months Most Days	3.7 1.3	1.0 0.3	Q Q	0.8 0.2	17.7 35.2
Almost Once a Week	1.1	0.3	Q	0.2	1 28.2
Less Than 4 Times a Month	1.2	0.4	Q	0.3	26.6
Jse a Personal Computer	60.0	14.3	4.0	10.4	3.7
Hours PC Turned On Each Week					
Less Than 2 Hours	10.3	2.4	0.6	1.8	10.5
2 to 15 Hours	26.3	6.3	1.8	4.6	4.7
16 to 40 Hours	12.2	3.2	0.8	2.4	10.9
More than 40 HoursOn All The Time	5.7 5.6	1.3 1.2	0.4	0.8 0.8	14.0 17.9
Jse of PCs Turned on 16 Hours					1
week or More	1 4 0	2 2	1 0	0.4	
Personal Use OnlyBusiness Use Only	14.0	3.3 0.6	1.0 0.2	2.4	9.9
Both Personal and Business	7.3	1.7	0.4	1.2	1 12.2
Business Use of PCs Turned on 16					
Hours a Week or More Use to Telecommute	3.6	0.7	0.2	0.5	1 16.0
Other Business Use	5.8	1.5	0.4	1.1	1 11.9
Battery Operated Appliances/Tools					
Use Battery Operated Appliances/					1
Tools	47.7	9.8	3.1	6.7	6.2
How Maintained When					
Not in Use	10.0	4 5	0 4	1 2	1 10 6
Plugged in All The Time Recharged As Needed	10.8 33.8	1.7 7.4	0.4 2.5	1.3 4.9	10.6 6.7
Both Ways are Used	3.1	0.6	0.2	0.5	1 18.6
Don't Use Any	59.3	13.5	3.6	9.9	1 4.7

 $^{^{\}scriptsize 1}$ The 1.0 million households that do not heat their homes are not included in these categories.

 $^{{\}tt NE}={\tt RSE}$ row factor not estimated because RSE's for all statistics in this row are between 0.0 and 1.0 percent.

 $[\]rm Q$ = Data withheld either because the Relative Standard Error (RSE) was greater than 50 percent or fewer than 10 households were sampled.

Notes: • To obtain the RSE percentage for any table cell, multiply the corresponding column and row factors. • Because of rounding, data may not sum to totals. • See "Glossary" for definition of terms used in this report. • All temperatures listed are in degrees Fahrenheit. Source: Energy Information Administration, Office of Energy Markets and End Use, Forms EIA-457 A, B, C of the 2001 Residential Energy Consumption Survey.