1   Binary Problems

1.1   **Choose the best answer.** Given the following 8-bit integer binary variables:

`X1 = 01111000`

`X2 = 00011100`

What is the value in X3 after the following command:

`ADD X3, X2, X1`

A. 10010100

B. 01001010

C. 00101000

D. Overflow or carry flag

1.2   **Choose the best answer.** Given the following 8-bit integer binary variables:

`X1 = 11011111`

`X2 = 11111100`

What is the value in X3 after the following command:

`ADD X3, X2, X1`

A. 11011011 and overflow or carry flag set.

B. 00011101

C. 111011011

D. 01001011

1.3   **Choose the best answer.** How is the integer 8_{10} represented in memory?

A. 0000000000001000

B. 0000000000001001

C. 0000000000000100

D. 0000000000010000

E. 0000000000000111

1.4   **Choose the best answer.** How is the integer 8191_{10} represented in memory?

A. 0000111111111111

B. 0011111111111110

C. 0010000000000000

D. 0001111111111110

E. 0001111111111111

1.5   **Choose the best answer.** How is the integer 9_{10} represented in memory?

A. 00010010

B. 00001001

C. 00001000

D. 00000100

E. 00001010

1.6 **Choose the best answer.** How is the integer -16_{10} represented in memory?

    A. 11110001

    B. 11101111

    C. 11110000

    D. 11111000

    E. 11100000

1.7 **Choose the best answer.** What does extending to 16 bits yield given -125_{10} in 8-bit 2's complement 10000011? (Sorry about the poor wording, but this is how it appears on the assessments!)

    A. 1111111111000010

    B. 1111111110000011

    C. 1111111110000010

    D. 1111111100000110

    E. 1111111110000100

1.8 **Choose the best answer.** What does extending to 16 bits yield given 46_{10} in 8-bit 2's complement 00101110? (Sorry about the poor wording, but this is how it appears on the assessments!)

    A. 0000000000010111

    B. 0000000000101111

    C. 0000000000101110

    D. 0000000000101101

    E. 0000000001011100

2 Pipelining Problems

2.9 **Choose the best answer.** An instruction set has 6 steps and each step takes one clock cycle. What is the number of cycles needed to complete the instruction sets using a pipelined process to complete 40 instruction sets?

    A. 1.125

    B. 5.975

    C. 240

    D. 45

    E. 6.0

    F. 1.15

2.10 **Choose the best answer.** An instruction set has 10 steps and each step takes one clock cycle. What is the average number of cycles needed to complete each instruction set using a pipelined process to complete 100 instruction sets?

    A. 1.09

B. 10.0

C. 109

D. 9.99

E. 1000

F. 1.1

2.11 **Choose the best answer.** An instruction set has 11 steps each taking 4 clock cycles to complete. What is the number of cycles needed to complete 10 instruction sets using a pipelined process?

A. 8.0

B. 8.4

C. 84

D. 44.0

E. 80

F. 440

2.12 **Choose the best answer.** An instruction set has 10 steps each taking 5 clock cycles to complete. Approximately what is the average number of cycles needed to complete each instruction set using a pipelined process to complete 3.23×10^{32} instruction sets?

A. 50

B. 2.0

C. 5

D. 0

E. 5×10^{32}

2.13 **Choose the best answer.** An instruction set has 7 steps each taking 3 clock cycles to complete. If 120 sets of instructions are processed, what is the improvement (speedup) using a pipelined instead of a non-pipelined process?

A. 18.0

B. 0.15

C. 0.85

D. 6.667

E. 21

F. 378

2.14 **Choose the best answer.** An instruction set has 5 steps each taking 4 clock cycles to complete. If n sets of instructions are processed, what is the theoretical performance improvement (speedup) using a pipelined instead of a non-pipelined process as $n \to \infty$ (or for n is very large)?

A. 5

B. 4

C. 1.25

D. 20

E. ∞

2.15 **Choose the best answer.** How many minutes does it take to wash, dry, and fold four loads of laundry using a pipelining approach, given the following information?

One washer takes 10 minutes.

One dryer takes 30 minutes.

One folder takes 60 minutes.

A. 400

B. 220

C. 280

D. 160

E. 100

2.16 **Choose the best answer.** How many minutes does it take to wash, dry, and fold four loads of laundry using a pipelining approach, given the following information?

One washer takes 40 minutes.

One dryer takes 25 minutes.

One folder takes 15 minutes.

A. 280

B. 240

C. 160

D. 200

E. 320

2.17 **Choose the best answer.** A processor will execute an instruction set, S1, S2, and S3, seven times using a pipeline approach.

S1 takes 3 clock cycles to complete.

S2 takes 3 clock cycles to complete.

S3 takes 7 clock cycles to complete.

How many clock cycles will this take the processor to complete?

A. 41

B. 48

C. 62

D. 55

E. 91

3   CPU Time Problems

3.18 **Choose ALL that apply.** How can the CPU performance of a program be improved?

A. Decreasing the clock cycles per instruction.

B. Decreasing the response time for disk access.

C. Decreasing the clock cycle length.

D. Decreasing the throughput of the processor.

E. Increasing the clock rate.

F. Decreasing the number of clock cycles.

G. Decreasing the instruction count.

3.19 **Choose the best answer.** A program with 6000e9 instructions runs alone on a CPU. The CPU clock rate is 4e9 cycles per second, i.e., 4 GHz. The average cycles per instruction is 8. How many seconds is the CPU performance for the task?

A. 12000.0

B. 1200.0

C. 0.005

D. 192000

E. 0.0

3.20 **Choose the best answer.** A program with 3000e9 instructions runs alone on a CPU. The CPU clock cycle time is 500e−12. The average cycles per instruction is 5. How many seconds is the CPU performance for the task?

A. 0.001

B. 0.0

C. 7500.0

D. 7500000

E. 30.0

F. 75000.0

3.21 **Choose the best answer.** A program runs alone on a CPU. The CPU clock rate is 4e9 cycles per second, i.e., 4 GHz. It takes 12e14 clock cycles to complete the program. How many seconds is the CPU performance for the task?

A. 300000.0

B. 48

C. 3000000.0

D. 4.8

E. 30000.0

F. 480

3.22 **Choose the best answer.** A program requires 6000e11 instructions to execute on a processor running at 7e9 cycles per second, i.e., 7 GHz. Suppose that 50% of the instructions execute in 4 cycles, 50% in one cycle, and 0% in 2 cycles. How many seconds is the CPU performance for the task?

A. 21428.571

B. 21428571.429

C. 342857.143

D. 2142857.143

E. 214285.714

3.23 **Choose the best answer.** A program requires 6e9 instructions to execute on a processor running at 4 GHz with an average cycles per instruction of 4, resulting in an execution time of 6.0 seconds. Which adjustment improves overall performance approximately by 500%?

A. A rate of 2 GHz and 6 cycles per instruction.

B. A rate of 5 GHz and 7 cycles per instruction.

C. A rate of 3 GHz and 3 cycles per instruction.

D. A rate of 6 GHz and one cycle per instruction.

3.24 **Choose the best answer.** A program with 2000e12 instructions runs alone on a CPU. The CPU clock rate is 4e9 cycles per second, i.e., 4 GHz. The average cycles per instruction is 4. Suppose that the clock rate is increased to 5 GHz and the cycles per instruction is reduced to 3. Approximately, what is the overall performance improvement?

A. 20.0%

B. 666.67%

C. 200.0%

D. 2000000.0

E. 66.67%

F. 20000000.0

3.25 **Choose the best answer.** A program requires 3e9 instructions to execute on a processor running at 3 GHz. Suppose that 20% of the instructions execute in 2 cycles, 40% in 3 cycles, and 40% in 4 cycles resulting in an execution time of 3.2 seconds.
Which adjustment improves overall performance approximately by 45%?

A. 100% executes at 3 cycles

B. 20% executes at 2 cycles and 80% at 3 cycles

C. 80% executes at 2 cycles and 20% at 3 cycles

D. 100% executes at 2 cycles

3.26 **Choose the best answer.** A program with 3e9 instructions runs in 7 seconds on computer with a 5 GHz clock. A designer will build a new computer which can run the same program in 2 seconds by increasing the clock rate. What clock clock rate should the designer target?

A. 1.5

B. 1.75

C. 17.5

D. 0.15

E. 15.0

F. 175.0

3.27 **Choose the best answer.** Four processors (A, B, C, and D) have clock frequencies of 1 Mhz, 2 Mhz, 3 Mhz, and 4 Mhz respectively.

Suppose:

Processor A can execute an instruction with an average of 3

Processor B can execute an instruction with an average of 3

Processor C can execute an instruction with an average of 6

Processor D can execute an instruction with an average of 6

Which processor should be selected to improve performance using the same instruction set?

    A. Processor A

    B. Processor B

    C. Processor C

    D. Processor D