## **Practice Problems on Fork()**

1. Find outputs of the following code.

```
main(){
    fork();
    fork();
    printf("hi\n");
    fork();
    printf("hello\n");
    fork();
    printf("bye\n");
}
```

2. Find outputs of the following code.

```
main(){
    fork();
    fork();
    c=fork();
    if(c>0){
        printf("hi\n");
        fork();
    }
    fork();
    printf("bye\n");
}
```

3. Find outputs of the following code.

```
int main(){
      pid_t p;
      int a=3;
      int b=11;
      char s[20];
      p=fork();
      if(p<0){
            printf("fork failed\n");
      else if(p==0){
            strcpy(s,"child");
            a=a*b;
            b=b/a;
      }
      else{
            wait();
            strcpy(s,"parent");
            a=a+b;
            b=b-a;
      }
      printf("%s is printing a= %d\n",s,a);
      printf("%s is printing b= %d\n",s,b);
      return 0;
}
```

4. Find outputs of the following code.

```
static int a=5;
static int b=3;
int main(){
      pid_t x, y;
      x=fork();
      if(x<0){
            printf("fork failed\n");
      }
      else if(x>0){
            a=a+5;
            b=b-5;
            wait();
            y=fork();
            if(y<0){
                   printf("fork failed\n");
            }
            else if(y>0){
                  wait();
                   a=a-2;
                  b=b+2;
            }
            else{
                   a=a*2;
                   b=b/3;
            }
      }
      else{
            a=a/2;
            b=b*3;
      printf("a= %d\n",a);
      printf("b= %d\n",b);
      return 0;
}
```