

# Practice Quiz I

## STAT 305, Section 3 FALL 2018

### Instructions

- The quiz is scheduled for 50 minutes, from 9:30 to 10:20 AM. At 10:20 AM the exam will end.
- Total points for the exam is 45. Points for individual questions are given at the beginning of each problem. Show all your calculations clearly to get full credit. Put final answers in the box at the right (except for the diagrams!).
- A formula sheet is attached to the end of the exam. Feel free to tear it off.
- You may use a calculator during this exam.
- Answer the questions in the space provided. If you run out of room, continue on the back of the page.
- If you have any questions about, or need clarification on the meaning of an item on this exam, please ask your instructor. No other form of external help is permitted attempting to receive help or provide help to others will be considered cheating.
- **Do not cheat on this exam.** Academic integrity demands an honest and fair testing environment. Cheating will not be tolerated and will result in an immediate score of 0 on the exam and an incident report will be submitted to the dean's office.

Name: \_\_\_\_\_

Student ID: \_\_\_\_\_

1. (2 points) Which of the following best describes the methods for handling extraneous variables:

- (1) blocking and replication      (2) randomization and replication  
(3) randomization and blocking      (4) randomization, blocking, and replication

2. A sample of size 5 was drawn from a population and the resulting observations are reported below.

12, 15, 18, 19, 26

Using these observed values, report the following:

(a) (3 points) the mean

$\bar{x} =$

(b) (3 points) the median

$Med. =$

(c) (3 points) the variance

$s^2 =$

(d) (3 points) the standard deviation

$s =$

(e) (3 points) the value of  $Q(.25)$

$Q(.25) =$

(f) (3 points) the value of  $Q(.72)$

$Q(.72) =$

(g) (3 points) the range

$R =$

(h) (3 points) give the coordinates (on a regular graph paper) of the upper right and lower left point that would appear on a normal plot of the data.

upper right point = (     ,     )

lower left point = (     ,     )

(i) (5 points) draw a boxplot for this data. Carefully label numbers on the plot

3. Aisha recently discovered she has the opportunity to upgrade her smart phone. She narrowed her choices down to two phones (we will call them phone A and phone B) but had a hard time making her final decision. She decided to ask people she knew who had one of the phones to rate their satisfaction from 0% to 100%. She also asked them if they would prefer to have the other phone. In order to help put their feelings in perspective, she also made note of how negative she thought they were in general (since critical people might be harsher in their criticism in general), using three descriptions: the interviewee was classified as overly critical, appropriately critical, or not critical enough.

(a) (2 points) Is this an experiment or an observational study?

(b) (2 points) What is the population under study?

(c) (2 points) Identify the response variable(s).

(d) For each of the following variables,

- Identify whether it is qualitative or quantitative variable, and
- If it is qualitative, what are the possible values it can take? If it is quantitative, is it continuous or discrete?

i. (2 points) the individual's reported phone satisfaction percentage.

ii. (2 points) Aisha's appraisal of the interviewee's negativity.

iii. (2 points) whether or not the interviewee would prefer to have the other phone.

iv. (2 points) the type of phone the interviewee currently owns.