



Grade 12 Physics Kinematics Test

First Name: _____

Last Name: _____

Directions:

- Please answer to 2 decimal points
- The test is designed to be completed in 75 minutes

For grading use only

Page:	2	3	4	Total
Points:	9	17	20	46
Score:				

Multiple Choice (10 marks)

1. (1 point) What is the SI unit of momentum?
 - A. Joule (J)
 - B. Newton (N)
 - C. kilogram·meter/second (kg·m/s)
 - D. kilogram·meter/second² (kg·m/s²)
2. (1 point) A 2 kg object moves at 3 m/s. What is its momentum?
 - A. 6 kg·m/s
 - B. 3 kg·m/s
 - C. 2 kg·m/s
 - D. 1.5 kg·m/s
3. (1 point) A force of 10 N acts on an object for 5 seconds. What is the impulse imparted?
 - A. 50 N·s
 - B. 2 N·s
 - C. 10 N·s
 - D. 5 N·s
4. (1 point) In an inelastic collision, which quantity is conserved?
 - A. Kinetic energy
 - B. Momentum
 - C. Both momentum and kinetic energy
 - D. Neither
5. (1 point) Two ice skaters push off each other. Skater A (60 kg) moves at 2 m/s. What is Skater B's (80 kg) velocity?
 - A. 1.5 m/s
 - B. 2 m/s
 - C. 0.5 m/s
 - D. 1.0 m/s
6. (1 point) A ball (0.5 kg) hits a wall at 10 m/s and rebounds at 8 m/s. What is the impulse?
 - A. 1 kg·m/s
 - B. 9 kg·m/s
 - C. -9 kg·m/s
 - D. -1 kg·m/s
7. (1 point) Which has greater KE if both have same momentum?
 - A. Car
 - B. Truck
 - C. Both same
 - D. Cannot determine
8. (1 point) A 1000 kg car accelerates from rest to 20 m/s in 5 s. Average force?
 - A. 2000 N
 - B. 4000 N
 - C. 1000 N
 - D. 500 N
9. (1 point) Baseball (0.1 kg) thrown at 30 m/s and hit back at 35 m/s. Impulse magnitude?

- A. $0.5 \text{ kg}\cdot\text{m/s}$
 - B. $3.0 \text{ kg}\cdot\text{m/s}$
 - C. $6.5 \text{ kg}\cdot\text{m/s}$
 - D. $65 \text{ kg}\cdot\text{m/s}$
10. (1 point) Collision where objects stick together is:
- A. Elastic
 - B. Inelastic
 - C. Perfectly elastic
 - D. Impossible

Long Answer (40 marks)

11. A 0.50 kg cart moving at 2.0 m/s collides elastically with a stationary 0.75 kg cart.
- (a) (4 points) Calculate the total momentum of the system before the collision.
 - (b) (4 points) Determine the velocity of each cart after the collision.
12. A rocket with a mass of 5000 kg expels 50 kg of fuel per second at a velocity of 400 m/s relative to the rocket.
- (a) (4 points) Calculate the thrust produced by the rocket.
 - (b) (4 points) Determine the rocket's acceleration when its total mass is 4000 kg .
13. Two curling stones collide on ice. Stone A (mass 18 kg) is moving at 4 m/s at 45° north of east, and Stone B (mass 22 kg) is moving at 3 m/s at 60° south of east. After the collision, Stone A moves at 2 m/s at an angle of 30° north of east.

- (a) (5 points) Determine the velocity (magnitude and direction) of Stone B after the collision.
- (b) (5 points) Verify if the collision is elastic.

14. A grenade at rest explodes into three fragments. Fragment 1 (2.5 kg) moves at 6 m/s at 20° north of west, Fragment 2 (3.5 kg) moves at 5 m/s at 40° south of east, and Fragment 3 has a mass of 4 kg.
- (a) (5 points) Determine the velocity (magnitude and direction) of Fragment 3 after the explosion.
 - (b) (5 points) Calculate the total kinetic energy released in the explosion.