

Exploring CycleGAN and Its Application to Font Transfer

Asif Iqbal

Ryerson University

Toronto, ON, Canada

asif1.iqbal@ryerson.ca

Abstract

Unpaired image to image translation has gained quite a bit of attention with the advent of Cycle-Consistent Generative Adversarial Networks (CycleGANs). Translation domains like horse \leftrightarrow zebra, apple \leftrightarrow orange, photo \leftrightarrow painting, summer \leftrightarrow winter and several others have been explored in the original work. In this paper, we plan to regenerate some of the works done in CycleGAN, try out a couple of the already tried domains on our own, and finally apply the CycleGAN concept to font style transfer. Specifically, we try it out on Arial to Times New Roman black fonts for single uppercase characters and also on lower-case multi-character words, and demonstrate that it might be a promising direction. Although it is not at all hard to get paired data for text fonts, we hope that our approach can in the future be extended to font image transfer tasks where paired data might indeed be hard to attain. The code has been made open source in the Github repository <https://github.com/asif31iqbal/cycle-gan-pytorch>.

1. Introduction

Image-to-image translation is a class of vision and graphics problems where the goal is to learn the mapping between an input image and an output image using a training set of aligned image pairs [18]. Image to image [18]. The field of image-to-image translation has been studied to quite an extent over the last couple of years. This problem can be more broadly described as converting an image from one representation of a given scene, x , to another, y , e.g., grayscale to color, image to semantic labels, edge-map to photograph [9, 18]. Years of research in computer vision, image processing, computational photography, and graphics have produced powerful translation systems in the supervised setting, where example image pairs $\{x_i, y_i\}_{i=1}^N$ are available [5, 6, 8, 10, 11, 12, 13, 14, 15, 16]. However, obtaining paired data for many tasks can be difficult and expensive. Obtaining input-output pairs for graphics tasks like artistic stylization can be even more difficult since the

desired output is highly complex, typically requiring artistic authoring [18]. Let's say we want to transfer a particular summer scene into a winter one and vice versa. We can easily imagine how the corresponding winter version of a summer scene or a summer version of a winter scene might look like even though we might have never seen a summer and winter version of the same scene side by side. Based on this insight, the authors of CycleGAN [18] came up with the algorithm that can learn to translate between domains without paired input-output examples, assuming that there is some underlying relationship between the domains for example, that they are two different renderings of the same underlying scene and seek to learn that relationship. Although the algorithm lacks supervision in the form of paired examples, it can exploit supervision at the level of sets: we are given one set of images in domain X and a different set in domain Y . We may train a mapping $G : X \leftarrow Y$ such that the output $\hat{y} = G(x)$, $x \in X$, is indistinguishable from images $y \in Y$ by an adversary trained to classify \hat{y} apart from y [18]. However, as discussed in [18] that there could be infinitely many mappings G that will induce the same distribution over \hat{y} . Also, there is the problem of mode collapse [7], where all input images map to the same output image and the optimization fails to make progress.

To tackle these problems, the CycleGAN [18] authors leverage the notion of *cycle consistency*, in the sense that if we transfer the font style of a character from Arial to Times New Roman, and then translate it back from Times New Roman to Arial, we should get back the original character. Mathematically, if we have a translator $G : X \leftarrow Y$ and another translator $F : Y \leftarrow X$, then G and F should be inverses of each other, and both mappings should be bijections. We apply this structural assumption by training both the mapping G and F simultaneously, and adding a cycle consistency loss [17] that encourages $F(G(x)) \approx x$ and $G(F(y)) \approx y$.

The authors [18] have applied this idea to a wide range of applications, like collection style transfer, object transfiguration, season transfer and photo enhancement. In this paper, we first attempt to regenerate their work and

network architecture from scratch, apply it to couple of domains that they have already tried out, namely season (*summer* \leftrightarrow *winter*) transfer and object style transfer (*apple* \leftrightarrow *orange*). Next, we apply it to the domain of font style transfer. We limit ourselves to just two fonts - Arial and Times New Roman. We try it on single uppercase black English characters and on lowercase black English words. Although it is not difficult to get paired data for this sort of font style transfers for well known fonts which are widely available, there are unknown fonts, text and calligraphy styles that are available in the wild for which it is not easy to get paired data and applying the CycleGAN concept might be a good idea. The attempt with known fonts in this paper is a baby step towards the possible applicability of unknown font style transfers using cycle consistency.

2. Related Work

2.1. Language

All manuscripts must be in English.

2.2. Dual submission

Please refer to the author guidelines on the CVPR 2015 web page for a discussion of the policy on dual submissions.

2.3. Paper length

For CVPR 2015, the rules about paper length have changed, so please read this section carefully. Papers, excluding the references section, must be no longer than eight pages in length. The references section will not be included in the page count, and there is no limit on the length of the references section. For example, a paper of eight pages with two pages of references would have a total length of 10 pages. **Unlike previous years, there will be no extra page charges for CVPR 2015.**

Overlength papers will simply not be reviewed. This includes papers where the margins and formatting are deemed to have been significantly altered from those laid down by this style guide. Note that this L^AT_EX guide already sets figure captions and references in a smaller font. The reason such papers will not be reviewed is that there is no provision for supervised revisions of manuscripts. The reviewing process cannot determine the suitability of the paper for presentation in eight pages if it is reviewed in eleven.

2.4. The ruler

The L^AT_EX style defines a printed ruler which should be present in the version submitted for review. The ruler is provided in order that reviewers may comment on particular lines in the paper without circumlocution. If you are preparing a document using a non-L^AT_EX document preparation system, please arrange for an equivalent ruler to

appear on the final output pages. The presence or absence of the ruler should not change the appearance of any other content on the page. The camera ready copy should not contain a ruler. (L^AT_EX users may uncomment the `\cvprfinalcopy` command in the document preamble.) Reviewers: note that the ruler measurements do not align well with lines in the paper — this turns out to be very difficult to do well when the paper contains many figures and equations, and, when done, looks ugly. Just use fractional references (e.g. this line is 095.5), although in most cases one would expect that the approximate location will be adequate.

2.5. Mathematics

Please number all of your sections and displayed equations. It is important for readers to be able to refer to any particular equation. Just because you didn't refer to it in the text doesn't mean some future reader might not need to refer to it. It is cumbersome to have to use circumlocutions like "the equation second from the top of page 3 column 1". (Note that the ruler will not be present in the final copy, so is not an alternative to equation numbers). All authors will benefit from reading Mermin's description of how to write mathematics: <http://www.pamitc.org/documents/mermin.pdf>.

2.6. Blind review

Many authors misunderstand the concept of anonymizing for blind review. Blind review does not mean that one must remove citations to one's own work—in fact it is often impossible to review a paper unless the previous citations are known and available.

Blind review means that you do not use the words "my" or "our" when citing previous work. That is all. (But see below for techreports.)

Saying "this builds on the work of Lucy Smith [1]" does not say that you are Lucy Smith; it says that you are building on her work. If you are Smith and Jones, do not say "as we show in [7]", say "as Smith and Jones show in [7]" and at the end of the paper, include reference 7 as you would any other cited work.

An example of a bad paper just asking to be rejected:

An analysis of the frobnicatable foo filter.

In this paper we present a performance analysis of our previous paper [1], and show it to be inferior to all previously known methods. Why the previous paper was accepted without this analysis is beyond me.

[1] Removed for blind review

An example of an acceptable paper:

An analysis of the frobnicatable foo filter.

In this paper we present a performance analysis of the paper of Smith *et al.* [1], and show it to be inferior to all previously known methods. Why the previous paper was accepted without this analysis is beyond me.

[1] Smith, L and Jones, C. “The frobnicatable foo filter, a fundamental contribution to human knowledge”. Nature 381(12), 1-213.

If you are making a submission to another conference at the same time, which covers similar or overlapping material, you may need to refer to that submission in order to explain the differences, just as you would if you had previously published related work. In such cases, include the anonymized parallel submission [4] as additional material and cite it as

[1] Authors. “The frobnicatable foo filter”, F&G 2014 Submission ID 324, Supplied as additional material fg324.pdf.

Finally, you may feel you need to tell the reader that more details can be found elsewhere, and refer them to a technical report. For conference submissions, the paper must stand on its own, and not *require* the reviewer to go to a techreport for further details. Thus, you may say in the body of the paper “further details may be found in [?]”. Then submit the techreport as additional material. Again, you may not assume the reviewers will read this material.

Sometimes your paper is about a problem which you tested using a tool which is widely known to be restricted to a single institution. For example, let’s say it’s 1969, you have solved a key problem on the Apollo lander, and you believe that the CVPR70 audience would like to hear about your solution. The work is a development of your celebrated 1968 paper entitled “Zero-g frobnication: How being the only people in the world with access to the Apollo lander source code makes us a wow at parties”, by Zeus *et al.*

You can handle this paper like any other. Don’t write “We show how to improve our previous work [Anonymous, 1968]. This time we tested the algorithm on a lunar lander [name of lander removed for blind review]”. That would be silly, and would immediately identify the authors. Instead write the following:

We describe a system for zero-g frobnication. This system is new because it handles the following cases: A, B. Previous systems [Zeus et al. 1968] didn’t handle case B properly. Ours handles it by including a foo term in the bar integral.

...

The proposed system was integrated with the Apollo lunar lander, and went all the way to the




Figure 1. Example of caption. It is set in Roman so that mathematics (always set in Roman: $B \sin A = A \sin B$) may be included without an ugly clash.

moon, don’t you know. It displayed the following behaviours which show how well we solved cases A and B: ...

As you can see, the above text follows standard scientific convention, reads better than the first version, and does not explicitly name you as the authors. A reviewer might think it likely that the new paper was written by Zeus *et al.*, but cannot make any decision based on that guess. He or she would have to be sure that no other authors could have been contracted to solve problem B.

FAQ: Are acknowledgements OK? No. Leave them for the final copy.

2.7. Miscellaneous

Compare the following:

$\$conf_a\$$ $conf_a$
 $\$\mathit{conf}_a\$$ $conf_a$

See The T_EXbook, p165.

The space after *e.g.*, meaning “for example”, should not be a sentence-ending space. So *e.g.* is correct, *e.g.* is not. The provided `\eg` macro takes care of this.

When citing a multi-author paper, you may save space by using “et alia”, shortened to “*et al.*” (not “*et. al.*” as “*et*” is a complete word.) However, use it only when there are three or more authors. Thus, the following is correct: “Frobnication has been trendy lately. It was introduced by Alpher [1], and subsequently developed by Alpher and Fotheringham-Smythe [2], and Alpher *et al.* [3].”

This is incorrect: “... subsequently developed by Alpher *et al.* [2] ...” because reference [2] has just two authors. If you use the `\etal` macro provided, then you need not worry about double periods when used at the end of a sentence as in Alpher *et al.*

For this citation style, keep multiple citations in numerical (not chronological) order, so prefer [2, 1, 4] to [1, 2, 4].



Figure 2. Example of a short caption, which should be centered.

3. Formatting your paper

All text must be in a two-column format. The total allowable width of the text area is $6\frac{7}{8}$ inches (17.5 cm) wide by $8\frac{7}{8}$ inches (22.54 cm) high. Columns are to be $3\frac{1}{4}$ inches (8.25 cm) wide, with a $\frac{5}{16}$ inch (0.8 cm) space between them. The main title (on the first page) should begin 1.0 inch (2.54 cm) from the top edge of the page. The second and following pages should begin 1.0 inch (2.54 cm) from the top edge. On all pages, the bottom margin should be 1-1/8 inches (2.86 cm) from the bottom edge of the page for 8.5 × 11-inch paper; for A4 paper, approximately 1-5/8 inches (4.13 cm) from the bottom edge of the page.

3.1. Margins and page numbering

All printed material, including text, illustrations, and charts, must be kept within a print area 6-7/8 inches (17.5 cm) wide by 8-7/8 inches (22.54 cm) high. Page numbers should be in footer with page numbers, centered and .75 inches from the bottom of the page and make it start at the correct page number rather than the 4321 in the example. To do this fine the line (around line 23)

```
%\ifcvprfinal\pagestyle{empty}\fi
\setcounter{page}{4321}
```

where the number 4321 is your assigned starting page.

Make sure the first page is numbered by commenting out the first page being empty on line 46

```
%\thispagestyle{empty}
```

3.2. Type-style and fonts

Wherever Times is specified, Times Roman may also be used. If neither is available on your word processor, please use the font closest in appearance to Times to which you have access.

MAIN TITLE. Center the title 1-3/8 inches (3.49 cm) from the top edge of the first page. The title should be

in Times 14-point, boldface type. Capitalize the first letter of nouns, pronouns, verbs, adjectives, and adverbs; do not capitalize articles, coordinate conjunctions, or prepositions (unless the title begins with such a word). Leave two blank lines after the title.

AUTHOR NAME(s) and **AFFILIATION(s)** are to be centered beneath the title and printed in Times 12-point, non-boldface type. This information is to be followed by two blank lines.

The **ABSTRACT** and **MAIN TEXT** are to be in a two-column format.

MAIN TEXT. Type main text in 10-point Times, single-spaced. Do NOT use double-spacing. All paragraphs should be indented 1 pica (approx. 1/6 inch or 0.422 cm). Make sure your text is fully justified—that is, flush left and flush right. Please do not place any additional blank lines between paragraphs.

Figure and table captions should be 9-point Roman type as in Figures 1 and 2. Short captions should be centred.

Callouts should be 9-point Helvetica, non-boldface type. Initially capitalize only the first word of section titles and first-, second-, and third-order headings.

FIRST-ORDER HEADINGS. (For example, **1. Introduction**) should be Times 12-point boldface, initially capitalized, flush left, with one blank line before, and one blank line after.

SECOND-ORDER HEADINGS. (For example, **1.1. Database elements**) should be Times 11-point boldface, initially capitalized, flush left, with one blank line before, and one after. If you require a third-order heading (we discourage it), use 10-point Times, boldface, initially capitalized, flush left, preceded by one blank line, followed by a period and your text on the same line.

Method	Frobnability
Theirs	Frumpy
Yours	Frobbly
Ours	Makes one's heart Frob

Table 1. Results. Ours is better.

3.3. Footnotes

Please use footnotes¹ sparingly. Indeed, try to avoid footnotes altogether and include necessary peripheral observations in the text (within parentheses, if you prefer, as in this sentence). If you wish to use a footnote, place it at the bottom of the column on the page on which it is referenced. Use Times 8-point type, single-spaced.

3.4. References

List and number all bibliographical references in 9-point Times, single-spaced, at the end of your paper. When referenced in the text, enclose the citation number in square brackets, for example [4]. Where appropriate, include the name(s) of editors of referenced books.

3.5. Illustrations, graphs, and photographs

All graphics should be centered. Please ensure that any point you wish to make is resolvable in a printed copy of the paper. Resize fonts in figures to match the font in the body text, and choose line widths which render effectively in print. Many readers (and reviewers), even of an electronic copy, will choose to print your paper in order to read it. You cannot insist that they do otherwise, and therefore must not assume that they can zoom in to see tiny details on a graphic.

When placing figures in L^AT_EX, it's almost always best to use `\includegraphics`, and to specify the figure width as a multiple of the line width as in the example below

```
\usepackage[dvips]{graphicx} ...
\includegraphics[width=0.8\linewidth]
{myfile.eps}
```

3.6. Color

Please refer to the author guidelines on the CVPR 2015 web page for a discussion of the use of color in your document.

4. Final copy

You must include your signed IEEE copyright release form when you submit your finished paper. We MUST have this form before your paper can be published in the proceedings.

¹This is what a footnote looks like. It often distracts the reader from the main flow of the argument.

References

- [1] A. Alpher. Frobnication. *Journal of Foo*, 12(1):234–778, 2002.
- [2] A. Alpher and J. P. N. Fotheringham-Smythe. Frobnication revisited. *Journal of Foo*, 13(1):234–778, 2003.
- [3] A. Alpher, J. P. N. Fotheringham-Smythe, and G. Gamow. Can a machine frobnicate? *Journal of Foo*, 14(1):234–778, 2004.
- [4] Authors. The frobnicable foo filter, 2014. Face and Gesture submission ID 324. Supplied as additional material `fg324.pdf`.
- [5] D. Eigen and R. Fergus. Predicting depth, surface normal and semantic labels with a common multi-scale. *ICCV*, 2015.
- [6] D. Eigen and R. Fergus. Predicting depth, surface normal and semantic labels with a common multi-scale. *ICCV*, 2015.
- [7] I. Goodfellow. Nips 2016 tutorial: Generative adversarial. *arXiv preprint arXiv:1701.00160*, 2016.
- [8] A. Hertzmann, C. E. Jacobs, N. Oliver, B. Curless, and D. H. Salesin. Image analogies. *SIGGRAPH*, 2001.
- [9] P. Isola, J. Y. Zhu, T. Zhou, and A. A. Efros. Image-to-image translation with conditional adversarial networks. *CVPR*, 2017.
- [10] J. Johnson, A. Alahi, and L. Fei-Fei. Perceptual losses for real-time style transfer and super-resolution. *ECCV*, 2016.
- [11] P.-Y. Laffont, Z. Ren, X. Tao, C. Qian, and J. Hays. Transient attributes for high-level understanding and editing of outdoor scenes. *ACM TOG*, 33(4):149, 2014.
- [12] J. Long, E. Shelhamer, and T. Darrell. Fully convolutional networks for semantic segmentation. *CVPR*, 2015.
- [13] Y. Shih, S. Paris, F. Durand, and W. T. Freeman. Datadriven hallucination of different times of day from a single outdoor photo. *ACM TOG*, 32(6):200, 2013.
- [14] X. Wang and A. Gupta. Generative image modeling using style and structure adversarial networks. *ECCV*, 2016.
- [15] S. Xie and Z. Tu. Holistically-nested edge detection. *ICCV*, 2015.
- [16] R. Zhang, P. Isola, and A. A. Efros. Colorful image colorization. *ECCV*, 2016.
- [17] T. Zhou, P. Krahenbuhl, M. Aubry, Q. Huang, and A. A. Efros. Learning dense correspondence via 3dguided cycle consistency. *CVPR*, 2016.
- [18] J. Y. Zhu, T. Park, P. Isola, and A. A. Efros. Unpaired image-to-image translation using cycle-consistent adversarial networks. *CVPR*, 2017.