

EDA of Human Cardiac Tissue-specific Proteome (Feb 23 2021)

CaseOLAP Scores - Full Text

Ashlyn Jew

4/15/2021

Load libraries

```
suppressMessages(library(tidyverse))
suppressMessages(library(ggplot2))
```

Load Data

```
# Human reference proteome - Mar 29 2021 with PMC full text
human_full <- read_csv("https://raw.githubusercontent.com/asjew/heart_caseolap_EDA/main/Data/Human%20reference%20proteome.csv")
```

```
##
## -- Column specification -----
## cols(
##   protein = col_character(),
##   IHD = col_double(),
##   CM = col_double(),
##   ARR = col_double(),
##   VD = col_double(),
##   CHD = col_double(),
##   CCD = col_double(),
##   VOO = col_double(),
##   OTH = col_double()
## )
```

```
head(human_full)
```

```
## # A tibble: 6 x 9
##   protein      IHD      CM      ARR      VD      CHD      CCD      VOO      OTH
##   <chr>      <dbl>    <dbl>    <dbl>    <dbl>    <dbl>    <dbl>    <dbl>    <dbl>
## 1 p01137    0.0408  0.0355  0.0255  0.0243  0.0336  0.00479  0.0141  0.0293
## 2 a0a0c4dga6 0.0127  0.00687  0      0.0122  0      0      0.0131  0.00705
## 3 e5ri75     0      0.0130  0.0134  0      0      0.0144  0      0
## 4 f5h5q2    0.00672  0      0.00893  0.00746  0      0      0      0.00445
## 5 c9jhz9     0      0.00433  0      0.00746  0      0      0      0.00445
## 6 e7ew20    0.00847  0.0196  0.00708  0.0169  0      0.00762  0      0.0141
```

```
summary(human_full)
```

```
##      protein      IHD      CM      ARR
## Length:53145    Min.   :0.000000    Min.   :0.000000    Min.   :0.000000
## Class :character 1st Qu.:0.000000    1st Qu.:0.000000    1st Qu.:0.000000
## Mode  :character Median :0.006716    Median :0.004334    Median :0.000000
##              Mean  :0.010833    Mean  :0.010081    Mean  :0.005698
##              3rd Qu.:0.016134    3rd Qu.:0.015539    3rd Qu.:0.007079
##              Max.   :0.207226    Max.   :0.204358    Max.   :0.138092
##      VD      CHD      CCD      VOO
## Min.   :0.000000    Min.   :0.000000    Min.   :0.000000    Min.   :0.000000
## 1st Qu.:0.000000    1st Qu.:0.000000    1st Qu.:0.000000    1st Qu.:0.000000
## Median :0.000000    Median :0.004614    Median :0.000000    Median :0.000000
## Mean   :0.005154    Mean   :0.007754    Mean   :0.003062    Mean   :0.00226
## 3rd Qu.:0.007458    3rd Qu.:0.011924    3rd Qu.:0.000000    3rd Qu.:0.000000
## Max.   :0.110973    Max.   :0.110199    Max.   :0.112764    Max.   :0.10759
##      OTH
## Min.   :0.000000
## 1st Qu.:0.000000
## Median :0.004447
## Mean   :0.008364
## 3rd Qu.:0.012485
## Max.   :0.117415
```

Exploratory Data Analysis

```
# Finding proteins that are strictly exclusive to VOO (all groups are 0 except VOO)
# None in this dataset
which(human_full$IHD == 0 & human_full$CM == 0 & human_full$ARR == 0 &
      human_full$VD == 0 & human_full$CHD == 0 & human_full$CCD == 0 & human_full$OTH == 0)

## integer(0)

# Get index of proteins that have caseolap score < 0.01 in all groups except VOO and where VOO > 0.01
VOO_01 <- which(human_full$IHD < 0.01 & human_full$CM < 0.01 & human_full$ARR < 0.01 &
                human_full$VD < 0.01 & human_full$CHD < 0.01 & human_full$CCD < 0.01 &
                human_full$OTH < 0.01 & human_full$VOO > 0.01)

human_full[VOO_01, ] # Displaying the proteins and caseolap scores with indices VOO_01

## # A tibble: 8 x 9
##   protein      IHD      CM      ARR      VD      CHD      CCD      VOO      OTH
##   <chr>      <dbl>    <dbl> <dbl>    <dbl>    <dbl> <dbl>    <dbl>    <dbl>
## 1 e9ppe6    0          0          0 0.00941 0          0 0.0101 0.00889
## 2 h0yet8    0          0          0 0.00941 0          0 0.0101 0.00889
## 3 h0ydi4    0          0          0 0.00941 0          0 0.0101 0.00889
## 4 h0ycs3    0          0          0 0.00941 0          0 0.0101 0.00889
## 5 e9pmc9    0          0          0 0.00941 0          0 0.0101 0.00889
## 6 r4gmrv7  0.00672    0          0 0.00941 0          0 0.0101 0.00705
## 7 h0yep9    0          0          0 0.00941 0          0 0.0101 0.00889
## 8 q8iwr8    0          0.00687    0 0.00941 0.00461    0 0.0101 0.00889
```

```
# Proteins that have V00 caseolap score > 0.05
human_full[which(human_full$V00 > 0.05), ]
```

```
## # A tibble: 102 x 9
##   protein      IHD      CM      ARR      VD      CHD      CCD      V00      OTH
##   <chr>      <dbl> <dbl> <dbl> <dbl> <dbl> <dbl> <dbl> <dbl>
## 1 h7c2e4    0.207 0.0498 0.0497 0.0464 0.0327 0.0376 0.0512 0.0506
## 2 b7z509    0.0467 0.0562 0.0405 0.0537 0.0404 0.0362 0.0552 0.0679
## 3 f8wci6    0.0553 0.0432 0.0417 0.0561 0.0472 0.0302 0.0665 0.0423
## 4 j3kt25    0.0918 0.0751 0.0731 0.0557 0.0494 0.0464 0.0566 0.0617
## 5 b8zzc5    0.0467 0.0562 0.0405 0.0537 0.0404 0.0362 0.0552 0.0679
## 6 q92839    0.102 0.0943 0.0944 0.0684 0.0663 0.0733 0.0600 0.0846
## 7 q9nzs2    0.105 0.104 0.0729 0.0618 0.0481 0.0484 0.0517 0.0829
## 8 c9j3b7    0.101 0.0954 0.0978 0.0925 0.0890 0.0935 0.0880 0.0959
## 9 e7eqi0    0.107 0.0986 0.0976 0.0676 0.0816 0.0740 0.0578 0.0991
## 10 p09486   0.112 0.111 0.110 0.103 0.105 0.105 0.0988 0.108
## # ... with 92 more rows
```

```
# Proteins where V00 has highest caseolap score and also has a caseolap score > 0.05
human_full[which(human_full$IHD < human_full$V00 & human_full$CM < human_full$V00 &
  human_full$ARR < human_full$V00 & human_full$VD < human_full$V00 &
  human_full$CHD < human_full$V00 & human_full$CCD < human_full$V00 &
  human_full$OTH < human_full$V00 & human_full$V00 > 0.05), ]
```

```
## # A tibble: 12 x 9
##   protein      IHD      CM      ARR      VD      CHD      CCD      V00      OTH
##   <chr>      <dbl> <dbl> <dbl> <dbl> <dbl> <dbl> <dbl> <dbl>
## 1 f8wci6    0.0553 0.0432 0.0417 0.0561 0.0472 0.0302 0.0665 0.0423
## 2 a0a590ujl0 0.0439 0.0381 0.0389 0.0615 0.0420 0.0306 0.0766 0.0378
## 3 p02787    0.0553 0.0432 0.0417 0.0561 0.0472 0.0302 0.0665 0.0423
## 4 p08842    0.0439 0.0381 0.0389 0.0615 0.0420 0.0306 0.0766 0.0378
## 5 a0a590ujy9 0.0439 0.0381 0.0389 0.0615 0.0420 0.0306 0.0766 0.0378
## 6 o14656    0.0613 0.0562 0.0577 0.0865 0.0702 0.0545 0.104 0.0520
## 7 f8wek9    0.0553 0.0432 0.0417 0.0561 0.0472 0.0302 0.0665 0.0423
## 8 f8wc57    0.0553 0.0432 0.0417 0.0561 0.0472 0.0302 0.0665 0.0423
## 9 a0a590ujt4 0.0439 0.0381 0.0389 0.0615 0.0420 0.0306 0.0766 0.0378
## 10 c9jvg0    0.0553 0.0432 0.0417 0.0561 0.0472 0.0302 0.0665 0.0423
## 11 c9jb55    0.0553 0.0432 0.0417 0.0561 0.0472 0.0302 0.0665 0.0423
## 12 h7c5e8    0.0553 0.0432 0.0417 0.0561 0.0472 0.0302 0.0665 0.0423
```

EDA with Z-scores

```
# Convert caseolap scores into z-scores by column/group
human_standard <- data.frame("protein" = human_full$protein, apply(human_full[2:9], 2, scale))
summary(human_standard)
```

```
##   protein      IHD      CM      ARR
## Length:53145   Min.   :-0.8390   Min.   :-0.7848   Min.   :-0.5406
## Class :character 1st Qu.: -0.8390   1st Qu.: -0.7848   1st Qu.: -0.5406
```

```
## Mode :character      Median :-0.3189      Median :-0.4474      Median :-0.5406
##                      Mean : 0.0000      Mean : 0.0000      Mean : 0.0000
##                      3rd Qu.: 0.4105      3rd Qu.: 0.4248      3rd Qu.: 0.1310
##                      Max. :15.2092      Max. :15.1228      Max. :12.5589
##          VD          CHD          CCD          VOO
## Min. : -0.5461      Min. : -0.7279      Min. : -0.3706      Min. : -0.3236
## 1st Qu.: -0.5461      1st Qu.: -0.7279      1st Qu.: -0.3706      1st Qu.: -0.3236
## Median : -0.5461      Median : -0.2948      Median : -0.3706      Median : -0.3236
## Mean : 0.0000      Mean : 0.0000      Mean : 0.0000      Mean : 0.0000
## 3rd Qu.: 0.2440      3rd Qu.: 0.3915      3rd Qu.: -0.3706      3rd Qu.: -0.3236
## Max. :11.2105      Max. : 9.6169      Max. :13.2787      Max. :15.0828
##          OTH
## Min. : -0.6996
## 1st Qu.: -0.6996
## Median : -0.3276
## Mean : 0.0000
## 3rd Qu.: 0.3447
## Max. : 9.1216
```

```
human_standard[which(human_standard$V00 > 10), ]$protein # proteins with V00 z-score > 10
```

```
## [1] "c9j3b7"      "p09486"      "o15178"      "a0a087x1b6" "a0a087wux9"
## [6] "p42768"      "a0a590ujl0" "p08842"      "e9peg3"      "a0a590ujy9"
## [11] "q04671"      "o14656"      "q16831"      "p10275"      "p28072"
## [16] "a0a590ujt4" "f5gzg9"      "p19526"      "o43934"      "q9nzc7"
```

```
human_standard[which(human_standard$IHD < human_standard$V00 &
  human_standard$CM < human_standard$V00 &
  human_standard$ARR < human_standard$V00 &
  human_standard$VD < human_standard$V00 &
  human_standard$CHD < human_standard$V00 &
  human_standard$CCD < human_standard$V00 &
  human_standard$OTH < human_standard$V00 &
  human_standard$V00 > 10), ]$protein
```


```
## [1] "c9j3b7"      "p09486"      "o15178"      "a0a087x1b6" "a0a087wux9"
## [6] "p42768"      "a0a590ujl0" "p08842"      "e9peg3"      "a0a590ujy9"
## [11] "q04671"      "o14656"      "q16831"      "p10275"      "p28072"
## [16] "a0a590ujt4" "f5gzg9"      "p19526"      "o43934"      "q9nzc7"
```

```
# proteins where V00 has highest z-score and V00 > 10 (same as proteins above)
```


```
# Histogram of Z-score for each group
```

```
ggplot(human_standard, aes(x = IHD)) + geom_histogram(fill = "lightblue", bins = 50) + ggtitle("Distrib
```


Distribution of CaseOLAP Scores for IHD Disease Group (Human)




```
ggplot(human_standard, aes(x = CM)) + geom_histogram(fill = "lightblue", bins = 50)
```




```
ggplot(human_standard, aes(x = ARR)) + geom_histogram(fill = "lightblue", bins = 50)
```




```
ggplot(human_standard, aes(x = VD)) + geom_histogram(fill = "lightblue", bins = 50)
```




```
ggplot(human_standard, aes(x = CHD)) + geom_histogram(fill = "lightblue", bins = 50)
```


```
ggplot(human_standard, aes(x = CHD)) + geom_histogram(fill = "lightblue", bins = 50)
```



```
ggplot(human_standard, aes(x = V00)) + geom_histogram(fill = "lightblue", bins = 50)
```




```
ggplot(human_standard, aes(x = OTH)) + geom_histogram(fill = "lightblue", bins = 50)
```



```
# Ranges of Z-score scores by group
human_standard_min <- sapply(human_standard[2:9], min)
human_standard_max <- sapply(human_standard[2:9], max)
human_standard_ranges <- data.frame(id=c("IHD", "CM", "ARR", "VD", "CHD", "CCD", "VOO", "OTH"),
                                     min=human_standard_min, max=human_standard_max)

ggplot(human_standard_ranges, aes(x=id))+
  geom_linerange(aes(ymin=min,ymax=max),linetype=2,color="blue")+
  geom_point(aes(y=min),size=3,color="red")+
  geom_point(aes(y=max),size=3,color="red")+
  theme_bw() + ggtitle("Ranges of Z-score Scores by Disease Group (Human)") + xlab("Disease Group") + ylab("Z-score Range")
```

Ranges of Z-score Scores by Disease Group (Human)



Finding top unique proteins for each group

Cut-off z-scores are roughly chosen and can be changed to get a smaller or larger list of proteins

IHD

```
human_standard[which(human_standard$V00 < human_standard$IHD &
  human_standard$CM < human_standard$IHD &
  human_standard$ARR < human_standard$IHD &
  human_standard$VD < human_standard$IHD &
  human_standard$CHD < human_standard$IHD &
  human_standard$CCD < human_standard$IHD &
  human_standard$OTH < human_standard$IHD &
  human_standard$IHD > 9), ]
```

##	protein	IHD	CM	ARR	VD	CHD	CCD	V00
## 719	h7c2e4	15.20919	3.095237	4.176024	4.371658	2.343464	4.179438	7.012858
## 5735	p05154	14.68073	3.108552	3.847722	3.376770	2.015281	3.772437	5.516512
## 11679	q9une0	10.97836	5.122472	5.041837	4.349208	2.816573	4.566056	6.446133
## 15709	p27708	15.20896	3.095432	4.176436	4.372216	2.343395	4.179336	7.012695
## 17030	o76075	15.20918	3.095205	4.175984	4.371617	2.343918	4.179399	7.012796
## 17234	h7bzb3	15.20896	3.095432	4.176436	4.372216	2.343395	4.179336	7.012695

```
## 23785 q05682 15.19216 3.138532 4.189114 4.367555 2.341986 4.173143 7.001848
## 34447 h7c3z5 15.20896 3.095432 4.176436 4.372216 2.343395 4.179336 7.012695
## 52061 f8vdp4 15.20892 3.095422 4.176424 4.372203 2.343684 4.179325 7.012676
##      OTH
## 719   3.530471
## 5735  3.511839
## 11679 4.534558
## 15709 3.530377
## 17030 3.530435
## 17234 3.530377
## 23785 3.533901
## 34447 3.530377
## 52061 3.530366
```

proteins where IHD has highest z-score and is above 9

Entry	Entry name	Gene names	Protein names
<input type="checkbox"/> H7C2E4	H7C2E4_HUMAN	CAD	Aspartate carbamoyltransferase, EC 2.1.3.2
<input type="checkbox"/> P05154	IPSP_HUMAN	SERPINA5 PCI, PLANH3, PROCI	Plasma serine protease inhibitor (Acrosomal serine protease inhibitor) (Plasminogen activator inhibitor 3, PAI-3, PAI3) (Protein C inhibitor, PCI) (Serpin A5)
<input type="checkbox"/> Q9UNE0	EDAR_HUMAN	EDAR DL	Tumor necrosis factor receptor superfamily member EDAR (Anhidrotic ectodysplasin receptor 1) (Downless homolog) (EDA-A1 receptor) (Ectodermal dysplasia receptor) (Ectodysplasin-A receptor)
<input type="checkbox"/> P27708	PYR1_HUMAN	CAD	CAD protein [Includes: Glutamine-dependent carbamoyl-phosphate synthase, EC 6.3.5.5; Aspartate carbamoyltransferase, EC 2.1.3.2; Dihydroorotase, EC 3.5.2.3]
<input type="checkbox"/> O76075	DFFB_HUMAN	DFFB CAD, DFF2, DFF40	DNA fragmentation factor subunit beta, EC 3.-.-.- (Caspase-activated deoxyribonuclease, CAD, Caspase-activated DNase) (Caspase-activated nuclease, CPAN) (DNA fragmentation factor 40 kDa subunit, DFF-40)
<input type="checkbox"/> H7BZB3	H7BZB3_HUMAN	CAD	CAD protein
<input type="checkbox"/> Q05682	CALD1_HUMAN	CALD1 CAD, CDM	Caldesmon, CDM
<input type="checkbox"/> H7C3Z5	H7C3Z5_HUMAN	CAD	CAD protein
<input type="checkbox"/> F8VPD4	F8VPD4_HUMAN	CAD	Aspartate carbamoyltransferase, EC 2.1.3.2, EC 3.5.2.3, EC 6.3.5.5 (CAD protein) (Dihydroorotase) (Glutamine-dependent carbamoyl-phosphate synthase)

Figure 1: UniProt entries for IHD

CM

```
human_standard[which(human_standard$IHD < human_standard$CM &
  human_standard$V00 < human_standard$CM &
  human_standard$ARR < human_standard$CM &
  human_standard$VD < human_standard$CM &
  human_standard$CHD < human_standard$CM &
  human_standard$CCD < human_standard$CM &
  human_standard$OTH < human_standard$CM &
  human_standard$CM > 8), ]
```

```
##      protein      IHD      CM      ARR      VD      CHD      CCD
## 1577   j3ksq5 6.689920 8.433404 5.299055 4.165123 2.367500 4.477689
## 8892   p08603 4.223978 15.122810 6.748300 3.463074 1.740468 5.080118
## 9535   j3krh5 6.689920 8.433404 5.299055 4.165123 2.367500 4.477689
## 10131  q9p121 6.250077 9.891019 6.985538 7.096340 5.093733 5.792587
```

```
## 12897      j3qsc7 6.689920 8.433404 5.299055 4.165123 2.367500 4.477689
## 22950      j3ks28 6.689920 8.433404 5.299055 4.165123 2.367500 4.477689
## 24430      p12821 6.709497 8.432963 5.296883 4.163121 2.378726 4.475182
## 28375      j3qrx8 6.689920 8.433404 5.299055 4.165123 2.367500 4.477689
## 43882      j3qlr4 6.689920 8.433404 5.299055 4.165123 2.367500 4.477689
## 48185      j3ktb8 6.689920 8.433404 5.299055 4.165123 2.367500 4.477689
## 50461      j3kth9 6.689920 8.433404 5.299055 4.165123 2.367500 4.477689
## 52365 a0a0a0msn4 6.689920 8.433404 5.299055 4.165123 2.367500 4.477689
##          V00      OTH
## 1577  5.461282 5.911577
## 8892  4.123195 6.193185
## 9535  5.461282 5.911577
## 10131 8.355606 7.740212
## 12897 5.461282 5.911577
## 22950 5.461282 5.911577
## 24430 5.455220 5.911980
## 28375 5.461282 5.911577
## 43882 5.461282 5.911577
## 48185 5.461282 5.911577
## 50461 5.461282 5.911577
## 52365 5.461282 5.911577
```

proteins where CM has highest z-score and above 8

<input type="checkbox"/>	Entry	Entry name	Gene names	Protein names	
<input type="checkbox"/>	J3KSQ5	J3KSQ5_HUMAN	ACE	Angiotensin-converting enzyme	
<input type="checkbox"/>	P08603	CFAH_HUMAN	CFH HF, HF1, HF2	Complement factor H (H factor 1)	
<input type="checkbox"/>	J3KRH5	J3KRH5_HUMAN	ACE	Angiotensin-converting enzyme	
<input type="checkbox"/>	Q9P121	NTRI_HUMAN	NTM IGLON2, NT, UNQ297/PRO337	Neurotrimin, hNT (IgLON family member 2)	
<input type="checkbox"/>	J3QSC7	J3QSC7_HUMAN	ACE	Angiotensin-converting enzyme	
<input type="checkbox"/>	J3KS28	J3KS28_HUMAN	ACE	Angiotensin-converting enzyme, EC 3.4.-.-	
<input type="checkbox"/>	P12821	ACE_HUMAN	ACE DCP, DCP1	Angiotensin-converting enzyme, ACE, EC 3.2.1.-, EC 3.4.15.1 (Dipeptidyl carboxypeptidase I) (Kininase II) (CD antigen CD143) [Cleaved into: Angiotensin-converting enzyme, soluble form]	
<input type="checkbox"/>	J3QRX8	J3QRX8_HUMAN		Deleted.	
<input type="checkbox"/>	J3QLR4	J3QLR4_HUMAN	ACE	Angiotensin-converting enzyme	
<input type="checkbox"/>	J3KTB8	J3KTB8_HUMAN	ACE	Angiotensin-converting enzyme, EC 3.4.-.-	
<input type="checkbox"/>	J3KTH9	J3KTH9_HUMAN	ACE	Angiotensin-converting enzyme	
<input type="checkbox"/>	A0A0A0MSN4	A0A0A0MSN4_HUMAN	ACE	Angiotensin-converting enzyme, EC 3.4.-.-	

Figure 2: UniProt entries for CM

ARR

```
human_standard[which(human_standard$IHD < human_standard$ARR &
                     human_standard$CM < human_standard$ARR &
```

```

human_standard$V00 < human_standard$ARR &
human_standard$VD < human_standard$ARR &
human_standard$CHD < human_standard$ARR &
human_standard$CCD < human_standard$ARR &
human_standard$OTH < human_standard$ARR &
human_standard$ARR > 9), ]

```

```

##      protein      IHD      CM      ARR      VD      CHD      CCD      V00
## 7992   q9ul49 2.657266 2.916266 12.558886 3.678617 2.330739 4.846638 4.011663
## 11723  e5rk80 7.621587 6.884133 9.632561 4.705597 2.892766 8.135945 6.506734
## 12731  q16473 3.520232 2.221996 9.694233 3.821210 2.246642 2.323893 4.002783
## 21661  o43593 7.621587 6.884133 9.632561 4.705597 2.892766 8.135945 6.506734
## 42437  p49366 3.616542 3.270556 10.563750 4.467255 4.766417 4.979301 4.554361
##      OTH
## 7992  2.500736
## 11723 5.396820
## 12731 2.032001
## 21661 5.396820
## 42437 3.149157

```

proteins where ARR has highest z-score and above 9

<input type="checkbox"/>	Entry	Entry name	Gene names	Protein names
<input type="checkbox"/>	Q9UL49	TCFL5_HUMAN	TCFL5 CHA, E2BP1	Transcription factor-like 5 protein (Cha transcription factor) (HPV-16 E2-binding protein 1, E2BP-1)
<input type="checkbox"/>	E5RK80	E5RK80_HUMAN	HR	Lysine-specific demethylase hairless
<input type="checkbox"/>	Q16473	TENXA_HUMAN	TNXA XA	Putative tenascin-XA, TN-XA
<input type="checkbox"/>	O43593	HAIR_HUMAN	HR	Lysine-specific demethylase hairless, EC 1.14.11.65 ([histone H3]-dimethyl-L-lysine(9) demethylase hairless)
<input type="checkbox"/>	P49366	DHYS_HUMAN	DHPS DS	Deoxyhypusine synthase, DHS, EC 2.5.1.46

Figure 3: UniProt entries for ARR

VD

```

human_standard[which(human_standard$IHD < human_standard$VD &
  human_standard$CM < human_standard$VD &
  human_standard$ARR < human_standard$VD &
  human_standard$V00 < human_standard$VD &
  human_standard$CHD < human_standard$VD &
  human_standard$CCD < human_standard$VD &
  human_standard$OTH < human_standard$VD &
  human_standard$VD > 8), ]

```

```

##      protein      IHD      CM      ARR      VD      CHD      CCD      V00
## 19024  p25116 4.65126 6.172324 5.373991 11.183498 6.112869 4.872527 8.671207
## 51911  q6e213 1.94605 2.162937 2.279152 8.399987 2.475388 2.115031 4.872195
##      OTH
## 19024 6.166133
## 51911 2.119385

```


proteins where VD has highest z-score and above 8

Entry	Entry name	Gene names	Protein names
P25116	PAR1_HUMAN	F2R CF2R, PAR1, TR	Proteinase-activated receptor 1, PAR-1 (Coagulation factor II receptor) (Thrombin receptor)
Q6E213	AWAT2_HUMAN	AWAT2 DC4, DGAT2L4, MFAT, WS	Acyl-CoA wax alcohol acyltransferase 2, EC 2.3.1.75 (11-cis-specific retinyl-ester synthase, 11-cis-RE-synthase) (Acyl-CoA retinol O-fatty-acyltransferase, ARAT, Retinol O-fatty-acyltransferase, EC 2.3.1.76) (Diacylglycerol O-acyltransferase 2-like protein 4) (Diacylglycerol O-acyltransferase candidate 4, hDC4) (Long-chain-alcohol O-fatty-acyltransferase 2) (Multifunctional O-acyltransferase) (Wax synthase, hWS)

Figure 4: UniProt entries for VD

CHD

```
human_standard[which(human_standard$IHD < human_standard$CHD &
  human_standard$CM < human_standard$CHD &
  human_standard$ARR < human_standard$CHD &
  human_standard$VD < human_standard$CHD &
  human_standard$V00 < human_standard$CHD &
  human_standard$CCD < human_standard$CHD &
  human_standard$OTH < human_standard$CHD &
  human_standard$VD > 5), ]
```

```
##      protein      IHD      CM      ARR      VD      CHD      CCD      V00
## 8993  q8iwt0 2.477818 2.240472 2.962209 5.413161 8.447828 3.523173 7.904877
##      OTH
## 8993 2.795316
```

proteins where CHD has highest z-score and above 5

Entry	Entry name	Gene names	Protein names
Q8IWT0	ARCH_HUMAN	ZBTB80S ARCH	Protein archease (Protein ZBTB80S) (Zinc finger and BTB domain-containing opposite strand protein 8)

Figure 5: UniProt entries for CHD

CCD

```
human_standard[which(human_standard$IHD < human_standard$CCD &
  human_standard$CM < human_standard$CCD &
  human_standard$ARR < human_standard$CCD &
  human_standard$VD < human_standard$CCD &
  human_standard$CHD < human_standard$CCD &
  human_standard$V00 < human_standard$CCD &
  human_standard$OTH < human_standard$CCD &
  human_standard$CCD > 10), ]
```

##	protein	IHD	CM	ARR	VD	CHD	CCD
## 223	p42357	4.177873	4.640655	8.527665	5.119573	5.323045	12.05445
## 1760	q96s42	1.695108	1.970701	7.093345	2.570365	3.404003	11.81856
## 6798	h7c0e4	1.695108	1.970701	7.093345	2.570365	3.404003	11.81856
## 8283	q8ng44	3.938835	5.019702	10.210906	5.263583	5.089687	12.96113
## 9231	e9pg18	1.409237	2.188305	6.630038	2.282354	3.954432	10.72187
## 11561	a3ey21	1.403318	2.185107	6.625567	2.289853	3.952090	10.71290
## 16928	q12809	1.451550	1.723750	8.080234	1.846309	5.914939	12.77803
## 19259	q96hu1	3.962873	3.884718	8.757496	3.950484	3.665883	10.29203
## 27097	h9kvd2	1.409237	2.188305	6.630038	2.282354	3.954432	10.72187
## 35707	q8ng42	3.938835	5.019702	10.210906	5.263583	5.089687	12.96113
## 38780	k4dia1	1.409237	2.188305	6.630038	2.282354	3.954432	10.72187
## 39034	e9phb6	1.409237	2.188305	6.630038	2.282354	3.954432	10.72187
## 42468	a0a0a0mt39	1.409237	2.188305	6.630038	2.282354	3.954432	10.72187
## 44654	q14524	1.403796	2.181298	6.642634	2.279847	3.964270	10.75395
## 45337	q8wxs4	3.930572	5.010012	10.217844	5.265819	5.091058	12.97247
## 47772	q15477	6.862250	7.131732	9.438035	6.730224	6.217419	10.02837
## 49418	q8ng45	3.938835	5.019702	10.210906	5.263583	5.089687	12.96113
## 49754	p19526	8.531811	8.582576	10.084570	8.708805	8.416007	11.93331
##	V00	OTH					
## 223	5.402255	5.152783					
## 1760	2.411202	2.133770					
## 6798	2.411202	2.133770					
## 8283	5.990651	5.086934					
## 9231	2.204544	2.974921					
## 11561	2.205546	2.973325					
## 16928	2.010776	2.256843					
## 19259	5.077978	3.867956					
## 27097	2.204544	2.974921					
## 35707	5.990651	5.086934					
## 38780	2.204544	2.974921					
## 39034	2.204544	2.974921					
## 42468	2.204544	2.974921					
## 44654	2.202302	2.972967					
## 45337	5.997930	5.080532					
## 47772	7.437046	6.646555					
## 49418	5.990651	5.086934					
## 49754	10.609381	8.836096					

proteins where CCD has highest z-score and above 10

V00

```
human_standard[which(human_standard$IHD < human_standard$V00 &
  human_standard$CM < human_standard$V00 &
  human_standard$ARR < human_standard$V00 &
  human_standard$VD < human_standard$V00 &
  human_standard$CHD < human_standard$V00 &
  human_standard$CCD < human_standard$V00 &
  human_standard$OTH < human_standard$V00 &
  human_standard$V00 > 10), ]
```

Entry	Entry name	Gene names	Protein names
P42357	HUTH_HUMAN	HAL HIS	Histidine ammonia-lyase, Histidase, EC 4.3.1.3
Q96542	NODAL_HUMAN	NODAL	Nodal homolog
H7C0E4	H7C0E4_HUMAN	NODAL	Nodal homolog
Q8NG44	Q8NG44_HUMAN	PGR PR, hCG_39657	Nuclear receptor subfamily 3 group C member 3 (Progesterone receptor)
E9PG18	E9PG18_HUMAN	SCN5A	Sodium channel protein
A3EY21	A3EY21_HUMAN	SCN5A	Cardiac sodium channel alpha subunit (Sodium channel protein type 5 subunit alpha)
Q12809	KCNH2_HUMAN	KCNH2 ERG, ERG1, HERG	Potassium voltage-gated channel subfamily H member 2 (Eag homolog) (Ether-a-go-go-related gene potassium channel 1, ERG-1, Eag-related protein 1, Ether-a-go-go-related protein 1, H-ERG, hERG-1, hERG1) (Voltage-gated potassium channel subunit Kv11.1)
Q96HU1	SGSM3_HUMAN	SGSM3 MAP, RABGAPL3, RUTBC3	Small G protein signaling modulator 3 (Merlin-associated protein) (RUN and TBC1 domain-containing protein 3) (Rab-GTPase-activating protein-like protein, RabGAPLP)
H9KVD2	H9KVD2_HUMAN	SCN5A	Sodium channel protein
Q8NG42	Q8NG42_HUMAN	PGR PR, hCG_39657	Nuclear receptor subfamily 3 group C member 3 (Progesterone receptor)
K4DIA1	K4DIA1_HUMAN	SCN5A	Sodium channel protein
E9PHB6	E9PHB6_HUMAN	SCN5A	Sodium channel protein
A0A0A0MT39	A0A0A0MT39_HUMAN	SCN5A	Sodium channel protein
Q14524	SCN5A_HUMAN	SCN5A	Sodium channel protein type 5 subunit alpha (Sodium channel protein cardiac muscle subunit alpha) (Sodium channel protein type V subunit alpha) (Voltage-gated sodium channel subunit alpha Nav1.5) (HH1)
Q8WXS4	CCGL_HUMAN	TMEM37 PR	Voltage-dependent calcium channel gamma-like subunit (Neuronal voltage-gated calcium channel gamma-like subunit) (Transmembrane protein 37)
Q15477	SKIV2_HUMAN	SKIV2L DDX13, SKI2W, SKIV2, W	Helicase SKI2W, Ski2, EC 3.6.4.- (Helicase-like protein, HLP)
Q8NG45	Q8NG45_HUMAN	PGR PR, hCG_39657	Nuclear receptor subfamily 3 group C member 3 (Progesterone receptor)
P19526	FUT1_HUMAN	FUT1 H, HSC	Galactoside alpha-(1,2)-fucosyltransferase 1 (Alpha(1,2)FT 1) (Blood group H alpha 2-fucosyltransferase) (Fucosyltransferase 1) (GDP-L-fucose:beta-D-galactoside 2-alpha-L-fucosyltransferase 1) (Type 1 galactoside alpha-(1,2)-fucosyltransferase FUT1, EC 2.4.1.69) (Type 2 galactoside alpha-(1,2)-fucosyltransferase FUT1, EC 2.4.1.344)

Figure 6: UniProt entries for CCD

##	protein	IHD	CM	ARR	VD	CHD	CCD	
##	3063	c9j3b7	6.965302	6.641857	8.738036	9.254790	7.629177	10.947898
##	5006	p09486	7.814915	7.872700	9.890282	10.348461	9.123827	12.285759
##	5877	o15178	8.643149	8.908017	10.663996	10.596955	9.616940	13.278656
##	6661	a0a087x1b6	4.977847	6.024066	5.630716	11.208309	5.043599	5.269674
##	10792	a0a087wux9	4.977847	6.024066	5.630716	11.208309	5.043599	5.269674
##	13447	p42768	6.965302	6.641857	8.738036	9.254790	7.629177	10.947898
##	15108	a0a590ujl0	2.559614	2.182201	3.147555	5.969290	3.213214	3.335805
##	18427	p08842	2.559549	2.182144	3.147484	5.969165	3.217474	3.335734
##	20344	e9peg3	4.977847	6.024066	5.630716	11.208309	5.043599	5.269674
##	20517	a0a590ujy9	2.559614	2.182201	3.147555	5.969290	3.213214	3.335805
##	24905	q04671	8.231804	8.066166	10.062439	10.924957	8.722026	12.356011
##	26564	o14656	3.906485	3.591231	4.932987	8.620294	5.861550	6.229122
##	27149	q16831	7.027328	6.504890	8.550979	8.298618	6.353187	9.357606
##	36256	p10275	4.977663	6.023832	5.630504	11.210487	5.043400	5.269480
##	38781	p28072	7.460803	7.044626	8.885437	8.314015	7.943831	9.371391
##	42793	a0a590ujt4	2.559614	2.182201	3.147555	5.969290	3.213214	3.335805
##	45683	f5gzg9	4.977847	6.024066	5.630716	11.208309	5.043599	5.269674
##	51633	o43934	7.274412	7.321452	8.572355	8.072049	7.307056	8.940106
##	52185	q9nzc7	7.112592	6.932865	8.928574	9.204862	8.002171	10.727447
##	V00	OTH						
##	3063	12.27602	7.325668					
##	5006	13.82318	8.338084					
##	5877	13.30115	9.121595					
##	6661	14.23471	5.771785					
##	10792	14.23471	5.771785					
##	13447	12.27602	7.325668					
##	15108	10.64255	2.459249					
##	18427	10.64234	2.459189					

```
## 20344 14.23471 5.771785
## 20517 10.64255 2.459249
## 24905 15.08283 8.576291
## 26564 14.52802 3.652153
## 27149 10.90972 6.381701
## 36256 14.23421 5.771562
## 38781 10.12635 7.120730
## 42793 10.64255 2.459249
## 45683 14.23471 5.771785
## 51633 10.17515 7.377648
## 52185 12.34425 7.329424
```

<input type="checkbox"/>	Entry	Entry name	Gene names	Protein names
<input type="checkbox"/>	C9J3B7	C9J3B7_HUMAN	WAS	Wiskott-Aldrich syndrome protein
<input type="checkbox"/>	P09486	SPRC_HUMAN	SPARC ON	SPARC (Basement-membrane protein 40, BM-40) (Osteonectin, ON) (Secreted protein acidic and rich in cysteine)
<input type="checkbox"/>	O15178	TBXT_HUMAN	TBXT T	T-box transcription factor T (Brachyury protein) (Protein T)
<input type="checkbox"/>	A0A087X1B6	A0A087X1B6_HUMAN	AR	Androgen receptor (Dihydrotestosterone receptor) (Nuclear receptor subfamily 3 group C member 4)
<input type="checkbox"/>	A0A087WUX9	A0A087WUX9_HUMAN	AR	Androgen receptor
<input type="checkbox"/>	P42768	WASP_HUMAN	WAS IMD2	Wiskott-Aldrich syndrome protein, WASp
<input type="checkbox"/>	A0A590UJL0	A0A590UJL0_HUMAN	STS	Steryl-sulfatase
<input type="checkbox"/>	P08842	STS_HUMAN	STS ARSC1	Steryl-sulfatase, EC 3.1.6.2 (Arylsulfatase C, ASC) (Estrone sulfatase) (Steroid sulfatase) (Steryl-sulfate sulfohydrolase)
<input type="checkbox"/>	E9PEG3	E9PEG3_HUMAN	AR	Androgen receptor
<input type="checkbox"/>	A0A590UJY9	A0A590UJY9_HUMAN	STS	Steryl-sulfatase

Figure 7: UniProt entries for VOO

OTH

```
human_standard[which(human_standard$IHD < human_standard$OTH &
                      human_standard$CM < human_standard$OTH &
                      human_standard$ARR < human_standard$OTH &
                      human_standard$VD < human_standard$OTH &
                      human_standard$CHD < human_standard$OTH &
                      human_standard$CCD < human_standard$OTH &
                      human_standard$VOO < human_standard$OTH &
                      human_standard$OTH > 7), ]
```

```
##      protein      IHD      CM      ARR      VD      CHD      CCD      VOO
## 25902 p03950 4.081178 5.296124 4.070665 4.146777 2.871126 4.417061 5.367782
##      OTH
## 25902 7.288494
```

```
# proteins where OTH has highest z-score and above 7
```







<input type="checkbox"/>	Entry 	Entry name 	Gene names 	Protein names 	 
<input type="checkbox"/>	P03950	ANGI_HUMAN	ANG RNASE5	Angiogenin, EC 3.1.27.- (Ribonuclease 5, RNase 5)	

Figure 8: UniProt entries for OTH