

**Software Product Compatibility Reports Related Software** 

# Continuous Delivery Product Cúram Social Program Management 8.0.0



### Contents

Included in this report

**Prerequisites** 

Supported software

Glossary

**Disclaimers** 



### Included in this report

This report can be generated with filters applied to operating system platforms, components, and/or software capabilities. This section reflects how the report was filtered when it was generated.

#### Legend

- The information about this item is included in this report.
- The information about this item is not included in the report filter.

| Platforms                 | Deployment units | Capabilities                                   |
|---------------------------|------------------|--|
| • Linux                   | • Server         | Prerequisites                                  |
| <ul><li>Windows</li></ul> |                  | <ul> <li>Installation</li> </ul>               |
|                           |                  | Related Software                               |
|                           |                  | <ul> <li>Accessibility</li> </ul>              |
|                           |                  | <ul><li>Application<br/>Servers</li></ul>      |
|                           |                  | <ul> <li>Databases</li> </ul>                  |
|                           |                  | <ul><li>Development<br/>Tools</li></ul>        |
|                           |                  | <ul> <li>Reporting and<br/>Analysis</li> </ul> |
|                           |                  | <ul> <li>Web Browser<br/>Plug-Ins</li> </ul>   |
|                           |                  | Web Browsers                                   |



### Prerequisites

The Prerequisites section specifies the capabilities that Cúram Social Program Management 8.0.0 requires, and the prerequisite products that can be used to fulfill those capabilities.

# Deployment Unit Support

Full

Partial

None

#### Capabilities

Installation

#### Installation

### Summary

The supported platforms for the IBM Cúram SPM installers are Linux and Windows.

| Prerequisite  | Version                  | Prerequisite minimum | Components | Operating system restrictions? | Notes? |
|---|--------------------------|----------------------|------------|--------------------------------|--------|
| IBM Runtime Environment,<br>Java Technology Edition | 8                        | 8                    | •          | No                             | (2)    |
| Oracle Java SDK/JRE/JDK                             | 8.0 and future fix packs | 8.0                  | •          | No                             | (1)    |



### IBM Runtime Environment, Java Technology Edition 8

**Legend:** Supported S Not supported ■

### Deployment units

Server

| Deployment unit | 8   | > |
|-----------------|-----|---|
| Server          | (2) | • |

### Oracle Java SDK/JRE/JDK 8.0 and Future Fix Packs

#### Deployment units

Server

| Deployment unit | 8.0 | Future Versions,<br>Releases | Future Fix Packs |
|-----------------|-----|------------------------------|------------------|
| Server          | (1) | 8                            | •                |

# Cúram Social Program Management 8.0.0 Related Software

### **Installation Notes**

- 1. The base version of the Oracle Java 8 JDK is sufficient.
- 2. The base version of the IBM JDK 8 is sufficient.



### Supported software

The Supported Software section specifies the additional software that Cúram Social Program Management 8.0.0 supports.

### ocial Program Management 8.0.0 supports.

#### Capabilities

Accessibility Application Servers Databases Reporting and Analysis Web Browser Plug-Ins Development Tools Web Browsers

## Deployment Unit Support

Full

Partial

None

### **Accessibility**

### Summary

| Supported software                    | Version                                      | Supported software minimum | Components | Operating system restrictions? | Notes? |
|---------------------------------------|--|----------------------------|------------|--------------------------------|--------|
| Apple VoiceOver                       | Any<br>Version<br>and<br>future fix<br>packs | Any Version                | •          | No                             | (1)    |
| Freedom Scientific JAWS screen reader | 2020<br>and<br>future fix<br>packs           | 2020                       | •          | No                             | (2)    |

### Apple VoiceOver Any Version and Future Fix Packs

Deployment units

Server

| Deployment unit | Any Version | Future Versions,<br>Releases | Future Fix Packs |
|-----------------|-------------|------------------------------|------------------|
| Server          | (1)         | 8                            | •                |

### Freedom Scientific JAWS screen reader 2020 and Future Fix Packs

### Deployment units

Server

| Deployment unit | 2020 | Future Versions,<br>Releases | Future Fix Packs |
|-----------------|------|------------------------------|------------------|
| Server          | (2)  | 8                            | •                |

### **Accessibility Notes**

- 1. Accessibility on tablet: the combination of Google Chrome 91 and VoiceOver on iPad with iOS 14.6 is the certified combination with VoiceOver
- 2. The combination of Microsoft Edge and JAWS 2020 is the only certified screen reader and browser combination. See the Curam Accessibility User Guide manual for supported text resizing and browser zoom settings.



### **Application Servers**

### Summary

The prerequisites for the application servers listed below should be consulted to determine the supported platforms for each.

| Supported software                                 | Version                                  | Supported software minimum | Components | Operating system restrictions? | Notes? |
|--|--|----------------------------|------------|--------------------------------|--------|
| Oracle WebLogic Server<br>12cR2                    | (12.2.1)<br>and<br>future fix<br>packs   | (12.2.1)                   | •          | No                             | (4)    |
| Oracle WebLogic Server 14c                         | (14.1.1.0.<br>and<br>future fix<br>packs | (14.1.1.0.0)               | •          | No                             | (3)    |
| WebSphere Application<br>Server                    | 9.0.5                                    | 9.0.5                      | •          | No                             | (1)    |
| WebSphere Application<br>Server Network Deployment | 9.0.5                                    | 9.0.5                      | •          | No                             | (2)    |
| WebSphere Application<br>Server for z/OS           | 9.0.5                                    | 9.0.5                      | •          | No                             | (2)    |

### Oracle WebLogic Server 12cR2 (12.2.1) and Future Fix Packs

#### Deployment units

Server

| Deployment unit | (12.2.1) | Future Versions,<br>Releases | Future Fix Packs |
|-----------------|----------|------------------------------|------------------|
| Server          | (4)      | 8                            | •                |

### Oracle WebLogic Server 14c (14.1.1.0.0) and Future Fix Packs

Deployment units

Server

| Deployment unit | (14.1.1.0.0) | Future Versions,<br>Releases | Future Fix Packs |
|-----------------|--------------|------------------------------|------------------|
| Server          | (3)          | 8                            | •                |

### WebSphere Application Server 9.0.5

Legend: Sup

Supported

Not supported

### Deployment units

Server

| Deployment unit | 9.0.5 | 9.0.5.1 | 9.0.5.2 | 9.0.5.3 | 9.0.5.4 | 9.0.5.5 | 9.0.5.6 | 9.0.5.7 | 9.0.5.8 | 9.0.5.9     | 9.0.5.1 | 9.0.5.1 | 9.0.5.1 | 9.0.5.1 | >        |
|-----------------|-------|---------|---------|---------|---------|---------|---------|---------|---------|-------------|---------|---------|---------|---------|----------|
| Server          | (1)   | (1)     | (1)     | (1)     | (1)     | (1)     | (1)     | (1)     | (1)     | <b>(</b> 1) | (1)     | (1)     | (1)     | (1)     | <b>②</b> |

### WebSphere Application Server Network Deployment 9.0.5

#### Deployment units

Server

| Deployment unit | 9.0.5 | 9.0.5. | 9.0.5.2 | 9.0.5.3 | 9.0.5.4 | 9.0.5.5 | 9.0.5.6 | 9.0.5.7 | 9.0.5.8 | 9.0.5.9 | 9.0.5.1 | 9.0.5.1 | 9.0.5.1 | 9.0.5.1 | >        |
|-----------------|-------|--------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|
| Server          | (2)   | (2)    | (2)     | (2)     | (2)     | (2)     | (2)     | (2)     | (2)     | (2)     | (2)     | (2)     | (2)     | (2)     | <b>②</b> |

### WebSphere Application Server for z/OS 9.0.5

### Deployment units

Server

| Deployment unit | 9.0.5 | 9.0.5. | 9.0.5.2 | 9.0.5.3 | 9.0.5.4 | 9.0.5.5 | 9.0.5.6 | 9.0.5.7 | 9.0.5.8 | 9.0.5.9 | 9.0.5.1 | 9.0.5.1 | 9.0.5.1 | 9.0.5.1 | •••>     |
|-----------------|-------|--------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|
| Server          | (2)   | (2)    | (2)     | (2)     | (2)     | (2)     | (2)     | (2)     | (2)     | (2)     | (2)     | (2)     | (2)     | (2)     | <b>②</b> |



#### **Application Servers Notes**

- 1. See the WebSphere Application Server product site for necessary configuration information on this product. The JDK (Java Development Kit) version 8 (and future fix packs) supplied with the WebSphere Application Server installation is supported. Container and Kubernetes platforms are not supported.
- 2. See the WebSphere Application Server product site for necessary configuration information on this product. The JDK (Java Development Kit) version 8 (and future fix packs) supplied with the WebSphere Application Server installation is supported. Container and Kubernetes platforms are not supported.
- 3. See the Oracle WebLogic Server product site for necessary configuration information on this product. The JDK (Java Development Kit) version 8 (and future fix packs) is supported. Note: Oracle Database is the only database which is supported for usage in combination with Oracle WebLogic Server. Container and Kubernetes platforms are not supported.
- 4. See the Oracle WebLogic Server product site for necessary configuration information on this product. The JDK (Java Development Kit) is supported and is forward compatible with higher JDK versions as supported by WebLogic Server. Note: Oracle Database is the only database which is supported for usage in combination with Oracle WebLogic Server. Container and Kubernetes platforms are not supported.



### **Databases**

### Summary

The prerequisites for the specified databases should be consulted to determine the supported platforms for each.

| Supported software                            | Version   | Supported software minimum      | Components | Operating system restrictions? | Notes? |
|---|---|---------------------------------|------------|--------------------------------|--------|
| DB2 Enterprise Server Edition                 | 11.1.0  | 11.1.0                          | •          | No                             | (4)    |
|   | 11.5.5.0  | 11.5.5.0                        | •          | No                             | (1)    |
| DB2 Workgroup Server<br>Edition               | 11.1.0  | 11.1.0                          | •          | No                             | (5)    |
| Db2 for z/OS                                  | 12.1  | 12.1                            | •          | No                             | (2)    |
| H2 Database                                   | 1.3   | 1.3.176                         | •          | No                             | (3)    |
| IBM Db2 Advanced<br>Enterprise Server Edition | 11.1.0  | 11.1.0                          | •          | No                             | (4)    |
|   | 11.5.5.0  | 11.5.5.0                        | •          | No                             | (1)    |
| IBM Db2 Standard Edition<br>VPC Option        | 11.5.5.0  | 11.5.5.0                        | •          | No                             | (5)    |
| Oracle Database 19c                           | (19.3)<br>and<br>future fix<br>packs                          | (19.3)                          | •          | No                             | (5)    |
|   | (19.3)<br>Enterprise<br>Edition<br>and<br>future fix<br>packs | (19.3)<br>Enterprise<br>Edition | •          | No                             | (6)    |

### DB2 Enterprise Server Edition 11.1.0

Legend: Supported Not supported

### Deployment units

Server

| Deployment unit | 11.1.0 | >        |
|-----------------|--------|----------|
| Server          | (4)    | <b>⊘</b> |

### DB2 Enterprise Server Edition 11.5.5.0

**Legend:** Supported Not supported

#### Deployment units

Server

| Deployment unit | 11.5.5.0 | 11.5.5.1 | > |
|-----------------|----------|----------|---|
| Server          | (1)      | (1)      | • |

### DB2 Workgroup Server Edition 11.1.0

### Deployment units

Server

| Deployment unit | 11.1.0 | > |
|-----------------|--------|---|
| Server          | (5)    | • |

# Cúram Social Program Management 8.0.0 Related Software

Db2 for z/OS 12.1

Deployment units

Server

| Deployment unit | 12.1     | 12.1.0.5 | 12.1.0.5 | 12.1.0.5 | 12.1.0.5 | 12.1.0.5 | 12.1.0.5 | 12.1.0.5 | 12.1.0.5 | 12.1.0.5 | 12.1.0.5 | ···>     |
|-----------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Server          | <b>S</b> | •        | <b>S</b> | <b>②</b> | <b>②</b> | <b>S</b> | <b>O</b> | <b>②</b> | <b>②</b> | <b>S</b> | <b>②</b> | <b>S</b> |
|                 | (2)      | (2)      | (2)      | (2)      | (2)      | (2)      | (2)      | (2)      | (2)      | (2)      | (2)      |          |

# Cúram Social Program Management 8.0.0 Related Software

#### H2 Database 1.3

### Deployment units

Server

| Deployment unit | 1.3 | 1.3.170 | 1.3.176 | Future<br>Versions,<br>Releases | Future Fix Packs |
|-----------------|-----|---------|---------|---------------------------------|------------------|
| Server          | 8   | 8       | (3)     | 8                               | •                |

### IBM Db2 Advanced Enterprise Server Edition 11.1.0

**Legend:** Supported ⋈ Not supported

### Deployment units

Server

| Deployment unit | 11.1.0 | >        |
|-----------------|--------|----------|
| Server          | (4)    | <b>⊘</b> |

### IBM Db2 Advanced Enterprise Server Edition 11.5.5.0

**Legend:** Supported S Not supported ■

#### Deployment units

Server

| Deployment unit | 11.5.5.0 | 11.5.5.1 | > |
|-----------------|----------|----------|---|
| Server          | (1)      | (1)      | • |

### IBM Db2 Standard Edition VPC Option 11.5.5.0

#### Deployment units

Server

| Deployment unit | 11.5.5.0 | 11.5.5.1 | > |
|-----------------|----------|----------|---|
| Server          | (5)      | (5)      | • |

### Oracle Database 19c (19.3) and Future Fix Packs

### Deployment units

Server

| Deployment unit | (19.3) | Future Versions,<br>Releases | Future Fix Packs |
|-----------------|--------|------------------------------|------------------|
| Server          | (5)    | 8                            | •                |

### Oracle Database 19c (19.3) Enterprise Edition and Future Fix Packs

Deployment units

Server

| Deployment unit | (19.3) Enterprise<br>Edition | Future Versions,<br>Releases | Future Fix Packs |
|-----------------|------------------------------|------------------------------|------------------|
| Server          | (6)                          | 8                            | •                |

#### **Databases Notes**

- Reporting: SPM Reporting and Analytics is supported on DB2 version 11.5.5.0. The SPM data warehouse
  can be built on this version of DB2. Reporting ETLs can be built using a technology compatible with this
  version of DB2. Database-as-a-Service is not supported. Container and Kubernetes Platforms are not
  supported.
- 2. When using SPM with Db2 for z/OS, the provided db2jcc4.jar file in the \$CURAMSDEJ/drivers folder is used to access Db2 for z/OS whether access is local to z/OS or via a remote deployment. However, the level of Db2 for z/OS may have dependencies with the client JDBC driver level; therefore, see the IBM Data Server Driver for JDBC and SQLJ versions and DB2 for z/OS APARs page for supported Db2 and JDBC levels. Database-as-a-Service is not supported. Container and Kubernetes Platforms are not supported.
- 3. H2 is only supported for use in the development environment to aid application design, development and testing. The supported platforms are Windows 10. H2 is not supported for use with IBM Websphere Application Server or Oracle WebLogic Server. Please see the H2 site for further information and technical support.
- 4. Reporting: SPM Reporting and Analytics is supported on DB2 version 11.1. The SPM data warehouse can be built on this version of DB2. Reporting ETLs can be built using a technology compatible with this version of DB2. Database-as-a-Service is not supported. Container and Kubernetes Platforms are not supported.
- 5. Database-as-a-Service is not supported. Container and Kubernetes Platforms are not supported.
- 6. Reporting: Only the Enterprise Edition of Oracle Database 19c is supported for Curam Reporting. See the Oracle Database product site for certified configuration information on this product. Curam Reporting has been certified against the following Oracle versions: •Oracle 19c as a source database hosting the Curam Application database. •Oracle 19c as a target database hosting Reporting database(s). Database-as-a-Service is not supported. Container and Kubernetes Platforms are not supported.



### **Development Tools**

### Summary

Although technical support is not provided for any Integrated Development Environment (IDE) it should be possible to use any Java IDE for development. Support for IDEs should be sought from the relevant software vendor. The following lists those IDEs which have been tested, and the use of which is described in documentation. It should also be noted that the development of the application is restricted to the Windows platform (Windows 7 and 10) and the tools listed below have only been tested on that platform.

| Supported software                      | Version                              | Supported software minimum | Components | Operating system restrictions? | Notes? |
|---|--------------------------------------|----------------------------|------------|--------------------------------|--------|
| Apache Ant                              | 1.10.6<br>and<br>future fix<br>packs | 1.10.6                     | •          | No                             | (1)    |
| Eclipse                                 | 4.6                                  | 4.6.2                      | •          | No                             | (3)    |
| Rational Software Architect<br>Designer | 9.5                                  | 9.5.0.1                    | •          | No                             | (2)    |

### Apache Ant 1.10.6 and Future Fix Packs

#### Deployment units

Server

| Deployment unit | 1.10.6 | Future Versions,<br>Releases | Future Fix Packs |
|-----------------|--------|------------------------------|------------------|
| Server          | (1)    | 8                            | •                |



### Eclipse 4.6

Legend: Supported Not supported

#### Deployment units

Server

| Deployment unit | 4.6 | 4.6.1 | 4.6.2 | 4.6.3 | ··>      |
|-----------------|-----|-------|-------|-------|----------|
| Server          | 8   | 8     | (3)   | (3)   | <b>o</b> |

### Rational Software Architect Designer 9.5

### Deployment units

Server

| Deployment unit | 9.5 | 9.5.0.1 | 9.5.0.2 | 9.5.0.3 | ··> |
|-----------------|-----|---------|---------|---------|-----|
| Server          | 8   | (2)     | (2)     | (2)     | •   |

### **Development Tools Notes**

- 1. Please note that only Apache Ant 1.10.6 is supported. Associated fix packs are not.
- 2. Supported as a Modeling Environment. Servlet Containers/Application Servers: Apache Tomcat 7.0.65, with Eclipse Tomcat Plugin 9.0.1. Java SE: IBM and Oracle Java SE JDK 8.0 and higher updates. Java EE: Oracle Java EE 6 and 7 and higher updates.
- 3. Eclipse 4.6.2 and higher maintenance releases . Servlet Containers/Application Servers: Apache Tomcat 7.0.65, with Eclipse Tomcat Plugin 9.0.1. Java SE: IBM and Oracle Java SE JDK 8.0 and higher updates. Java EE: Oracle Java EE 6 and 7 and higher updates .



### **Reporting and Analysis**

### Summary

| Supported software                                | Version                             | Supported software minimum | Components | Operating system restrictions? | Notes? |
|---|-------------------------------------|----------------------------|------------|--------------------------------|--------|
| Eclipse Business Intelligence and Reporting Tools | 4.8.0<br>and<br>future fix<br>packs | 4.8.0                      | •          | No                             | (1)    |

# Eclipse Business Intelligence and Reporting Tools 4.8.0 and Future Fix Packs

Deployment units

Server

| Deployment unit | 4.8.0 | Future Versions,<br>Releases | Future Fix Packs |
|-----------------|-------|------------------------------|------------------|
| Server          | (1)   | 8                            | 0                |



1. BIRT (Business Intelligent and Reporting Tools) is an (Eclipse) open source component which provides a development and execution environment for Curam Business Intelligence (BI) content. The use of a second Eclipse instance for BIRT development is recommended as standard Curam development often requires an Eclipse version that is not compatible with the certified BIRT development environment. See the Third Party Tools Guide and BIRT Developer Guide which provide a full explanation. Curam uses the all-in-one installation. For more information please see BIRT versions and platform support



### **Web Browser Plug-Ins**

### Summary

| Supported software      | Version                            | Supported software minimum | Components | Operating system restrictions? | Notes? |
|-------------------------|------------------------------------|----------------------------|------------|--------------------------------|--------|
| Adoptium OpenJDK        | 8 and future fix packs             | 8                          | •          | No                             | (3)    |
| Microsoft Word          | 2013<br>and<br>future fix<br>packs | 2013                       | •          | No                             | (2)    |
|                         | 2016<br>and<br>future fix<br>packs | 2016                       | •          | No                             | (2)    |
|                         | 2019<br>and<br>future fix<br>packs | 2019                       | •          | No                             | (2)    |
| Oracle Java SDK/JRE/JDK | 8.0 and future fix packs           | 8.0                        | •          | No                             | (1)    |

### Adoptium OpenJDK 8 and Future Fix Packs

#### Deployment units

Server

| Deployment unit | 8   | Future Versions,<br>Releases | Future Fix Packs |
|-----------------|-----|------------------------------|------------------|
| Server          | (3) | 8                            | •                |

### Microsoft Word 2013 and Future Fix Packs

### Deployment units

Server

| Deployment unit | 2013 | Future Versions,<br>Releases | Future Fix Packs |
|-----------------|------|------------------------------|------------------|
| Server          | (2)  | 8                            | •                |



### Microsoft Word 2016 and Future Fix Packs

### Deployment units

Server

| Deployment unit | 2016 | Future Versions,<br>Releases | Future Fix Packs |
|-----------------|------|------------------------------|------------------|
| Server          | (2)  | 8                            | •                |

### Microsoft Word 2019 and Future Fix Packs

### Deployment units

Server

| Deployment unit | 2019 | Future Versions,<br>Releases | Future Fix Packs |
|-----------------|------|------------------------------|------------------|
| Server          | (2)  | 8                            | •                |

### Oracle Java SDK/JRE/JDK 8.0 and Future Fix Packs

Deployment units

Server

| Deployment unit | 8.0 | Future Versions,<br>Releases | Future Fix Packs |
|-----------------|-----|------------------------------|------------------|
| Server          | (1) | 8                            | •                |

### Web Browser Plug-Ins Notes

- 1. Oracle JRE 8.0 is required for Microsoft Word Integration. JRE 8.0 the most recently released version tested is JRE 1.8 u291. Available as a free download from here.
- 2. Required for creating and editing Curam communication documents in Microsoft Word format.
- 3. JRE 8.0 is required for Microsoft Word Integration. Available as a free download from here.



#### **Web Browsers**

#### Summary

Standard Browser Support It should be noted that while every effort is made to ensure that the pages specified for the internal case worker application use standard web technologies and formats which should be compatible with all browsers, the browsers identified in the associated notes are the only ones officially supported. Universal Access Browser Support Universal Access has been specifically developed for public facing applications. Therefore browser support has been extended in this area. It should be noted that while every effort is made to ensure that the pages specified for the Universal Access application uses standard web technologies and formats which should be compatible with all browsers, the browsers listed in the notes are the only ones officially supported. Other Notes: The set of browsers listed below are not certified for support on tablet devices. The minimum recommended resolution is 1366x768. The optimum DPI setting is Normal size. Chrome, Firefox, Edge and Safari release new versions frequently and install updates automatically by default. IBM Curam Social Program Management releases (V.R.M.F releases only) are generally tested on the latest version (for Chrome and Edge, stable releases only) of these browsers available at the start of the development cycle; if tested with no issues IBM will certify that version. The pre-requisites advise the version that is certified at each new product release. If for any reason, IBM Curam Social Program Management are unable to certify for that version, it may be necessary to revert back to a version that is previously fully certified. While IBM will support customers on newer versions of these browsers than the last certified version, they should understand that they have not been fully tested.

| Supported software | Version                       | Supported software minimum | Components | Operating system restrictions? | Notes? |
|--------------------|-------------------------------|----------------------------|------------|--------------------------------|--------|
| Apple Safari       | 14 and future fix packs       | 14                         | •          | No                             | (2)    |
| Google Chrome      | 91 and future fix packs       | 91                         | •          | No                             | (1)    |
| Microsoft Edge     | 91 and future fix packs       | 91                         | •          | No                             | (3)    |
| Mozilla Firefox    | 89 and<br>future fix<br>packs | 89                         | •          | No                             | (2)    |

### Apple Safari 14 and Future Fix Packs

#### Deployment units

Server

| Deployment unit | 14  | Future Versions,<br>Releases | Future Fix Packs |
|-----------------|-----|------------------------------|------------------|
| Server          | (2) | 8                            | <b>Ø</b>         |

### Google Chrome 91 and Future Fix Packs

### Deployment units

Server

| Deployment unit | 91  | Future Versions,<br>Releases | Future Fix Packs |
|-----------------|-----|------------------------------|------------------|
| Server          | (1) | 8                            | •                |

### Microsoft Edge 91 and Future Fix Packs

Deployment units

Server

| Deployment unit | 91  | Future Versions,<br>Releases | Future Fix Packs |
|-----------------|-----|------------------------------|------------------|
| Server          | (3) | 8                            | •                |



### Mozilla Firefox 89 and Future Fix Packs

### Deployment units

Server

| Deployment unit | 89  | Future Versions,<br>Releases | Future Fix Packs |
|-----------------|-----|------------------------------|------------------|
| Server          | (2) | 8                            | •                |

#### Web Browsers Notes

- 1. This browser is supported for both the Universal Access and Case Worker applications. Note the Microsoft Word Integration feature is supported for this browser in the Case Worker application. Arabic (RTL) is supported in this browser for the Case Worker Application.
- 2. This browser is supported for the Universal Access application only.
- 3. This browser is supported for both the Universal Access and Case Worker applications. Note the Microsoft Word Integration feature is supported for this browser in the Case Worker application. Arabic (RTL) is supported in this browser for the Case Worker Application.



### Glossary

#### **Deployment unit**

**Deployment Structure** identifies pieces of a product that can be independently deployed onto one or more machines in a distributed infrastructure.

- The top level of the deployment structure consists of one or more deployment units. There are four possible deployment units that a product might support: Desktop, Server, Agent or client, Mobile.
- Deployment units may be further divided into deployable components

**Desktop** deployment unit: Part of the deployment structure intended for use by a single user, typically installed on the user desktops. Examples of desktop deployment units include development tools, administrative tools, stand-alone business applications.

**Server** deployment unit: Part of the deployment structure that can provide services to multiple clients, providing the server in a client-server architecture. Examples of server deployment units include application servers, management servers, database servers and server-based business applications.

**Agent or client** deployment unit: Part of the deployment structure that allows remote connection between software. Examples of agent of client deployment units include agents in management system that are installed in the same tier as the managed resources, a remote application, or database clients that are installed with the software accessing the remote services.

**Mobile** deployment unit: Part of the deployment structure intended for use by a single user, typically installed on a mobile device. An example of a mobile deployment unit is a mobile application.

# Prerequisite minimum

The minimum maintenance level that is required for the prerequisite to work with the product.

#### **Product minimum**

The minimum maintenance level that is required for the product to run on the operating system, on an hypervisor, or work with a prerequisite product or supported software.

## Supported software minimum

The minimum maintenance level that is required for the supported software to work with the product.



| Long Term Support<br>Release                                  | A Long Term Support Release is a recommended product level for which support, including defect and security updates, will be provided over a specified period of time.  |
|---|---|
| Continuous Delivery<br>Product                                | A Continuous Delivery Product delivers new function to clients more frequently.   |
| Continuous Delivery<br>Product - Long Term<br>Support Release | A Continuous Delivery Product delivers new function to clients more frequently. Since frequent releases may not be suitable for all client environments, Long Term Support Releases provide a package that will be supported for a longer period of time. |



### **Disclaimers**

This report is subject to the Terms of Use (https://www.ibm.com/legal/us/en/) and the following disclaimers:

The information contained in this report is provided for informational purposes only. While efforts were made to verify the completeness and accuracy of the information contained in this publication, it is provided AS IS without warranty of any kind, express or implied, including but not limited to the implied warranties of merchantability, non-infringement, and fitness for a particular purpose. In addition, this information is based on IBM's current product plans and strategy, which are subject to change by IBM without notice. IBM shall not be responsible for any direct, indirect, incidental, consequential, special or other damages arising out of the use of, or otherwise related to, this report or any other materials. Nothing contained in this publication is intended to, nor shall have the effect of, creating any warranties or representations from IBM or its suppliers or licensors, or altering the terms and conditions of the applicable license agreement governing the use of IBM software.

References in this report to IBM products, programs, or services do not imply that they will be available in all countries in which IBM operates. Product release dates and/or capabilities referenced in this presentation may change at any time at IBM's sole discretion based on market opportunities or other factors, and are not intended to be a commitment to future product or feature availability in any way. The underlying database used to support these reports is refreshed on a weekly basis. Discrepancies found between reports generated using this web tool and other IBM documentation sources may or may not be attributed to different publish and refresh cycles for this tool and other sources. Nothing contained in this report is intended to, nor shall have the effect of, stating or implying that any activities undertaken by you will result in any specific sales, revenue growth, savings or other results. You assume sole responsibility for any results you obtain or decisions you make as a result of this report.

Notwithstanding the Terms of Use (https://www.ibm.com/legal/us/en/), users of this site are permitted to copy and save the reports generated from this tool for such users own internal business purpose. No other use shall be permitted.