Rajalakshmi Engineering College

Name: Aswin Siddharth A
Email: 240701064@rajalakshmi.edu.in
Roll no: 240701064
Phone: 9489304331
Branch: REC
Department: CSE - Section 9
Batch: 2028
Degree: B.E - CSE

Scan to verify results

2024_28_III_OOPS Using Java Lab

2028_REC_OOPS using Java_Week 8_Q1

Attempt : 1
Total Mark : 10
Marks Obtained : 10

Section 1 : Coding

1. Problem Statement

Write a program to validate the email address and display suitable exceptions if there is any mistake.

Create 3 custom exception classes as below

DotExceptionAtTheRateExceptionDomainException

A typical email address should have a " . " character, and a "@" character, and also the domain name should be valid. Valid domain names for practice be 'in', 'com', 'net', or 'biz'.

Display Invalid Dot usage, Invalid @ usage, or Invalid Domain message based on email id.

Get the email address from the user, validate the email by checking the

above-mentioned criteria, and print the validity status of the input email address.

Input Format

The first line of input contains the email to be validated.

Output Format

The output prints a Valid email address or an Invalid email address along with the suitable exception

If email ends with . or contains not exactly one . after @, it throws:

DotException: Invalid Dot usage

Invalid email address

If @ appears not exactly once, it throws:

AtTheRateException: Invalid @ usage

Invalid email address

If the part after the last dot is not among accepted domains:

DomainException: Invalid Domain

Invalid email address

If all conditions satisfied then print:

Valid email address

Refer to the sample input and output for format specifications.

Sample Test Case

Input: sample@gmail.com
Output: Valid email address

Answer

```
import java.util.Scanner;

class DotException extends Exception {
    public DotException(String mes) {
        super(mes);
    }
}

class AtTheRateException extends Exception {
    public AtTheRateException(String mes) {
        super(mes);
    }
}

class DomainException extends Exception {
    public DomainException(String mes) {
        super(mes);
    }
}

class Main {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        String email = sc.nextLine();
        int len = email.length();
        int atCount = len - email.replace("@", "").length();
        try {
            if(atCount != 1 || email.startsWith("@") || email.endsWith("@")) {
                throw new AtTheRateException("AtTheRateException: Invalid @
usage");
            }
            String[] part = email.split("@");
```

```
        if(part.length != 2) {
            throw new AtTheRateException("AtTheRateException: Invalid @
usage");
        }
        if(email.startsWith(".") || email.endsWith(".") || part[1].indexOf(".") == -1) {
            throw new DotException("DotException: Invalid Dot usage");
        }
        String[] domain = part[1].split("\\.");
        if(domain.length < 2 || !(domain[1].equals("com") || domain[1].equals("in") ||
domain[1].equals("net") || domain[1].equals("biz"))) {
            throw new DomainException("DomainException: Invalid Domain");
        }
        System.out.println("Valid email address");
      }
      catch(DotException | AtTheRateException | DomainException e) {
        System.out.println(e.getMessage());
        System.out.println("Invalid email address");
      }
      sc.close();
   }
}
```

Status : Correct **Marks : 10/10**